

BharatPath

Software Requirements Specification

User Flows & Interface Specifications

Candidate • Employer • College • Admin

Confidential — Internal Use Only

Version 1.0

Table of Contents

1. User Flows

- 1.1 Purpose
- 1.2 User Roles
- 1.3 Authentication Flows
- 1.4 Candidate Onboarding Flows
- 1.5 Candidate Profile & Score Flows
- 1.6 Questionnaire Flows
- 1.7 Job Discovery Flows
- 1.8 Job Application Flows
- 1.9 Application Board Flows
- 1.10 AI Mock Interview Flows
- 1.11 Employer Onboarding & KYB Flows
- 1.12 Employer Job Management Flows
- 1.13 Employer Application Management Flows
- 1.14 Candidate Discovery & Unlock Flows
- 1.15 College Onboarding & Roster Flows
- 1.16 College Analytics & Placement Flows
- 1.17 Admin Console Flows
- 1.18 Notification Flows
- 1.19 Audit & Privacy Flows
- 1.20 Core Lifecycle Flows
- 1.21 Core Business Flow Summary

2. Interfaces and Features

- 2.1 Purpose
- 2.2 Application Structure
- 2.3 Authentication Interfaces
- 2.4 Candidate Application Interfaces
- 2.5 Resume & Scoring Interfaces
- 2.6 Questionnaire & Profile Interfaces
- 2.7 AI Mock Interview Interfaces

Product Definition: BharatPath AI Mock Interviews are phone-based audio interviews only. The system asks interview questions live and the candidate provides live spoken answers over the phone. There is no camera, video capture, or video-based interview experience.

- 2.8 Job Discovery & Application Interfaces
- 2.9 Employer Console Interfaces
- 2.10 College Console Interfaces
- 2.11 Admin Console Interfaces
- 2.12 Notification Interfaces
- 2.13 Audit & Privacy Interfaces
- 2.14 Settings Interfaces
- 2.15 Global Search
- 2.16 Common Interface Features
- 2.17 Interface Permission Model
- 2.18 Interface State Requirements
- 2.19 Localization & Accessibility
- 2.20 Security & Privacy Interfaces
- 2.21 Error, Empty & Loading States
- 2.22 Responsive Behaviour
- 2.23 Interface Naming Convention
- 2.24 Technical Interface Requirements
- 2.25 Acceptance Criteria

1. User Flows

1.1 Purpose

This section defines the complete user flows for BharatPath. It describes how candidates, employers, colleges, and internal administrators interact with the platform to perform onboarding, resume processing, candidate scoring, job discovery, hiring, college roster management, KYB verification, integrity review, dispute resolution, and privacy operations.

The flow descriptions are intentionally implementation-oriented. Each flow identifies the actor, user actions, system behaviour, major decision points, resulting state changes, and important business rules.

1.2 User Roles

The system supports the following primary roles across the four application surfaces:

Role	Surface	Description
Candidate / Student	Mobile Application	Creates a candidate profile, processes a resume, receives a score, discovers jobs, applies, tracks applications, and optionally completes questionnaire and AI mock interview products.
Employer Owner	Employer Console	Manages the employer account, KYB, team members, jobs, candidate discovery, billing, and hiring decisions.
Employer Recruiter	Employer Console	Creates and manages jobs, reviews applications, discovers candidates, unlocks candidates, schedules interviews, and updates hiring stages.
Employer Viewer	Employer Console	Read-only access to permitted employer data.
College Admin	College Console	Manages the institution account, student roster, invitations, analytics, and placement tracking.
College Staff	College Console	Performs permitted roster and analytics operations.
Platform Admin	Admin Console	Has authorized operational access across users, employers, colleges, integrity, KYB, disputes, and audit records.
KYB Reviewer	Admin Console	Reviews employer verification submissions and makes approval/rejection/request-information decisions.
Integrity Reviewer	Admin Console	Investigates flagged resumes and accounts and resolves or confirms integrity flags.
Support Agent	Admin Console	Investigates and resolves disputes raised by candidates, employers, and colleges.

1.3 Authentication Flows

1.3.1 Candidate Phone Login Flow

Actor: Candidate

- Candidate opens the mobile application.
- System displays the authentication options.
- Candidate selects Phone Number.
- Candidate enters a valid Indian or supported phone number.

- System sends a time-bound OTP.
- Candidate enters the OTP.
- System validates the OTP and resolves the candidate account.
- If the account exists, the candidate is authenticated.
- If the account does not exist, the system starts candidate account creation.
- System creates an authenticated session and loads the candidate dashboard.

Login / Sign Up
Enter Phone Number
Send OTP
Verify OTP
Resolve Account
Candidate Dashboard

Interface / System Notes:

- OTP attempts must be rate limited.
- Expired OTPs cannot be reused.
- The candidate app should preserve the selected language during authentication.

Business Rules:

- Phone OTP is the primary candidate authentication method.
- Authentication does not require date-of-birth or age gating.

1.3.2 Google Sign-In Flow

Actor: Candidate

- Candidate selects Continue with Google.
- System redirects to the Google authentication flow.
- Google returns a verified identity response.
- System finds or creates the corresponding candidate account.
- System requests any mandatory missing profile information.
- Candidate is redirected to the appropriate onboarding or dashboard state.

Login
Continue with Google
Google Authentication
Identity Resolution
Complete Missing Data
Candidate Dashboard

1.3.3 Email Authentication Flow

Actor: Candidate

- Candidate selects Email.
- Candidate enters email and completes the authentication challenge.
- System validates the identity.
- System resolves an existing account or creates a new candidate account.
- System creates a session and redirects the candidate.

Login
Email Authentication
Validate Identity
Resolve Account
Create Session
Dashboard

1.3.4 Employer / College / Admin Login Flow

Actor: Employer / College / Admin User

- User opens the corresponding web console.
- System displays the login page.
- User enters email and password.
- System validates credentials.
- System prompts for TOTP where required.
- System validates the second factor.
- System loads role and tenant permissions.
- System creates an authenticated session.
- User is redirected to the correct console dashboard.

Console Login
Enter Credentials
Validate Credentials
TOTP
Load Role & Permissions
Create Session
Role Dashboard

Business Rules:

- Business and admin consoles require password plus TOTP-based two-factor authentication.
- Role and tenant authorization must be evaluated server-side.

1.3.5 Logout Flow

Actor: All Authenticated Users

- User opens the account menu.
- User selects Logout.
- System invalidates the active session or refresh token.
- Local sensitive session data is cleared.
- User is redirected to the authentication page.

Dashboard
Logout
Invalidate Session
Clear Session Data
Login

1.4 Candidate Onboarding Flows

1.4.1 Language Selection Flow

Actor: Candidate

- Candidate opens the application.
- System presents the available languages.
- Candidate selects a language.
- System stores the preference locally and against the user profile after account creation.
- All subsequent user-facing strings are rendered from the selected locale.

App Open
Select Language
Persist Preference
Localized Experience

Interface / System Notes:

- The language can be changed later from Settings.

1.4.2 Resume Upload Flow

Actor: Candidate

- Candidate chooses Upload Resume.
- System accepts PDF/DOC/DOCX input or resume text.
- System validates file type and size.
- System scans the uploaded document.
- System stores the original document privately.
- System creates a resume-processing job.
- Candidate sees a processing state.

Onboarding
Upload Resume
Validate File
Security Scan
Private Storage
Processing Queue
Processing State

Business Rules:

- Original resume files are private and must not be exposed through public URLs.
- A failed upload must not create a partially valid resume record.

1.4.3 Resume Parsing Flow

Actor: System

- Processing worker extracts text from the document.
- Parser identifies structured sections.
- System normalizes education, experience, skills, projects, and other supported fields.
- System creates a structured resume version.
- System marks parsing as completed.
- Candidate is notified that the resume is ready for review.

Resume File
Text Extraction
Structured Parsing
Normalization
Resume Version
Candidate Review

1.4.4 Resume Review and Confirmation Flow

Actor: Candidate

- Candidate opens the parsed resume.
- System displays extracted fields.
- Candidate reviews the information.
- Candidate edits incorrect fields.
- Candidate saves corrections.
- System validates the structured data.
- Candidate confirms the resume.
- System marks the resume version as confirmed.

Parsed Resume
Review
Edit Fields
Validate

Confirm
Confirmed Resume

Business Rules:

- The review step is mandatory because automated parsing can be imperfect.
- Corrections update the underlying resume data rather than directly changing the score.

1.4.5 Resume Integrity Screening Flow

Actor: System

- System evaluates the confirmed resume against automated integrity checks.
- System creates zero or more integrity signals.
- Low-severity signals are queued for review where applicable.
- High-severity signals can suppress the profile from employer discovery before human review.
- The candidate can continue the scoring flow unless the configured integrity policy blocks it.

Confirmed Resume
Integrity Engine
Risk Signals
Severity Classification
Queue / Search Suppression

Business Rules:

- Integrity detection does not directly modify the core score.
- Final integrity rules are configuration-driven and versioned.

1.5 Candidate Profile & Score Flows

1.5.1 Candidate Score Generation Flow

Actor: System

- System receives a confirmed structured resume.
- Scoring engine validates the input schema.
- Scoring engine calculates the proprietary candidate score.
- System calculates category-level contributions.
- System generates improvement suggestions.
- System persists the calculated score with the resume version and algorithm version.
- System calculates the display score using the configured display floor.
- Candidate sees the result.

Confirmed Resume
Scoring Engine
Calculated Score
Breakdown
Recommendations
Persist Score
Display Score
Score Result

Business Rules:

- The score is numeric on a 0–999 scale.
- Scores below 680 are displayed as a minimum of 680, while the underlying calculated value remains unchanged.
- No human or admin can directly edit a score.
- Every score must be reproducible from the stored resume version and scoring algorithm version.

1.5.2 Score Explanation Flow

Actor: Candidate

- Candidate opens the score screen.
- System retrieves the current score and breakdown.
- System displays the overall score.
- System displays category contributions.
- System displays the leading improvement recommendations.
- Candidate can navigate to the relevant resume section to make corrections or improvements.

Score
Category Breakdown
Contributing Factors
Improvement Suggestions
Resume Improvement

1.5.3 Score Recalculation Flow

Actor: Candidate / Authorized Admin

- Underlying resume information is changed.
- System creates a new resume version.
- System queues recalculation.
- Scoring engine calculates a new score using the active algorithm version.
- System stores a new score history record.
- Previous score history remains immutable.
- Candidate sees the new score after processing.

Resume Change
New Resume Version
Recalculate
Persist New Score
Retain History
Updated Score

1.5.4 Shareable Score Card Flow

Actor: Candidate

- Candidate selects Share Result.
- System creates a shareable result card.
- By default, the card contains the score tier/band rather than the exact score.
- Candidate can explicitly enable exact-score display.
- System generates a shareable representation.
- Candidate copies or shares the result.

Score
Share Result
Tier / Band
Optional Exact Score
Generate Card
Share

Business Rules:

- Exact score must not be publicly exposed unless the candidate explicitly opts in.

1.6 Questionnaire Flows

1.6.1 Questionnaire Completion Flow

Actor: Candidate

- Candidate opens the optional questionnaire.
- System presents questions covering supported professional and preference attributes.
- Candidate answers questions.
- Candidate can save progress.
- Candidate submits the questionnaire.
- System validates responses.
- System stores questionnaire responses separately from the core resume score.
- System generates a supplementary profile report or badges.

Profile
Questionnaire
Answer Questions
Save Progress
Submit
Validate
Supplementary Profile

Business Rules:

- Questionnaire completion must never modify the core resume-derived score.
- Questionnaire attributes may be used for profile presentation and permitted discovery filters.

1.7 Job Discovery Flows

1.7.1 Job Search Flow

Actor: Candidate

- Candidate opens Jobs.
- System loads active published jobs.
- Candidate searches by keyword or applies filters.
- System returns matching jobs.
- Candidate can sort results.
- Candidate opens a job to view details.

Jobs
Search / Filters
Query Published Jobs
Results
Job Details

Interface / System Notes:

- Only jobs that are live and eligible for candidate discovery should be returned.

1.7.2 Job Eligibility / Score Threshold Flow

Actor: Candidate

- Candidate opens a job.
- System retrieves the job minimum score threshold.
- System compares the candidate's current applicable score against the threshold.
- System displays whether the candidate meets the threshold.
- If the candidate does not meet it, the interface displays configured improvement guidance.

Job Details
Read Threshold

Compare Candidate Score
Eligible?
Show Guidance

Business Rules:

- The comparison must use the system's authoritative score record rather than a client-provided value.

1.7.3 Job Detail Flow

Actor: Candidate

- Candidate selects a job.
- System displays job title, employer information permitted for public discovery, description, location, work mode, salary range, required skills, experience expectations, and score-threshold status.
- Candidate reviews the details.
- Candidate can Apply or return to search.

Job Search
Select Job
Job Details
Review
Apply / Back

1.8 Job Application Flows

1.8.1 Apply to Job Flow

Actor: Candidate

- Candidate opens a published job.
- Candidate selects Apply.
- System verifies the candidate account.
- System verifies the job is still accepting applications.
- System verifies duplicate application rules.
- System creates the application.
- System records the initial application stage.
- Employer receives an application notification.
- Candidate sees the application in the Application Board.

Job
Apply
Validate Account
Validate Job
Duplicate Check
Create Application
Initial Stage
Notify Employer

Business Rules:

- Application creation must be idempotent.
- The candidate cannot create duplicate active applications for the same job unless explicitly permitted by a future business rule.

1.8.2 Withdraw Application Flow

Actor: Candidate

- Candidate opens an active application.
- Candidate selects Withdraw.
- System confirms the action.

- System changes the application to Withdrawn.
- System records the transition.
- Employer receives a notification where configured.

Application
Withdraw
Confirm
WITHDRAWN
Application Event
Notify Employer

1.9 Application Board Flows

1.9.1 Application Board Flow

Actor: Candidate

- Candidate opens Application Board.
- System retrieves active and historical applications.
- Applications are grouped or displayed by current stage.
- Candidate opens an application to see stage history.
- Scheduled interview details are displayed where available.
- Terminal states such as hired, rejected, withdrawn, or expired are clearly indicated.

Application Board
Applications
Current Stage
Stage History
Interview Details
Outcome

1.9.2 Employer Application Stage Transition Flow

Actor: Employer Recruiter / Owner

- Recruiter opens a job's applicant list.
- Recruiter selects an application.
- Recruiter chooses the next permitted stage.
- System validates that the transition is allowed.
- System records the transition event.
- Candidate receives the configured notification.
- Application Board reflects the new state.

Applicant List
Application
Select Stage
Validate Transition
Persist Event
Notify Candidate
Updated Board

Business Rules:

- MVP uses a fixed hiring pipeline rather than a fully configurable pipeline.

1.9.3 Application Expiry Flow

Actor: System

- System periodically identifies applications where the employer has been inactive beyond the configured period.
- System evaluates whether expiry rules apply.

- If applicable, the application changes to Expired.
- Candidate is notified.
- The expiry event is recorded.

Scheduled Check
Inactive Application
Expiry Rule
EXPIRED
Notify Candidate

1.10 AI Mock Interview Flows

1.10.1 Mock Interview Purchase Entry Flow

Actor: Candidate

- Candidate opens AI Mock Interview.
- System displays product information, price, prerequisites, and device requirements.
- Candidate starts the device/environment check before payment.
- System verifies required capabilities.
- If checks pass, candidate proceeds to payment.
- If checks fail, the system identifies the failing capability and prevents accidental payment until resolved.

Mock Interview
Product Details
Device Check
Checks Pass?
Payment / Fix Device

Business Rules:

- Device checks occur before payment.

1.10.2 Device / Environment Check Flow

Actor: Candidate

- System checks microphone availability.
- System checks phone audio capability.
- System checks network quality.
- System checks available device storage where required.
- System checks quiet environment readiness where applicable.
- System presents pass/fail results.
- Candidate can retry failed checks.

Microphone
Phone Audio
Network
Storage
Lighting
Overall Readiness

1.10.3 Mock Interview Payment Flow

Actor: Candidate / Payment Provider

- Candidate confirms purchase.
- System creates a pending payment transaction.
- Payment provider presents the UPI payment flow.
- Provider processes the payment.
- Provider sends a signed server-to-server confirmation.

- System verifies the payment.
- System marks the transaction successful.
- System creates the interview entitlement.
- Candidate is redirected to the interview.

```
Purchase
Create Payment
UPI
Provider Confirmation
Server Verification
SUCCESS
Create Entitlement
Interview
```

Business Rules:

- A client-side payment success callback cannot by itself grant entitlement.
- Failed or pending payments do not grant access.

1.10.4 Mock Interview Session Flow

Actor: Candidate

- Candidate opens the purchased interview.
- System validates the entitlement.
- System displays instructions.
- System presents the first question.
- Candidate provides the live answer.
- System captures and persists the live answer progressively.
- System confirms successful persistence.
- Candidate proceeds to the next question.
- The interviewer/AI continues asking questions and receiving live answers until the configured interview is complete.

```
Entitlement
Instructions
Question
Record Answer
Upload
Persist
Next Question
Interview Complete
```

Business Rules:

- Answers are uploaded per question rather than as one large file.
- Previously persisted answers must survive a dropped connection.

1.10.5 Interrupted Interview Recovery Flow

Actor: Candidate

- Network connectivity drops during an answer upload.
- System marks the answer as pending upload.
- Candidate sees an offline/retry state.
- The local answer remains available for retry.
- When connectivity returns, the client retries the upload.
- Server accepts the answer idempotently.
- Candidate resumes the interview.

```
Answer Upload
Network Failure
Persist Locally
```

Retry Queue
Network Restored
Upload
Resume

1.10.6 Mock Interview Evaluation Flow

Actor: System

- Interview answers are marked complete.
- System sends media/transcript data to the configured processing pipeline.
- Speech-to-text may be performed where applicable.
- The evaluation engine applies the configured rubric.
- System stores the evaluation report.
- Candidate is notified that the report is available.
- The core candidate score remains unchanged.

Interview Complete
Processing
Speech-to-Text
AI Evaluation
Rubric Report
Notify Candidate

Business Rules:

- The AI mock interview is a sibling signal and never a scoring input for the core resume-derived score.

1.11 Employer Onboarding & KYB Flows

1.11.1 Employer Account Creation Flow

Actor: Employer Owner

- Owner opens the Employer Console.
- Owner creates an account.
- System validates credentials and required business identity information.
- Owner enables TOTP.
- System creates the employer tenant.
- Owner is redirected to KYB onboarding.

Employer Console
Create Account
Validate
Enable TOTP
Create Employer Tenant
KYB Onboarding

1.11.2 KYB Submission Flow

Actor: Employer Owner

- Owner opens KYB onboarding.
- System displays required business information and document fields.
- Owner enters registration/tax/business details.
- Owner uploads required documents.
- System validates file and field completeness.
- Owner submits the verification package.
- System creates a KYB submission in Pending / Under Review state.
- Admin KYB Queue receives the submission.

Employer
KYB
Business Details
Documents
Validate
Submit
UNDER_REVIEW
Admin Queue

1.11.3 KYB Review Flow

Actor: KYB Reviewer

- Reviewer opens the KYB Queue.
- Reviewer selects a submission.
- System displays submitted business data and documents.
- Reviewer may approve, reject, or request more information.
- A rejection must include a reason.
- A request for information returns the submission to the employer.
- The final decision is stored and audited.

KYB Queue
Submission
Review Data
Approve / Reject / More Info
Persist Decision
Audit

1.11.4 KYB Publishing Gate Flow

Actor: Employer System

- Employer attempts to publish a job.
- Backend retrieves employer KYB status.
- If KYB is not Approved, publishing is rejected.
- System returns a KYB_REQUIRED response.
- If KYB is Approved, job validation continues.

Publish Job
Check KYB
Approved?
NO → Block Publish
YES → Continue Validation

Business Rules:

- The KYB gate is server-side and cannot be bypassed by calling the publish endpoint directly.

1.11.5 Employer Team Management Flow

Actor: Employer Owner

- Owner opens Team Management.
- Owner selects Add Member.
- Owner enters member identity information.
- Owner selects a role: Owner, Recruiter, or Viewer as configured.
- System validates membership rules.
- System creates an invitation.
- Invitee accepts and completes authentication.
- Team membership becomes active.

Employer
Team
Add Member
Identity
Role
Invitation
Accept
Active Member

1.12 Employer Job Management Flows

1.12.1 Job Composer Flow

Actor: Employer Owner / Recruiter

- User opens Job Management.
- User selects Create Job.
- System displays the Job Composer.
- User enters title and description.
- User enters required skills.
- User enters location and work mode.
- User enters experience expectations.
- User enters mandatory salary range.
- User sets the minimum candidate score threshold.
- System displays a live candidate-count estimate for the selected threshold.
- User saves the job as Draft.

Jobs
Create Job
Job Composer
Details
Skills
Location / Work Mode
Experience
Salary
Score Threshold
Candidate Count
Save Draft

Business Rules:

- Salary range is mandatory.
- Threshold preview returns a count only and never exposes candidate identities or raw candidate data.

1.12.2 Job Validation Flow

Actor: System

- Employer selects Publish.
- System validates KYB approval.
- System validates mandatory job fields.
- System validates salary range.
- System validates score threshold.
- System validates employer permissions.
- If all checks pass, the job can enter Published state.

Publish
KYB Check
Required Fields
Salary

Threshold
Permission
Validated

1.12.3 Publish Job Flow

Actor: Employer Owner / Recruiter

- Employer opens a complete Draft job.
- Employer selects Publish.
- Backend executes all publishing rules.
- System changes job status to Published.
- Job becomes eligible for candidate search.
- Candidates can discover the job subject to configured visibility rules.

Draft
Publish
Server Rules
PUBLISHED
Candidate Discovery

1.12.4 Pause / Close Job Flow

Actor: Employer Owner / Recruiter

- Employer opens a published job.
- Employer selects Pause or Close.
- System validates the actor's permission.
- Job status changes.
- New applications are prevented where applicable.
- Existing applications remain available for processing.

Published Job
Pause / Close
Permission
PAUSED / CLOSED
Update Discovery
Retain Applications

1.13 Employer Application Management Flows

1.13.1 Incoming Applications Flow

Actor: Employer Recruiter / Owner

- Employer opens a job.
- System retrieves applications for that employer-owned job.
- Applications are displayed by current stage.
- Recruiter can open an application.
- Recruiter can move the application through permitted fixed stages.
- Each transition is stored in the application history.

Job
Applications
Stage View
Open Application
Move Stage
Persist History

1.13.2 Interview Scheduling Flow

Actor: Employer Recruiter / Owner

- Recruiter selects an application at an interview-capable stage.
- Recruiter enters interview date and time.
- Recruiter enters or pastes an external meeting URL.
- System validates the scheduling data.
- System stores the interview schedule.
- Candidate is notified.
- The application displays the interview details.

Application
Schedule Interview
Date / Time
External Meeting URL
Validate
Save
Notify Candidate

Business Rules:

- BharatPath does not provide native video conferencing in the MVP.

1.13.3 Hire Confirmation Flow

Actor: Employer and Candidate

- Employer selects Mark as Hired.
- System records a pending hire confirmation.
- Candidate receives a hire confirmation request.
- Candidate accepts or disputes the hire state.
- If both sides confirm, the platform records the final hire event.
- The platform updates the application outcome.
- The hire event becomes eligible for platform-sourced placement analytics.

Employer Marks Hired
Pending Confirmation
Candidate Confirmation
Both Confirm?
FINAL HIRE
Placement Event

Business Rules:

- The exact billing behaviour for hire events remains a business decision and must not be assumed in the UI contract.

1.14 Candidate Discovery & Unlock Flows

1.14.1 Employer Candidate Search Flow

Actor: Employer Recruiter / Owner

- Employer opens Candidate Discovery.
- System verifies employer authorization and KYB/search eligibility.
- Employer applies filters such as score band, location, skills, experience, and completed add-on badges.
- Search engine returns anonymized candidate cards.
- Candidate names, phone numbers, emails, exact scores, and restricted sensitive information remain hidden.
- Employer can open a masked candidate profile.

Candidate Discovery
 Authorization
 Filters
 Search Index
 Masked Results
 Candidate Preview

1.14.2 Candidate Unlock Flow

Actor: Employer Recruiter / Owner

- Employer selects Unlock on an anonymized candidate.
- System displays the unlock price and remaining quota/balance.
- Employer confirms the action.
- Backend verifies authorization and candidate availability.
- Billing transaction is created and processed.
- On successful billing, the unlock entitlement is created.
- Candidate contact details and exact score become visible according to access policy.
- The unlock is recorded in the audit trail.

Masked Candidate
 Unlock
 Price + Balance
 Authorize
 Bill
 Create Entitlement
 Reveal Authorized Data
 Audit

Business Rules:

- Unlock is a billed action.
- Unlock must be idempotent to prevent duplicate charges.
- Every unlock must record actor, target candidate, time, and cost.

1.14.3 Unlock Failure Flow

Actor: Employer Recruiter / Owner

- Employer confirms an unlock.
- Billing or authorization fails.
- System does not reveal private candidate data.
- System does not create an active unlock entitlement.
- User receives an actionable error.
- The failed transaction is retained for reconciliation.

Confirm Unlock
 Authorization / Billing
 Failure
 No Data Reveal
 No Entitlement
 Error / Reconciliation

1.15 College Onboarding & Roster Flows

1.15.1 College Account Creation Flow

Actor: College Admin

- College admin opens the College Console.

- Admin creates an institution account.
- System validates identity information.
- Admin configures the institution profile.
- System creates the institution tenant.
- Admin is redirected to the dashboard.

College Console
Create Account
Validate
Institution Profile
Create Tenant
Dashboard

1.15.2 Bulk Student Roster Upload Flow

Actor: College Admin / Staff

- User opens Roster Management.
- User downloads or views the supported template.
- User uploads CSV/XLSX data.
- System validates headers and rows.
- System identifies malformed or duplicate rows.
- System presents an import preview.
- User confirms the upload.
- System processes valid rows asynchronously.
- Student invitations are created.

Roster
Upload CSV/XLSX
Validate
Duplicate / Error Detection
Preview
Confirm
Process
Invitations

1.15.3 Student Invitation and Consent Flow

Actor: Student / College

- College creates an invitation from the roster.
- System sends the invitation to the matched phone/email.
- Student opens the invitation.
- System authenticates or links the student to an existing candidate account.
- Student reviews the requested institution connection and visibility scope.
- Student explicitly accepts or declines.
- If accepted, the institution-student relationship becomes active.
- If declined, the student remains unlinked and individual data remains hidden.

Roster
Invite
Student Opens
Authenticate / Link
Review Consent
Accept / Decline
Relationship State

Business Rules:

- Institution-side bypass of student consent is prohibited.

- Consent must be stored with scope, timestamp, version, and status.

1.16 College Analytics & Placement Flows

1.16.1 Student Overview Analytics Flow

Actor: College Admin / Staff

- User opens Analytics.
- System verifies institution access.
- System loads cohort-level metrics.
- System displays roster size, connected students, score distribution, median score, applications, interviews, and platform-sourced outcomes as available.
- Individual candidate data is not displayed by default.

Analytics
Authorize Institution
Aggregate Metrics
Cohort Dashboard
No Individual Data by Default

1.16.2 Consented Individual Student View Flow

Actor: College Admin / Staff

- User selects a linked student where individual visibility is permitted.
- System checks current consent.
- If consent exists, system returns the permitted individual data.
- If consent is absent or revoked, system returns only permitted aggregate/roster information.

Student
Check Consent
Consent Valid?
YES → Individual View
NO → Restricted View

1.16.3 Placement Tracking Flow

Actor: College Admin / Staff

- System identifies platform-sourced hiring outcomes for linked students.
- System aggregates outcomes by cohort and time period.
- College can view placement counts and trends.
- Outcomes are explicitly labeled as platform-sourced.
- External placements are not automatically attributed to BharatPath.

Hiring Outcome
Roster Link
Platform-Sourced Check
Aggregate
Placement Analytics

1.17 Admin Console Flows

1.17.1 Admin Dashboard Flow

Actor: Platform Admin

- Admin authenticates using password and TOTP.
- System loads admin permissions.
- Dashboard displays operational queues and platform metrics.

- Admin can navigate to KYB, Integrity, Candidates, Employers, Colleges, Disputes, Notifications, and Audit.

Admin Login
TOTP
Permissions
Admin Dashboard
Operational Queues

1.17.2 KYB Queue Flow

Actor: KYB Reviewer

- Reviewer opens KYB Queue.
- System lists pending and under-review submissions.
- Reviewer filters by status, date, and business information.
- Reviewer opens a submission.
- Reviewer reviews documents and verification data.
- Reviewer approves, rejects, or requests additional information.
- System records the decision and audit event.

KYB Queue
Filter
Open Submission
Review
Decision
Persist
Audit

1.17.3 Resume Integrity Queue Flow

Actor: Integrity Reviewer

- Reviewer opens Integrity Queue.
- System displays flagged candidates/accounts with severity.
- Reviewer opens a flag.
- System displays relevant resume versions, signals, history, and permitted supporting information.
- Reviewer clears the flag or confirms the violation.
- Clearing restores permitted visibility.
- Confirming a violation may suspend the account or keep the profile hidden.
- All actions are audited.

Integrity Queue
Flag
Review Evidence
Clear / Confirm
Restore / Restrict
Audit

Business Rules:

- High-severity flags may suppress employer search visibility before human review.

1.17.4 Candidate Drill-Down Flow

Actor: Authorized Platform Admin

- Admin opens Candidates.
- Admin searches by supported identifiers.
- Admin selects a candidate.
- System records the admin access event.

- System displays authorized profile, resume versions, score history, applications, flags, consent records, and relevant operational history.
- Admin can navigate to related disputes or integrity cases.

Candidates
Search
Select Candidate
Audit Access
Candidate Record
Related Cases

1.17.5 Employer Drill-Down Flow

Actor: Authorized Platform Admin

- Admin opens Employers.
- Admin searches for an employer.
- Admin selects the employer.
- System records the access event.
- System displays KYB status, documents, jobs, team members, unlock/billing history, and disputes as permitted.

Employers
Search
Employer Record
Audit Access
KYB
Jobs
Team
Billing / Unlocks
Disputes

1.17.6 College Drill-Down Flow

Actor: Authorized Platform Admin

- Admin opens Colleges.
- Admin searches for an institution.
- Admin selects the institution.
- System records the access event.
- System displays institution profile, roster metadata, connected students, usage, analytics, and related disputes subject to authorization.

Colleges
Search
Institution Record
Audit Access
Roster
Usage
Analytics
Disputes

1.17.7 Dispute Queue Flow

Actor: Support Agent / Platform Admin

- User opens Dispute Queue.
- System lists open and historical tickets from candidates, employers, and colleges.
- Agent filters by source, status, category, and priority.
- Agent opens a ticket.
- System displays related entities and permitted history.

- Agent investigates and may cross-link to a KYB, integrity flag, payment, unlock, application, or user record.
- Agent records a resolution.
- System notifies the requester and stores the resolution history.

Dispute Queue
Filter
Open Ticket
Related Entities
Investigate
Resolve
Notify
Audit

1.18 Notification Flows

1.18.1 Event-Driven Notification Flow

Actor: System

- A business event is generated.
- Event is placed on the notification queue.
- Notification service resolves recipients and channels.
- System creates an in-app notification and/or sends push/email/SMS as configured.
- Delivery status is recorded.
- Failed delivery can be retried according to channel policy.

Business Event
Queue
Recipient Resolution
Notification Channels
Delivery Status
Retry

1.18.2 Candidate Application Notification Flow

Actor: System

- Application is created or stage changes.
- System identifies the candidate.
- System creates the notification.
- Candidate receives the notification through enabled channels.
- Application Board remains the source of truth for current state.

Application Event
Candidate
Notification
Push / Email / In-App
Application Board

1.19 Audit & Privacy Flows

1.19.1 Sensitive Data Access Audit Flow

Actor: System

- A sensitive-data access operation is requested.
- Authorization is evaluated.
- If access is allowed, the system performs the operation.
- System creates an append-only audit event containing actor, action, target, timestamp, and relevant metadata.

- Audit event becomes available to authorized operations users.

Sensitive Request
Authorization
Allow?
Perform Access
Create Audit Event
Audit Store

Business Rules:

- Employer unlocks and authorized admin access are mandatory audit events.

1.19.2 College Consent Revocation Flow

Actor: Student

- Student opens privacy/consent settings.
- Student selects an institution relationship.
- Student chooses Revoke Consent.
- System records the revocation.
- Institution individual-level access is removed according to the consent scope.
- Aggregate platform metrics remain available where legally and product-wise permitted.
- Institution is notified of the changed access state.

Consent Settings
Select Institution
Revoke
Persist Revocation
Restrict Individual Access
Notify Institution

1.19.3 Data Export Request Flow

Actor: Candidate / Authorized User

- User opens privacy settings.
- User requests data export.
- System creates an export request with status and due date.
- Background worker prepares the export.
- System stores the export securely.
- User receives a notification when the export is ready.
- The download is provided through a time-limited secure link.

Privacy Settings
Export Request
Track Due Date
Prepare Export
Secure Storage
Notify
Secure Download

1.19.4 Data Deletion Request Flow

Actor: Candidate / Authorized User

- User requests account deletion.
- System creates a deletion request.
- System determines which data must be deleted, anonymized, or retained under applicable retention rules.
- System processes the deletion workflow asynchronously.
- System records completion status.

- User receives the final status.

Delete Request
Create Request
Retention Evaluation
Process
Record Completion
Notify User

1.20 Core Lifecycle Flows


1.20.1 Candidate Lifecycle

Discover BharatPath
↓
Resume Intake
↓
Parse & Review
↓
Confirm Resume
↓
Core Score
↓
Profile / Questionnaire
↓
Job Discovery
↓
Application
↓
Interview
↓
Hire / Outcome


1.20.2 Employer Lifecycle

Employer Sign Up
↓
Business Information
↓
KYB Submission
↓
Admin Review
↓
KYB Approved
↓
Job Composer
↓
Publish
↓
Applications / Candidate Search
↓
Unlock / Interview
↓
Hire Confirmation


1.20.3 College Lifecycle



1.20.4 Admin Operations Lifecycle




1.20.5 Application Lifecycle




1.20.6 Job Lifecycle






1.20.7 KYB Lifecycle




1.20.8 Candidate Unlock Lifecycle



1.21 Core Business Flow Summary

BharatPath is built around four connected but permission-isolated experiences. Candidate data originates in the candidate application, is transformed into structured resume information and a reproducible core score, and then becomes discoverable to employers only through controlled anonymized search and explicit unlock. Colleges receive aggregate analytics by default and individual visibility only after student consent. Administrators operate verification, integrity, and dispute workflows across all sides.



2. Interfaces and Features

2.1 Purpose

This section defines the interface structure and feature requirements for the four BharatPath application surfaces: Candidate Mobile Application, Employer Console, College Console, and Admin Console. It follows the user-flow model above and describes the screens, major controls, states, data visibility, and permission behaviour expected at the interface level.

2.2 Application Structure

Surface	Platform	Primary Navigation	Primary Users
Candidate Application	Android + iOS	Home, Score, Jobs, Applications, Interview, Profile, Notifications, Settings	Candidates / Students
Employer Console	Desktop Web	Dashboard, Jobs, Applications, Candidate Discovery, Unlocks/Billing, Team, Settings	Owners, Recruiters, Viewers
College Console	Desktop Web	Dashboard, Roster, Invitations, Analytics, Placements, Settings	College Admins / Staff
Admin Console	Desktop Web	Dashboard, KYB, Integrity, Candidates, Employers, Colleges, Disputes, Audit, Settings	Platform Operations

2.3 Authentication Interfaces

2.3.1 Candidate Login Interface

- Phone number entry with OTP action.
- Google sign-in option.
- Email sign-in option.
- Language selector.
- Clear loading, invalid OTP, expired OTP, and retry states.
- No age-gating field or age-based restriction.

Candidate Login
Phone / Google / Email
Authentication Challenge
Authenticated Session
Candidate Experience

2.3.2 Business Console Login Interface

- Email field.
- Password field.
- TOTP field or authenticator challenge.
- Forgot-password flow.
- Session-expired state.
- Account lock/rate-limit messaging without revealing sensitive authentication information.

2.4 Candidate Application Interfaces

2.4.1 Candidate Home / Dashboard

- Current score card.
- Resume completion / profile status.

- Recommended jobs.
- Application activity summary.
- Mock interview entry point.
- Questionnaire completion state.
- Notifications.
- Quick access to profile and settings.

2.4.2 Candidate Profile Interface

- Personal profile information.
- Education.
- Experience.
- Skills.
- Projects.
- Preferences.
- Questionnaire-derived badges or signals.
- Resume versions and current resume status.

2.5 Resume & Scoring Interfaces

2.5.1 Resume Intake Interface

- Upload PDF/DOC/DOCX.
- Paste resume text.
- Manual structured entry fallback.
- File validation messaging.
- Processing progress state.
- Retry state for failed processing.

2.5.2 Resume Review Interface

- Editable parsed fields.
- Field-level validation.
- Save changes.
- Confirm Resume action.
- Warning that confirmation creates the score input version.

2.5.3 Score Interface

- Overall numeric display score.
- Score tier/band.
- Category breakdown.
- Top improvement recommendations.
- Score history entry points.
- Share result action.
- Clear distinction between the displayed score and underlying score behaviour where applicable.

```
Score Screen
↓
Overall Score
↓
Category Breakdown
↓
Improvement Recommendations
↓
Resume Sections to Improve
```

2.5.4 Score History Interface

- Current score.
- Previous score records.

- Resume version associated with each score.
- Calculation timestamp.
- Algorithm version metadata where exposed to authorized users.
- No edit-score control.

2.6 Questionnaire & Profile Interfaces

2.6.1 Questionnaire Interface

- Sectioned question groups.
- Progress indicator.
- Save and continue.
- Back/forward navigation.
- Validation for mandatory questionnaire fields.
- Completion summary.
- Clear statement that questionnaire completion does not change the core resume score.

2.6.2 Supplementary Profile Interface

- Preference badges.
- Role preferences.
- Work-mode preferences.
- Interest areas.
- Other configured profile signals.
- Separate presentation from the core score.

2.7 AI Mock Interview Interfaces

2.7.1 Mock Interview Landing Interface

- Product description.
- Pricing.
- Interview duration/question count where configured.
- Device requirements.
- Payment action.
- Previous interview results.

2.7.2 Device Check Interface

Check	Display	Failure Action
Microphone	Pass / Fail	Show remediation and retry.
Phone Audio	Pass / Fail	Show remediation and retry where audio interview is required.
Network	Pass / Fail	Prompt candidate to improve connection.
Storage	Pass / Fail	Prompt candidate to free storage.
Audio / Environment	Pass / Fail	Show guidance where configured.

2.7.3 Interview Session Interface

- Current question.
- Question progress.
- Recording state.
- Upload state.
- Retry state.
- Next question control.
- Session recovery after network interruption.
- Do not allow accidental termination without a clear confirmation.

2.7.4 Interview Results Interface

- Overall interview assessment.
- Rubric categories.
- Question-level observations where supported.
- Strengths.
- Improvement areas.
- Explicit separation from the core candidate score.

2.8 Job Discovery & Application Interfaces


2.8.1 Jobs Listing Interface

- Search.
- Role filter.
- Location filter.
- Work mode filter.
- Experience filter.
- Salary filter.
- Skill filter.
- Sort options.
- Eligibility/threshold indicator.

2.8.2 Job Detail Interface

- Job title.
- Employer information permitted for candidate-facing display.
- Description.
- Skills.
- Experience.
- Salary range.
- Location/work mode.
- Score-threshold result.
- Apply button.
- Application status if already applied.

2.8.3 Application Board Interface



- List or card view of applications.
- Current stage indicator.
- Stage history.
- Interview schedule card.
- Withdraw action where allowed.
- Terminal-state messaging.

2.9 Employer Console Interfaces

2.9.1 Employer Dashboard

- KYB status.
- Published jobs.
- Draft jobs.
- Incoming applications.

- Candidate search activity.
- Unlock activity.
- Upcoming interviews.
- Hiring outcomes.
- Billing/quota summary where applicable.

2.9.2 KYB Interface

- Business profile form.
- Registration/tax information.
- Document upload.
- Submission status.
- Admin request-for-information state.
- Approval/rejection reason where available.
- Publish-gate warning when KYB is not approved.


2.9.3 Job Composer Interface

- Title.
- Description.
- Required skills.
- Experience.
- Location.
- Work mode.
- Mandatory salary range.
- Minimum candidate score.
- Live candidate-count estimate.
- Save Draft.
- Publish.

2.9.4 Job List Interface

Column	Purpose
Job Title	Identify listing.
Status	Draft / Published / Paused / Closed.
Applications	Current application count.
Threshold	Configured minimum score.
Created	Creation timestamp.
Updated	Last modification timestamp.
Actions	View / Edit / Pause / Close / Publish where permitted.

2.9.5 Application Pipeline Interface



- Fixed MVP stages.
- Drag/drop may be used as a UI interaction only if the resulting transition is server-validated.
- Interview scheduling action.
- Candidate application detail.
- Stage history.
- Notes where permitted.

2.9.6 Candidate Discovery Interface

- Score band filter.
- Location filter.
- Skills filter.
- Experience filter.
- Completed add-on badges.
- Anonymized candidate cards.
- Unlock CTA.
- Price and remaining quota/balance before unlock.
- No pre-unlock name, phone, email, exact score, or restricted sensitive data.

2.9.7 Unlocked Candidate Interface

- Authorized candidate identity/contact data.
- Exact score.
- Relevant profile information.
- Unlock timestamp.
- Related job/application context where permitted.
- Audit-backed access state.

2.10 College Console Interfaces

2.10.1 College Dashboard

- Roster size.
- Connected students.
- Pending invitations.
- Score distribution.
- Application activity.
- Interview activity.
- Platform-sourced hiring outcomes.

2.10.2 Roster Management Interface

- Upload CSV/XLSX.
- Template download.
- Upload preview.
- Row validation results.
- Duplicate detection.
- Import confirmation.
- Processing status.
- Invitation status per student.

2.10.3 Invitation / Consent Interface

- Pending invitations.
- Accepted invitations.
- Declined invitations.
- Consent scope/status.
- Revoked consent state.
- No control allowing college staff to bypass student acceptance.

2.10.4 Student Overview Analytics Interface

- Cohort-level score distribution.
- Median score.
- Application volume.
- Interview volume.
- Platform-sourced hires.
- Filters by cohort, course, branch, graduation year, or other configured aggregate dimensions.
- Individual candidate data hidden unless explicit consent exists.

2.10.5 Placement Tracking Interface

- Platform-sourced placement count.
- Placement trend over time.
- Cohort breakdown.
- Role/location breakdown where sufficient aggregation exists.
- Explicit platform-sourced labeling.

2.11 Admin Console Interfaces

2.11.1 Admin Dashboard

- Pending KYB count.
- Integrity flags by severity.
- Candidate count.
- Employer count.
- College count.
- Open disputes.
- Recent sensitive-data access events.
- Operational alerts.

2.11.2 KYB Queue Interface

- Queue filters.
- Submission status.
- Business search.
- Document preview.
- Approve.
- Reject with reason.
- Request more information.
- Audit history.

2.11.3 Integrity Queue Interface

- Flag severity.
- Flag type.
- Candidate/account reference.
- Detected signals.
- Resume history.
- Clear flag.
- Confirm violation.
- Restriction/suspension action where authorized.
- Audit history.

2.11.4 Candidate Drill-Down Interface

- Account summary.
- Profile.
- Resume versions.
- Score history.
- Questionnaire.
- Mock interviews.
- Applications.

- Integrity flags.
- Consent.
- Disputes.
- Audit access history.

2.11.5 Employer Drill-Down Interface

- Business profile.
- KYB status and documents.
- Jobs.
- Applications.
- Team members.
- Unlock/billing history.
- Disputes.
- Audit history.

2.11.6 College Drill-Down Interface

- Institution profile.
- Roster metadata.
- Linked student counts.
- Invitation status.
- Usage.
- Analytics.
- Placement outcomes.
- Disputes.
- Audit history.

2.11.7 Dispute Interface

- Ticket source.
- Ticket category.
- Priority.
- Status.
- Requester.
- Related entity links.
- Internal notes.
- Resolution.
- Audit trail.

2.12 Notification Interfaces

2.12.1 Notification Center

- Unread/read state.
- Timestamp.
- Notification category.
- Related entity link.
- Mark read.
- Notification preferences.

2.12.2 Notification Preferences

Channel	Examples	User Control
In-App	Applications, KYB, disputes	Enabled by default where required.
Push	Application updates, interview schedules	User configurable.
Email	Account and workflow updates	User configurable where legally/operationally appropriate.

Channel	Examples	User Control
SMS / OTP	Authentication and critical transactional events	System controlled according to provider and policy.

2.13 Audit & Privacy Interfaces

2.13.1 Audit Log Interface

- Actor.
- Role.
- Action.
- Target.
- Timestamp.
- Metadata.
- Search/filter.
- Read-only presentation for operations users unless a separate administrative retention workflow exists.

2.13.2 Privacy Settings Interface

- Data export request.
- Account deletion request.
- Consent management.
- Institution connections.
- Share-result settings.
- Request status and due date.

2.14 Settings Interfaces

- Profile settings.
- Language.
- Notification preferences.
- Security.
- Active sessions/devices where supported.
- Privacy.
- Account management.

2.15 Global Search

Global Search is primarily an employer/admin-console capability and must respect tenant and role boundaries.

- Employer: search jobs and permitted employer-owned applications; candidate search uses the dedicated anonymized search interface.
- College: search roster records within the institution.
- Admin: search candidates, employers, colleges, jobs, disputes, and operational records according to role.
- Search results must never reveal data outside the requester's authorization scope.

2.16 Common Interface Features

Feature	Requirement
Navigation	Consistent primary navigation per surface.
Search	Debounced search with clear empty state.
Filters	Persistent filter state where practical.
Pagination	Server-side pagination for large datasets.
Sorting	Explicit sort controls and deterministic ordering.
Bulk Actions	Available only where the workflow supports safe bulk operations.
Confirmations	Required for destructive or billed actions.

Feature	Requirement
Toasts	Use for transient success/failure feedback.
Dialogs	Use for confirmations, compact forms, and warnings.
Breadcrumbs	Use in deep admin/employer/college drill-downs.
Loading	Skeleton or progress state for asynchronous operations.
Empty State	Explain why no data is present and provide the next action.
Error State	Explain the issue without exposing internal details.

2.17 Interface Permission Model

Feature	Candidate	Employer Owner	Recruiter	Viewer	College	Admin
View Own Profile	Full	—	—	—	Scoped	Full if authorized
View Candidate Search	—	Full	Full	Read	—	Full
Unlock Candidate	—	Full	Full	No	—	Operational access only
Publish Job	—	Full	Full	No	—	Admin support only
View College Analytics	—	—	—	—	Full	Full if authorized
View Individual Student	—	—	—	—	Consent Required	Authorized
Approve KYB	—	—	—	—	—	KYB Reviewer
Review Integrity	—	—	—	—	—	Integrity Reviewer
Resolve Dispute	—	—	—	—	—	Support/Admin
View Audit	Own actions where exposed	Own tenant actions where exposed	Own tenant actions where exposed	Limited	Own institution actions where exposed	Authorized

2.18 Interface State Requirements

State	Requirement
Loading	Display progress/skeleton; prevent duplicate submissions.
Processing	Explain that a background process is running and provide refresh/notification behaviour.
Success	Confirm the action and show resulting state.
Validation Error	Show field-level actionable errors.
Authorization Error	Explain lack of permission without leaking restricted data.
Not Found	Display a resource-not-found state.
Conflict	Explain that the resource changed or action is no longer valid.
Payment Pending	Do not grant entitlement until server confirmation.
Payment Failed	Keep private data locked and allow safe retry.

State	Requirement
Offline	Preserve recoverable user input where possible.
Empty	Explain the empty state and provide the next useful action.
Expired Session	Redirect to login while preserving safe navigation context.

2.19 Localization & Accessibility

2.19.1 Localization

- All user-facing strings must come from locale/resource files.
- English and Hindi are supported initially, with architecture for 6–8 vernacular languages.
- Date, time, currency, and number formats must support India.
- No hardcoded user-facing strings in application components.
- Localized validation messages and error states are required.

2.19.2 Accessibility

- Keyboard navigation for web consoles.
- Visible focus states.
- Accessible labels for form controls.
- Sufficient text contrast.
- Semantic headings.
- Accessible status announcements for important asynchronous events.
- Touch targets appropriate for mobile devices.

2.20 Security & Privacy Interfaces

- Never display employer candidate contact data before unlock.
- Never expose exact candidate score in employer search before unlock.
- Never expose institution individual student data without consent.
- Do not expose internal integrity signals to unauthorized users.
- Do not expose payment provider secrets or internal IDs unnecessarily.
- Sensitive actions must have explicit confirmation where user intent matters.
- Admin sensitive-data views should clearly indicate that the access is privileged.

2.21 Error, Empty & Loading States

2.21.1 Resume Processing Error

- Show processing failure reason at a user-safe level.
- Offer retry.
- Offer alternative input method where applicable.
- Preserve uploaded data if safe.

2.21.2 Search Empty State

- Explain that no candidates/jobs match the current filters.
- Provide clear filter reset action.
- Do not infer or reveal hidden candidates.

2.21.3 KYB Rejection State

- Show rejected status.
- Show rejection reason where product policy permits.
- Provide a path to resubmit or provide additional information.

2.21.4 Payment Pending State

- Show payment pending.
- Do not immediately grant interview entitlement.

- Allow status refresh.
- Show support path if pending beyond configured duration.

2.22 Responsive Behaviour

The Candidate Application is phone-first. Employer, College, and Admin consoles are desktop-first but should remain usable on smaller screens where operationally reasonable.

Surface	Primary Target	Responsive Requirement
Candidate	Mobile	Phone-first; optimized for low-end Android and slower networks.
Employer	Desktop	Desktop-first with responsive tables and compact navigation.
College	Desktop	Desktop-first with responsive analytics and roster views.
Admin	Desktop	Desktop-first; dense data views with responsive fallback.

2.23 Interface Naming Convention

Screen names should follow a consistent pattern so design, engineering, QA, and documentation use the same vocabulary.

Pattern	Example
List	Candidates, Employers, Jobs, Disputes
Detail	Candidate Details, Employer Details, Job Details
Create	Create Job, Add Team Member
Edit	Edit Job, Edit Profile
Queue	KYB Queue, Integrity Queue
Dashboard	Candidate Dashboard, Employer Dashboard
Settings	Account Settings, Privacy Settings
Report	Interview Report, Placement Report

2.24 Technical Interface Requirements

2.24.1 API-Driven Interfaces

- All four surfaces use the shared BharatPath backend/API platform.
- No client is permitted to implement business-rule decisions that are authoritative only on the backend.
- API responses must be role-filtered and tenant-filtered.
- Sensitive data should only be returned when the server has authorized the request.

2.24.2 Pagination and Large Data Sets

- Employer applications, candidate search, admin users, employers, colleges, audit logs, and disputes must use server-side pagination.
- The UI should show total counts only where the API can safely provide them.
- Search/filter requests should be cancellable or debounced to avoid excessive API traffic.

2.24.3 Asynchronous Operations

- Resume parsing, scoring, integrity processing, AI evaluation, roster imports, and notifications may be asynchronous.
- The UI must expose a processing state and a final state.
- Polling, push notifications, or server-sent events can be used according to the final technical architecture.

2.24.4 Idempotency

- Payment, unlock, application creation, publishing, hire confirmation, and roster-import actions must support idempotent processing.
- Repeated client requests must not create duplicate billing, duplicate applications, or duplicate entitlements.

2.24.5 Auditability

- Every action revealing private candidate data must create an audit event.
- Every authorized admin drill-down into full records must create an audit event.
- Audit records should be append-only from the normal application path.

2.24.6 Score Integrity

- The UI must not expose a manual score editor.
- Score changes must originate from changes to authoritative resume inputs or a versioned scoring-engine operation.
- Paid questionnaire/interview products must never be represented as modifying the core score.

2.24.7 Tenant Isolation

- Employer A must never query Employer B's jobs, applications, billing, team, or unlocked candidate data.
- College A must never query College B's roster or student relationships.
- Tenant identifiers must be derived from the authenticated server-side context rather than trusted from arbitrary client input.

2.25 Acceptance Criteria

2.25.1 Candidate Interface Acceptance Criteria

- Candidate can authenticate with phone OTP, Google, or email.
- Candidate can reach the first score before mandatory account creation.
- Candidate can upload PDF/DOC/DOCX or paste resume text.
- Candidate can review and edit parsed resume data.
- Candidate can view score, breakdown, and recommendations.
- Candidate cannot manually edit the score.
- Questionnaire is clearly separate from the core score.
- Device checks occur before paid mock-interview payment.
- Interview answers upload progressively.
- Job search and application flows are available.
- Application Board shows current stage and history.
- Candidate can request data export/deletion.

2.25.2 Employer Interface Acceptance Criteria

- Employer can complete account creation and TOTP setup.
- Employer can submit KYB data and documents.
- Employer cannot publish a job until KYB is approved.
- Job Composer requires salary range.
- Job Composer supports minimum score threshold.
- Threshold preview exposes a count only.
- Candidate Discovery returns anonymized candidates before unlock.
- Exact score and contact details are hidden before unlock.
- Unlock displays price and remaining balance/quota before confirmation.
- Successful unlock reveals only authorized data.
- Unlock creates an audit event.
- Employer can manage fixed application stages.
- Employer can attach an external meeting link.
- Hire confirmation can be completed through the configured confirmation flow.

2.25.3 College Interface Acceptance Criteria

- College can create an institution account.
- College can bulk upload a student roster.

- Import preview identifies malformed and duplicate rows.
- Student invitations can be tracked.
- Student acceptance is required before individual visibility.
- Aggregate analytics are available without individual consent.
- Individual student information is restricted when consent is absent/revoked.
- Placement metrics are labeled platform-sourced.

2.25.4 Admin Interface Acceptance Criteria

- Admin login uses password plus TOTP.
- KYB Queue supports approve, reject, and request-more-information.
- Integrity Queue supports clear and confirm actions.
- High-severity integrity flags can suppress employer visibility before review.
- Candidates, employers, and colleges have searchable drill-downs.
- Dispute Queue supports tickets from all three external user groups.
- Sensitive admin record access is audited.
- Audit logs are searchable by actor, action, target, and time.

2.25.5 Cross-Platform Acceptance Criteria

- All surfaces consume the shared backend/API platform.
- Server-side authorization is enforced for every protected action.
- Tenant isolation is enforced on every tenant-scoped endpoint.
- Payment success is verified server-to-server.
- Private files use protected object storage and controlled access.
- Long-running operations provide processing states.
- Localization is resource-driven.
- Low-end Android and slower-network behaviour is tested.
- Sensitive-data access is logged.
- Score history is reproducible and versioned.

3. Implementation Notes & Controlled Decisions

The following items are intentionally treated as controlled inputs rather than invented specifications: the exact candidate scoring algorithm and weights, integrity-detection rules, production API contracts and data schemas, third-party payment/KYB/OTP/AI providers, final brand/UI system, and legal/compliance requirements. These should be incorporated into the implementation baseline once formally approved.

Controlled Input	Status	Implementation Treatment
Candidate scoring algorithm	TBD / proprietary	Implement behind a versioned scoring-engine interface.
Score dimensions and weights	TBD	Store algorithm version with every score.
Integrity rules	TBD	Implement a versioned rule/signal framework.
Payment provider	TBD	Abstract behind payment adapter and webhook verification.
KYB provider	TBD	Abstract behind verification adapter.
OTP provider	TBD	Abstract behind authentication/OTP adapter.
AI/voice provider	TBD	Abstract behind interview processing adapter.
Legal/compliance rules	TBD	Apply approved retention, consent, and deletion policies before production.
Brand/UI design system	TBD	Apply approved visual system to the interface specification.

This document is structured as a detailed SRS-style user-flow and interface specification, following the reference document's organization of actor-based flows, step-by-step bullets, flow diagrams, lifecycle states, interface requirements, permission models, and acceptance criteria.