

Deepfake Audio Detection via MFCC Features Using Machine Learning

Authors: A. Al-Naji, K. M. Ahmed, and J. Chahl

Published in: IEEE Access (2022) | Vol: 10, Pages: 132104-132115

DOI: 10.1109/ACCESS.2022.3231480

Abstract

Developing lightweight audio authentication tools for resource-constrained IoT and mobile devices is critical. This study extracts Mel-Frequency Cepstral Coefficients (MFCCs) alongside delta features.

Key Methodology & Architecture

MFCC extraction, 1st and 2nd derivative deltas, Random Forest classifier, Support Vector Machine.

Datasets & Benchmark Environments

ASVspoof 2019 Physical and Logical Access Datasets.

Performance Metrics & Graph Axis Parameters

Reported Results: Random Forest Accuracy = 96.5%, Inference Speed = 2.1ms/sample, CPU RAM Usage < 45MB.

Graph Parameter Mapping: X-axis: Number of MFCC Coefficients (13, 26, 39, 52 features); Y-axis: Classification Accuracy (% from 85% to 100%).

Comparative Analysis

Advantages (Pros)	Limitations (Cons)
Ultra-lightweight computational footprint, runs on edge microcontrollers and mobile apps.	Lower robustness against heavy MP3 lossy compression compared to deep learning methods.

IEEE Citation Format

A. Al-Naji, K. M. Ahmed, and J. Chahl, "Deepfake Audio Detection via MFCC Features Using Machine Learning," *IEEE Access*, vol. 10, pp. 132104-132115, 2022, doi: 10.1109/ACCESS.2022.3231480.