







help("AssemblePlots")


MPG




Horsepower




help("AssemblePlots")







T-score distribution





help("CreateNormativeTScoreModel")

T-score distribution












help("CreatePCAOBJECT")




Kynurenine pathway




Score


Reference visit: Baseline




help("CreateRObject")




IQR Outlier Detection for Concentration







help("MultivariableRegressionTable")




---> Higher in Impaired




No Multiple Comparison Correction







$t_{\text{Student}}(331) = -1.44, p = 0.15, \hat{r}_{\text{Pearson}} = -0.08, \text{CI}_{95\%} [-0.18, 0.03], n_{\text{pairs}} = 333$




$t_{\text{Welch}}(179.77) = -1.18, p = 0.24, \hat{g}_{\text{Hedges}} = -0.14, \text{CI}_{95\%} [-0.38, 0.09], n_{\text{obs}} = 333$



Mean Difference = -2.4
Limits of Agreement: [-10.12 , 5.32]




No Multiple Comparison Correction




Genotype


Diagnosis





help("PlotCategoricalDistributions")


No Multiple Comparison Correction
















help("PlotCorrelationsHeatmap")





AXL

age

Adiponectin

Alpha_1_Antitrypsin


0.00

0.05

0.10

Estimate

help("PlotForestFromTable")



AXL

Adiponectin

Alpha_1_Antitrypsin


0.00

0.05

0.10


Estimate

help("PlotForestFromTable")



Interaction with Diagnosis


Interaction p-value: 0.8789



Interaction with Adiponectin

Interaction p-value: 0.7488

AXL receptor tyrosine kinase




No covariates included in the model

Adiponectin

- Adiponectin = -5.9 (-1 SD)
- Adiponectin = -5.2 (Mean)
- Adiponectin = -4.6 (+1 SD)


help("PlotInteractionEffectsContinuous")


Interaction Effects with Diagnosis



No multiple comparison correction. No covariates included.


```
help("PlotInteractionEffectsMatrix")
```





age

No Multiple Comparison Correction



help("PlotNumInteractionEffectsMatrix")

Variable

age

AXL

Adiponectin

0.6

0.8

1.0

1.2

$-\log_{10}(\text{p-value})$

Sig

○

ns

●


*

**



help("PlotPValueComparisons")

Partial Regression Plot



Residual AXL = 0 + 0 * age_resid | R-squared = 0.01, n = 333, p = 0.163




Kynurenine pathway



Kynurenine pathway



help("PlotPhiHeatmap")



sex


*


Diagnosis

*

Diagnosis

sex







Control (n=242)



Impaired (n=91)


AXL

1


0


-1


help("PlotSplitViolin")




Swimmer plot of Recurrence across visits










Volcano plot using raw p-values: AXL




Volcano plot using raw p-values: Diagnosis







$F_{\text{Welch}}(2, 16.51) = 35.38, p = 1.07\text{e-}06, \hat{\omega}_p^2 = 0.78, \text{CI}_{95\%} [0.58, 1.00], n_{\text{obs}} = 32$



help("plotSigAssociations")

$\log_e(\text{BF}_{01}) = -14.03, \hat{R}_{\text{Bayesian}}^2 = 0.69, \text{CI}_{95\%}^{\text{HDI}} [0.55, 0.77], r_{\text{Cauchy}}^{\text{JZS}} = 0.71$

