RealHQ

PROPERTY INTELLIGENCE PLATFORM

MASTER SPEC ADDENDUM v3.2

Energy Intelligence · Insurance Premium Reduction · Automation Language Corrections · Design System Update

Name: RealHQ (previously Arca / Propra)

1 Name Change — RealHQ

Previous names	Current name	Domain / brand direction
Arca / Propra / ArcaHQ	**RealHQ**	"Real" = real estate + real data + real execution. "HQ" = the command centre for your portfolio.

- All references to Arca, Propra, or ArcaHQ in code, UI copy, documentation, and APIs must be updated to RealHQ
- Logo: RealHQ wordmark. Brand colours unchanged: Primary Dark #0B1622, RealHQ Green #0A8A4C, Signal Amber #F5A94A, Decision Blue #1647E8
- Domain target: realhq.com (or realhq.co for UK launch)
- Product tagline: "The command centre for commercial real estate" or "Every asset. Every decision. One place."

2 Automation Language — Correction to All Specs

Critical correction — applies to every screen, every API description, every UI copy string

The phrases "we called", "we contacted", "we reached out to" must never appear in RealHQ — in documentation, UI copy, or team communications. These imply a human at RealHQ is doing something on behalf of the user. RealHQ is software. Software does not make phone calls. Replace all such language immediately.

WRONG — never use this	CORRECT — always use this
We called AIG and got you a quote	**AIG returned a binding quote via API**
We contacted three energy suppliers	**Three supplier APIs returned live tariffs**
We reached out to lenders on your behalf	**The lender panel returned indicative terms automatically**
Our team is reviewing your documents	**AI is extracting your document data — usually under 60 seconds**

We have submitted your planning application	**RealHQ submitted the application via Planning Portal API**
We are processing your insurance request	**Carrier APIs are returning quotes — results appear on screen**
Please allow 3-5 days for quotes	**Live quotes appear on screen within 60 seconds of upload**
Our advisors will be in touch	**No advisors. No calls. Everything happens on screen.**
Illustrative market rates	**Live rates returned from [Supplier/Carrier] API right now**

3 Energy Intelligence — Full Specification

Beyond tariff switching: consumption analysis, anomaly detection, waste identification, upgrade recommendations

What this is

RealHQ does not just switch energy suppliers. It analyses how each building uses energy, identifies where it is being wasted or misused, calculates the saving from fixing each issue, and either executes the fix automatically (tariff switch, scheduling change) or commissions the physical work (lighting upgrade, HVAC replacement) through the procurement workflow. This is energy management software, not an energy broker.

3.1 Data ingestion — how RealHQ gets consumption data

Source	Data obtained	How ingested	Update frequency
Smart meter (preferred)	Half-hourly kWh reads, demand peaks, overnight baseline, weekend vs weekday	DCC API (UK) or Green Button standard (US) — auto-connects on meter number entry	**Every 30 minutes — live**
Utility bill upload	Total kWh, tariff rate, standing charge, billing period, account number	AWS Textract OCR → structured extraction → benchmarked immediately on upload	**Per upload — monthly typically**
Xero / QuickBooks sync	Energy cost line items, supplier name, account reference	Xero/QB API — auto-sync on accounting connection	**Daily**
BMS / Building Management System	HVAC run hours, zone temperatures, set points, occupancy schedules	BMS API (Schneider, Siemens, Honeywell, Johnson Controls — BACNET/Modbus protocol adapters)	**Real-time where BMS supports it**
Submetering (if installed)	Per-floor or per-tenant consumption	Pulse meter API or CSV upload	**Hourly or daily**
Manual entry (fallback)	Annual kWh estimate, tariff, supplier — owner types in	Guided form — RealHQ warns this reduces accuracy of	**On entry**

		anomaly detection	

3.2 Consumption analysis — what RealHQ detects automatically

Anomaly / opportunity	How detected	Saving calculation	Displayed as	Action
Overnight baseline too high — HVAC left running	Half-hourly reads show consumption >15% of peak between 11pm–5am when building should be empty	(Overnight kWh above expected baseline) x unit rate x 365. Typical: £8k–£25k/yr	**HVAC overnight waste: £X,XXX/yr. Running when empty.**	*AI schedules HVAC off-peak via BMS API, or flags for manual scheduling change with instructions*
Weekend/bank holiday consumption spike	Consumption on weekends comparable to weekdays — indicates misscheduled HVAC, security lighting, or tenant misuse	Weekend excess kWh x rate x 52 weeks	**Weekend waste: £X,XXX/yr — [specific cause from AI analysis]**	*BMS schedule adjustment or tenant notification via RealHQ*
Demand charge spike	Half-hourly reads show large demand peaks triggering high demand charges on half-hourly metered tariffs	Current demand charge vs what it would be if peak reduced by load shifting	**Demand charges: £X,XXX/yr avoidable. AI: shift [load type] by 30 minutes.**	*Load shifting recommendation with specific equipment and timing*
Lighting inefficiency — old fluorescent or halogen	EPC recommendation data + building age + kWh per sq ft above LED benchmark	Cost of LED retrofit vs annual saving. Payback period calculation.	**LED retrofit: £X,XXX install, saves £X,XXX/yr. Payback: X.X years.**	*Procure via RealHQ contractor panel — quote generated automatically*
HVAC system age / inefficiency	Building age data + EPC data + kWh per sq ft vs benchmark for asset type	Current consumption vs benchmark for comparable building with modern HVAC x rate x annual hours	**HVAC underperforming: using X% more energy than comparable buildings. £X,XXX/yr excess.**	*Full replacement tender via procurement workflow, or maintenance inspection order*
Air leakage / poor insulation	kWh per degree-day vs benchmark (heating degree days from Met Office/NOAA API) — above-benchmark consumption relative to weather indicates fabric loss	Weather-normalised excess consumption x rate	**Air leakage suspected: weather-adjusted consumption X% above benchmark. Survey recommended.**	*Commission air pressure test / thermographic survey via surveyor panel*
Refrigeration equipment misuse	Overnight readings from submetered zones showing high baseload in areas without refrigeration	Excess baseload vs expected x rate x hours	**Unexplained baseload: Zone 3, £X,XXX/yr. Possible refrigeration or equipment left on.**	*Alert to property manager, investigation work order*
Solar opportunity	Roof area from satellite, orientation, existing EPC, grid connection capacity (Ofgem/DNO API)	Google Solar API annual generation estimate x avoided unit rate + any export income - install cost / payback	**Solar viable: £0 install available. Saves £X,XXX/yr. ROI: X.X years.**	*Submit solar application via Ofgem/MCS registered installer panel*
Wrong tariff for consumption profile	Half-hourly reads show flat profile suited to single-rate	Re-simulate annual bill on optimal tariff structure vs	**Tariff mismatch: switching to [tariff**	*Auto-switch via supplier*

	tariff but building on multi-rate or vice versa	current	**type] saves £X,XXX/yr on same usage.**	*API on confirmation*
Tenant misuse — after-hours trading	Leases specifying permitted hours vs actual consumption showing extended hours from submeter	Excess consumption attributed to tenant zone x rate — recovery via service charge if lease allows	**Tenant [name] consuming X kWh outside permitted hours. Recoverable: £X,XXX.**	*CAM recovery workflow or tenant communication via tenant portal*

3.3 Energy screen layout — updated spec

- Header: "Energy Intelligence — [N] properties · [Total kWh/yr] · [£X,XXX above benchmark]"
- Portfolio energy score: 0-100 (like Portfolio Value Score) — weighted average of all assets vs benchmark. Red if >20% above benchmark, amber 5-20%, green within 5%.
- Per-property energy cards: kWh/sqft vs benchmark bar, tariff vs market, anomaly count badge, top saving headline. Click → property energy detail.
- Anomaly feed: all detected issues ranked by annual saving — each with detection basis, saving, and action CTA
- Tariff comparison: current tariff vs live supplier APIs — auto-populated, not illustrative
- Upgrade opportunities: LED, HVAC, solar, insulation — each with install cost, annual saving, payback, CO2 reduction, EPC rating improvement
- Consumption charts: half-hourly heatmap (dark = high, light = low) showing waste patterns visually. Day-of-week and time-of-day breakdown.
- Carbon reporting: kg CO2e per sqft vs REEB/CRREM pathway — for ESG reporting requirements

3.4 Energy benchmarking sources

- REEB (Real Estate Environmental Benchmark) — UK commercial energy intensity benchmarks by asset class (kWh/sqft/yr)
- ENERGY STAR Portfolio Manager API (US) — building energy performance scores, benchmark by property type
- CBRE Energy Benchmark Report — annual sector benchmarks, used as market reference
- Met Office API (UK) / NOAA API (US) — degree day data for weather-normalised consumption analysis
- Elexon BMRS API (UK) — half-hourly electricity settlement data for wholesale cost benchmarking
- EIA Commercial Buildings Energy Consumption Survey (US) — benchmark kBtu/sqft by building type

4 Insurance — Premium Reduction Strategies

Not just quoting — how to reduce the premium itself before and after placement

What this adds

The previous spec covered getting live quotes from carriers. This section adds what comes before the quote: how RealHQ analyses each property and portfolio to identify actions that reduce the premium the carriers will charge — and shows the owner exactly what each action costs, how much it reduces the premium, and how to get it done.

4.1 How RealHQ assesses current insurance position

- On insurance schedule upload: AI extracts policy type, insured values, excess levels, claims history, property construction, age, EPC, flood zone, security specification

- Each factor is scored against carrier risk appetite — RealHQ knows what each carrier prices each factor at
- Output: risk factor scorecard showing which elements are driving premium up and by how much
- Benchmark: premium compared to market rate for same risk profile from carrier API data

4.2 Premium reduction actions — full table

Action to reduce premium	Why it works	Typical cost	Premium reduction	How RealHQ executes
Improve EPC rating to C or above	Lower energy use = lower environmental risk profile. Some carriers apply EPC discount explicitly.	**£5k–£50k depending on works required (LED, insulation, HVAC)**	**5–15% premium reduction**	*EPC improvement pathway shown with cost. Procurement via contractor panel. New EPC auto-ordered on completion.*
Install or upgrade intruder alarm to NSI/NACOSS Grade 2+	Security grading directly affects commercial property premium. Unmonitored alarms often attract loading.	**£800–£3,000 depending on property size**	**8–20% premium reduction**	*RealHQ identifies gap vs carrier requirement. Installer sourced via contractor panel. Certificate uploaded on install.*
CCTV system — internal and external to BS EN 50132	CCTV reduces theft and vandalism claims probability. Most carriers require coverage of entry points.	**£1,200–£5,000**	**5–12% premium reduction**	*Same as alarm — gap identified, installer sourced, install tracked.*
Portfolio consolidation — all assets on one policy	Multi-property policies attract significant volume discount vs individual property policies	**No cost — policy restructuring only**	**15–25% premium reduction**	*RealHQ identifies if portfolio is on multiple policies. Prepares consolidated placement. Single carrier placement executed.*
Increase building excess (deductible)	Higher excess = lower insurer risk = lower premium. Assess against claims history.	**No cost — decision only. Cash reserve to cover excess needed.**	**10–30% premium reduction for doubling excess**	*RealHQ models premium saving vs risk of claims at current frequency. Owner selects excess level. Policy placed accordingly.*
Reinstatement value survey — accurate rebuild cost	Over-insured properties pay too much premium. Under-insured properties have claims rejected. Accurate survey fixes both.	**£500–£1,500 for RICS reinstatement survey**	**Correct to actual rebuild cost — could reduce 10–40% if over-insured**	*RICS surveyor ordered via panel API. Survey result fed back into insurance placement.*
Fire suppression system	Sprinklers or suppression dramatically reduce fire risk pricing, especially for industrial/warehouse	**£15,000–£150,000 depending on property size**	**20–40% premium reduction on fire peril**	*RealHQ models payback: install cost vs annual saving. Procurement via contractor panel for >£25k projects.*
Flood defences / resilience measures	Flood zone 2/3 properties attract heavy flood premium loading. Resilience measures reduce this.	**£2,000–£25,000 for flood door, airbrick covers, pump**	**Variable — up to 30% reduction on flood element of premium**	*Flood risk shown on map. RealHQ recommends specific measures. Installer via contractor panel. FEMA/EA grant search.*

No-claims record — clean 3yr history	Most carriers price on rolling 3yr claims. After 3 clean years, premium reduces substantially.	**No cost — time-based**	**10–25% reduction at 3yr no-claims milestone**	*RealHQ tracks policy inception, claims history, and alerts at 3yr anniversary to renegotiate or reprice.*
FEMA/EA grant for flood mitigation (US/UK)	Government grants available for flood mitigation works — reduces or eliminates the cost of resilience measures	**No cost if grant secured**	**Reduces cost of actions above**	*RealHQ searches FEMA BRIC programme (US) or Defra flood resilience grants (UK) on upload of property flood zone data. Auto-applies where eligible.*

4.3 How RealHQ gets to the premium figure

- Step 1: Schedule upload → AWS Textract extracts current premium, insured value, property details, excess, endorsements
- Step 2: Risk scoring → AI maps each property characteristic to carrier risk factors (FEMA zone, construction type, EPC, security, claims history, age, use class)
- Step 3: Market benchmark → carrier APIs return live quotes for current risk profile. Gap = current premium minus cheapest live quote.
- Step 4: Improvement modelling → for each reduction action above, RealHQ recalculates the premium the carrier would charge AFTER the improvement. Shows: action cost, new quote, annual saving, payback.
- Step 5: Ranked actions → presented as "Do these three things in this order to reduce your annual premium from £142,000 to £89,000 over 18 months"
- Step 6: Execution → each action links to its execution workflow (procurement for physical works, policy restructuring for consolidation, surveyor for reinstatement)
- Step 7: Placement → when owner is ready, RealHQ places with the carrier returning the best quote for the improved risk profile. Commission: 15% of year-1 saving.

4.4 Insurance screen layout — updated

- "Insurance Intelligence" header — not "Insurance Audit"
- Current position card: total premium, benchmark premium, gap (£X,XXX overpaying), number of reduction actions available
- Live quotes section: carrier quotes returned from APIs — binding or indicative clearly labelled, time-stamped, with excess and terms
- Premium reduction roadmap: ordered list of actions — each with cost, saving, payback, execution CTA. Green = done. Amber = recommended next. Gray = future.
- Risk scorecard: per-factor breakdown showing what is driving the premium — construction type, flood zone, security, EPC, claims — with benchmark comparison
- Placed policies: active policies placed via RealHQ with renewal date, next action, Propra commission earned
- Claims history: uploaded or manually entered claims — feeds into 3yr no-claims tracking

5 Design System Update — Incorporating New Reference Design

Additions from the second design artifact (PropIQ Florida Dashboard)

What to incorporate

The second reference design (PropIQ Florida Commercial Portfolio Dashboard) adds several strong patterns not in the first: property cards with inline opportunity badges, Portfolio Health Score with category progress bars, monthly cashflow P&L panel, Revenue vs NOI 12-month chart, Lease Expiry Tracker with days remaining. All of these should be part of the RealHQ design system.

5.1 New design patterns to adopt

Component	Visual description	Where it appears in RealHQ
Property card with opportunity badge	White card, property name bold, address sub-label, 2x2 metric grid (rent/sqft/occupancy/NOI yield), status dot bottom-left (Occupied/Partially Vacant/Suite Vacant), opportunity badge bottom-right (HVAC saving / Rent uplift / CAM recovery / Value add) in category colour	All Properties screen, Dashboard property strip, AI Opportunities
Portfolio Health Score	Right-column panel with labelled horizontal progress bars: Rent collection %, Maintenance SLA %, Tenant satisfaction %, CAM accuracy %, Insurance compliance %. Each bar colour-coded green/amber/red by score.	Dashboard right panel, Portfolio Analytics
Monthly cashflow P&L panel	Right-column card titled "March [Year] Cashflow vs £XXX budget". Line items: Base rental income (+), CAM recoveries (+), Parking & misc (+), Maintenance & repairs (-), Management fees (-), Insurance (-), showing net NOI at bottom. Green for income, red for costs.	Dashboard, Revenue & NOI screen
Revenue vs NOI 12-month chart	Bar chart (Gross Revenue) overlaid with line chart (NOI) — 12 months. Period toggle: 12M / YTD / Q. Large total revenue figure above chart.	Dashboard, Revenue & NOI screen, Reports
Lease Expiry Tracker inline	Compact panel showing 3-4 upcoming lease events: tenant name, property + suite, expiry date, days remaining (colour-coded red <90d, amber 90-365, green >365). "X expiring soon" badge. Link to full rent roll.	Dashboard, Rent Clock screen
AI Insights bar with "LIVE" badge	Top-of-sidebar section header with pulsing green "LIVE" badge — indicates AI is actively monitoring. Click to open AI Insights panel.	Sidebar navigation — persistent
Opportunity cards — 4-column horizontal row	Category badge (COST SAVING / INCOME UPLIFT / CAM RECOVERY / VALUE ADD) in respective colour. Large £X,XXX/yr figure. 3-line plain-English description. "Apply recommendation	Dashboard AI opportunities section

	→" or "View analysis →" CTA.	
Alert banner — contextual warning	Full-width amber strip below top bar. Warning icon + bold label + plain sentence + "Review now →" right-aligned. Dismissable but reappears if not actioned.	Any screen where an urgent item exists for that context
Occupancy breakdown donut	Donut chart with legend: Occupied (green), Vacant (red), Notice given (amber), In negotiation (blue). Total sqft in centre. Sq footage labels for each segment.	Dashboard, Properties, Portfolio Analytics
Work Orders badge in sidebar	Operations section shows badge counts inline: "Maintenance 7" and "Work Orders 12" — live count from open items	Sidebar navigation

5.2 Updated navigation structure — incorporating new design

- Sidebar section labels: PORTFOLIO / FINANCIAL / OPERATIONS (matching second reference design)
- PORTFOLIO: Dashboard, Properties, Lease Tracker (with badge count), Tenants & CRM
- FINANCIAL: Revenue & NOI, CAM Reconciliation, Rent Roll, Budgeting & Forecast, Reports
- OPERATIONS: AI Insights (with LIVE badge), Maintenance (badge count), Work Orders (badge count), Vendor Management
- Remaining sections from v3.0 and v3.1 spec remain: INCOME, COST REDUCTION, ASSET GROWTH, PLANNING, LEGAL, PLATFORM
- Top bar: Search properties/tenants... | Alerts count | Export | + Add Property | Run AI Analysis (primary green CTA)
- "Refreshed just now" timestamp in page subtitle — shows data freshness

5.3 Dashboard layout — fully updated with both design references

- 1. Alert banner (conditional — amber, full width)
- 2. Page header: "Portfolio Dashboard" + "Florida Commercial · 8 Properties · Refreshed just now"
- 3. KPI strip (5 tiles): Portfolio Value | Monthly Gross Rent | Net Operating Income | Occupancy Rate | AI-Identified Value (amber, with action count)
- 4. AI Opportunities bar: "X opportunities identified across your portfolio this week" + 4-column opportunity card row (COST SAVING / INCOME UPLIFT / CAM RECOVERY / VALUE ADD)
- 5. Properties grid: cards with opportunity badges (3 across)
- 6. Three-column analytics row: Revenue vs NOI 12m chart (left 60%) | Occupancy breakdown donut (right 40%)
- 7. Portfolio Health Score panel (right column): 5 progress bars
- 8. Two-column lower row: Lease Expiry Tracker (left) | Monthly Cashflow P&L (right)

5.4 Colour rules for opportunity badges — updated

Category	Badge colour	Border colour	Example label
COST SAVING (energy, insurance, CAM)	#EEF2FE blue background, #1647E8 text	2px left border #1647E8	**HVAC saving / Insurance saving**

INCOME UPLIFT (rent, ancillary, 5G)	#E8F5EE green background, #0A8A4C text	2px left border #0A8A4C	**Rent uplift / 5G opportunity**
CAM RECOVERY	#FEF6E8 amber background, #F5A94A text	2px left border #F5A94A	**CAM recovery**
VALUE ADD (reposition, planning, dev)	#F5F0FF purple background, #6B21A8 text	2px left border #6B21A8	**Value add / Planning gain**
URGENT / COMPLIANCE	#FDECEA red background, #D93025 text	2px left border #D93025	**Fine risk / Cert expired**
REFINANCE	#E6F7F6 teal background, #0D9488 text	2px left border #0D9488	**Refi opportunity**

6 Energy Screen — Full Updated Layout Spec

6.1 Screen: Energy Intelligence (/energy)

- Page title: "Energy Intelligence" + "AI monitoring [N] properties · [Total kWh/yr] · Last read: [timestamp]"
- Top action bar: "Connect smart meter" | "Upload utility bill" | "View energy report →"
- Portfolio Energy Score: circular gauge (like Portfolio Value Score) 0-100. Sub-scores: Tariff efficiency / Consumption vs benchmark / Anomaly count / EPC average
- Anomaly feed (left 60%): ranked by annual £ saving. Each anomaly card: category badge + headline saving + one-sentence explanation + evidence (peak time, % above benchmark) + "Fix now" or "Investigate" CTA
- Tariff comparison table (right 40%): per property — supplier, current rate, best live rate, monthly saving, annual saving, "Switch" button
- Consumption heatmap: 7-day x 24-hour grid per property. Cell colour = kWh intensity. Hover shows exact reading. Immediately shows overnight and weekend waste visually.
- Upgrade opportunities section: LED / HVAC / Solar / Insulation — each as a card with cost, saving, payback, CO2 saving, EPC improvement, "Get quotes" CTA
- Utility switching section (formerly the whole screen): live tariff from Octopus/EDF/British Gas/E.ON APIs. Confirmation → switch executed via supplier API. "Switched" confirmation in inbox.
- Carbon reporting panel: kgCO2e/sqft vs CRREM pathway chart. MEES compliance status per property (EPC B required for commercial lettings by 2030).

7 Additional APIs Required for New Features

Service	Category	Market	Purpose
DCC (Data Communications Company)	Smart meter data	UK	Half-hourly electricity and gas reads. Official UK smart meter data access. Requires DCC accreditation.
Green Button standard (XML)	Smart meter data	US	Industry-standard format for US utility meter data. Most US utilities support Green Button Connect.

ENERGY STAR Portfolio Manager API	Energy benchmarking	US	Building energy performance scores and benchmark data by property type. EPA API.
Met Office DataPoint API	Weather / degree days	UK	Heating and cooling degree days for weather-normalising consumption. Free tier available.
NOAA Climate Data Online API	Weather / degree days	US	Degree day data by weather station. NOAA public API.
REEB (Real Estate Environmental Benchmark)	Energy benchmarks	UK	Sector energy intensity benchmarks (kWh/sqft) for commercial property types. Subscription data.
BACNET/Modbus adapters	BMS integration	Global	Building Management System protocol adapters (Schneider EcoStruxure, Siemens Desigo, Honeywell, Johnson Controls). Requires BMS API module.
CRREM Pathway tool API	Carbon reporting	Global	Carbon Risk Real Estate Monitor — decarbonisation pathway data for TCFD/GRESB reporting.
FEMA BRIC grants portal	Flood grants	US	Building Resilient Infrastructure and Communities grant programme. Eligibility check by flood zone and project type.
Defra Flood Resilience API	Flood grants	UK	Property Flood Resilience scheme — grant eligibility by flood zone and property type.
MCS (Microgeneration Certification Scheme)	Solar installers	UK	Register of MCS-certified solar installers. Required for FIT/SEG payments.
SEISS (Smart Export Import Scheme)	Solar export tariff	UK	Smart export rates from Octopus, OVO, etc. via supplier APIs — for solar ROI calculation.
NSI/NACOSS security register	Security installers	UK	Register of approved intruder alarm and CCTV installers. For insurance discount verification.

8 Acceptance Criteria — Energy & Insurance

Energy Intelligence — done when:

- ✓ Connect a smart meter for a test property — half-hourly reads appear on the consumption heatmap within 5 minutes
- ✓ Upload a utility bill — tariff is extracted, supplier API is called, live comparison appears within 30 seconds. No illustrative data.
- ✓ Overnight HVAC waste is detected automatically from smart meter data and appears as an anomaly card with correct saving calculation
- ✓ LED upgrade recommendation shows: install cost from contractor panel, annual saving from current kWh + rate data, payback period, EPC improvement
- ✓ "Switch" on the tariff comparison executes the contract switch via supplier API. Owner receives confirmation. No phone call happens.
- ✓ Carbon reporting panel shows kgCO2e/sqft for each property with CRREM pathway comparison

Insurance Intelligence — done when:

- ✓ Upload an insurance schedule — all policy details extracted correctly (premium, insured value, excess, renewal date, carrier, exclusions)
- ✓ Risk scorecard shows which factors are driving the premium with quantified impact
- ✓ Live quotes from at least 3 carriers appear within 60 seconds — clearly marked as binding or indicative, with timestamp
- ✓ Premium reduction roadmap shows at least 3 actions with cost, saving, payback for a typical commercial property
- ✓ "Get quotes" on LED or alarm upgrade links to the contractor procurement workflow with RealHQ sourcing installers
- ✓ Reinstatement value survey can be ordered from RICS panel API within the Insurance screen
- ✓ Placing a policy generates a confirmation, document in vault, renewal reminder set, commission recorded

---

RealHQ · v3.2 · The command centre for commercial real estate

No phone calls. No illustrative data. No human in the loop.

Energy: RealHQ detects it, quantifies it, fixes it. **Insurance:** RealHQ benchmarks it, reduces it, places it.

Every number from a live API. Every action executed by software.