

Intel Default Settings

Disabled

GIGABYTE PerfDrive

Spec Enhance

Select MCU

Auto

0000012B

Performance CPU Clock Ratio

★ Auto

34

Efficiency CPU Clock Ratio

Auto

Max Ring Ratio

★ Auto

Min Ring Ratio

★ Auto

■ Advanced CPU Settings

DDR5 Auto Booster

Auto

High Bandwidth

Auto

Low Latency

Auto

DDR5 XMP Booster

Disabled

Extreme Memory Profile(X.M.P.)

★ XMP 1

DDR5-6000 36-38-38-80-1.350

System Memory Multiplier

★ Auto

6000

■ Advanced Memory Settings

CPU/PCH Voltage Control

Vcore Voltage Mode

Auto

CPU Vcore

★ Normal

1.200V

Dynamic Vcore(DVID)

-0.100V

+0.000V

IOCLK Adaptive Voltage

Auto

CPU RING Voltage

Auto

1.050V

Extreme Memory Profile(X.M.P.)

System Memory Multiplier

★ XMP 1

DDR5-6000 36-38-38-80-1.350

★ Auto

6000

Advanced Memory Settings

CPU/PCH Voltage Control

Vcore Voltage Mode

Auto

CPU Vcore

★ Normal

1.200V

Dynamic Vcore(DVID)

-0.100V

+0.000V

BCLK Adaptive Voltage

Auto

CPU RING Voltage

Auto

1.050V

CPU RING Voltage Offset

Auto

+0.000V

Internal L2Atom Override Mode

Auto

Internal L2Atom

Auto

Internal L2Atom Offset

Auto

Internal VCCSA

Auto

CPU VCCIN AUX

Auto

1.800V

VCC1P05

Auto

1.050V

VOPB2 PCH

Auto

0.820V

V1P8 CPU

Auto

1.800V

VCC1V8P

Auto

1.800V

Advanced Voltage Settings

CPU

Frequency

5488.37MHz 4290

Temperature

39.0 °C

-0.025

-0.050

-0.075

-0.100

VCCSA
1.248V

DRAM Voltage Control

CPU Vcore Loadline Calibration

Low

CPU Vcore Current Protection

Auto

Internal VR Control

CPU

Frequency

5488.37MHz 4290

Temperature

39.0 °C

Memory

Frequency

5985.36MT/s

Module MFG ID

Kingston

Voltage

+5V

5.070 V

VCCSA

1.248 V

Loadline Scaling



YouTube BR undervolting placa mae intel Fazer login

ADVANCED MODE 04/10/2025 Thursday 22:14

⌵ Favorites (F11) ⚙ Tweak Tweak Settings System Info Boot ⚙ Save & Exit

No. of CPU P-Cores Enabled Auto
No. of CPU E-Cores Enabled Auto

▼ C-States Control Auto

▼ Turbo Power Limits Enabled

Package Power Limit1 - TDP (Watts) 253
Package Power Limit1 Time 56
Package Power Limit2 (Watts) 25
Package Power Limit2 Time 56
Platform Power Limit1 (Watts) Auto
Platform Power Limit1 Time Auto
Platform Power Limit2 (Watts) Auto
Platform Power Limit2 Time Auto
DRAM Power Limit1 (Watts) Auto
DRAM Power Limit1 Time Auto
DRAM Power Limit2 (Watts) Auto
DRAM Power Limit2 Time Auto
Core Current Limit(Amps) 307

▼ Turbo Per Core Limit Control Auto

P0 Fixed Max Core Ratio 55
P1 Fixed Max Core Ratio 55

Enable or disable Intel Hyper-Threading technology. Disabling may affect CPU performance in m

Power Delivery Profiles:
Core i5-13600K/KF, Core i5-14600K/KF

Parameter / Feature	Baseline*	Performance	Extreme
ICCMAX	175A	200A	
ICCMAX_App	150A	170A	
Power Limit 1 (PL1)	125	181W (See Notes)	N/A
Power Limit 2 (PL2)	142	181W	

Power Delivery Profiles:
Core i7-13700K/KF, Core i7-14700K/KF

Parameter / Feature	Baseline*	Performance	Extreme
ICCMAX	249A	307A	
ICCMAX_App	206A	245A	
Power Limit 1 (PL1)	125W	253W (see Notes)	N/A
Power Limit 2 (PL2)	182W	253W	

Power Delivery Profiles:
Core i9-13900K/KF, Core i9-14900K/KF

Parameter / Feature	Baseline*	Performance	Extreme
ICCMAX	249A	307A	400A
ICCMAX_App	206A	245A	320A
Power Limit 1 (PL1)	125W	253W (see notes)	253W
Power Limit 2 (PL2)	182W	253W	253W

Power Delivery Profiles:
Core i9-13900KS, Core i9-14900KS

Parameter / Feature	Baseline*	Performance	Extreme
ICCMAX		307A	400A
ICCMAX_App		242A	320A
Power Limit 1 (PL1)	N/A	253W	320W
Power Limit 2 (PL2)		253W	320W

YouTube BR i5 14th 14600k undervolt Fazer login

Tweak ⚙ Settings ⚙ System Info ⚙ Boot ⚙ Save & Exit

▼ C-States Control

CPU Enhanced Halt(C1E) Enabled
C6/C7 State Support Enabled
C8 State Support Enabled
C10 State Support Enabled
Package C State limit Auto

▼ Turbo Power Limits

Package Power Limit1 - TDP (Watts) Enabled
Package Power Limit1 Time 181
Package Power Limit2 (Watts) Auto
Package Power Limit2 Time 181
Platform Power Limit1 (Watts) Auto
Platform Power Limit1 Time 181
Platform Power Limit2 (Watts) Auto
Platform Power Limit2 Time 181
DRAM Power Limit1 (Watts) Auto
DRAM Power Limit1 Time Auto
DRAM Power Limit2 (Watts) Auto
DRAM Power Limit2 Time Auto
Core Current Limit(Amps) 200

▼ Turbo Per Core Limit Control Auto

Package Power Limit2 (Watts)

Smart fan 6 (F6) ⚙ D-Flash (FBI) ⚙ Help (F1) 🔍

CPU
Frequency 5288.95MHz 399682
Temperature 41.0 °C
CLK 99.75MHz
Voltage 1.221 V

Memory
Frequency 5586.33MT/s
Module MFG ID TeamGroup
Size 32768MB
DRAM MFG ID Hynix

Voltage
+5V 4.987 V
+12V 12.042 V
VCCSA 1.198 V

 Favorites (F11)

 Tweaker

 Settings

 System Info.

Hyper-Threading Technology

Auto

Intel(R) Speed Shift Technology

Enabled

CPU Thermal Monitor

Auto

CPU EIST Function

Auto

Race To Halt (RTH)

Auto

Energy Efficient Turbo

Auto

Intel(R) Turbo Boost Technology

Auto

Intel(R) Turbo Boost Max Technology 3.0

Enabled

CPU Flex Ratio Override

Disabled

CPU Flex Ratio Settings

Auto

34

IA CEP (Current Excursion Protection)

Auto

GT CEP (Current Excursion Protection)

Auto

Legacy Game Compatibility Mode

Enabled

Intel (VMX) Virtualization Technology

Enabled

Core VR Fast Vmode

Auto

Intel(R) Dynamic Tuning Technology

Disabled

▼ ANX Settings

Auto