www.kali.org /tools/all-tools/

All Kali Tools | Kali Linux Tools

43-54 minutes

0

- 0trace
  - $ 0trace.sh
  - $ sendprobe
  - $ usleep

7

- 7zip
  - 7zip
    - $ 7z
    - $ 7za
    - $ 7zr
    - $ p7zip
  - 7zip-standalone
    - $ 7zz

A

- above $
- aesfix $
- aeskeyfind $
- afflib
  - afflib-tools
    - $ affcat
    - $ affcompare
    - $ affconvert
    - $ affcopy
    - $ affcrypto
    - $ affdiskprint
    - $ affinfo
    - $ affix
    - $ affrecover
    - $ affsegment
    - $ affsign
    - $ affstats
    - $ affuse
    - $ affverify
    - $ affxml
  - libafflib-dev
  - libafflib0t64
- aflplusplus
  - afl++
    - $ afl-addseeds
    - $ afl-analyze
    - $ afl-c++
    - $ afl-cc
    - $ afl-clang
    - $ afl-clang++
    - $ afl-clang-fast
    - $ afl-clang-fast++
    - $ afl-clang-lto
    - $ afl-clang-lto++
    - $ afl-cmin
    - $ afl-cmin.bash
    - $ afl-fuzz
    - $ afl-g++
    - $ afl-g++-fast
    - $ afl-gcc
    - $ afl-gcc-fast
    - $ afl-gotcpu
    - $ afl-ld-lto
    - $ afl-lto
    - $ afl-lto++
    - $ afl-network-client
    - $ afl-network-server
    - $ afl-persistent-config
    - $ afl-plot
    - $ afl-showmap
    - $ afl-system-config
    - $ afl-tmin
    - $ afl-whatsup
  - afl++-doc
- aircrack-ng
  - aircrack-ng
    - $ airbase-ng
    - $ aircrack-ng
    - $ airdecap-ng
    - $ airdecloak-ng
    - $ aireplay-ng
    - $ airmon-ng
    - $ airodump-ng
    - $ airodump-ng-oui-update
    - $ airolib-ng
    - $ airserv-ng
    - $ airtun-ng
    - $ airventriloquist-ng
    - $ besside-ng
    - $ besside-ng-crawler
    - $ buddy-ng
    - $ dcrack
    - $ easside-ng
    - $ ivstools
    - $ kstats
    - $ makeivs-ng
    - $ packetforge-ng
    - $ tkiptun-ng
    - $ wesside-ng
    - $ wpaclean
  - airgraph-ng
    - $ airgraph-ng
    - $ airodump-join
- airgeddon $
- All Kali Tools
- altdns $
- amap
  - $ amap
  - $ amap
  - $ amap6
  - $ amapcrap
- amass
  - amass
    - $ amass
  - amass-common
- android-sdk-meta
  - android-sdk
  - android-sdk-build-tools
  - android-sdk-build-tools-common
  - android-sdk-common
  - android-sdk-platform-tools
  - android-sdk-platform-tools-common
- apache-users $
- apache2
  - apache2
    - $ a2disconf
    - $ a2dismod
    - $ a2dissite
    - $ a2enconf
    - $ a2enmod
    - $ a2ensite
    - $ a2query
    - $ apache2ctl
    - $ apachectl
  - apache2-bin
    - $ apache2
  - apache2-data
  - apache2-dev
    - $ apxs
    - $ apxs2
    - $ dh_apache2
  - apache2-doc
  - apache2-ssl-dev
  - apache2-suexec-custom
  - apache2-suexec-pristine
  - apache2-utils
    - $ ab
    - $ check_forensic

        - $ checkgid
        - $ fcgistarter
        - $ htcacheclean
        - $ htdbm
        - $ htdigest
        - $ htpasswd
        - $ httxt2dbm
        - $ logresolve
        - $ rotatelogs
        - $ split-logfile
- apktool $
- apple-bleee $
- arjun $
- armitage
    - $ armitage
    - $ teamserver
- arp-scan
    - $ arp-fingerprint
    - $ arp-scan
    - $ get-iab
    - $ get-oui
- arping $
- arpwatch
    - $ arp2ethers
    - $ arpfetch
    - $ arpsnmp
    - $ arpwatch
    - $ bihourly
    - $ massagevendor
- asleap
    - $ asleap
    - $ genkeys
- assetfinder $
- atftp
    - atftp
        - $ atftp
    - atftpd
        - $ atftpd
        - $ in.tftpd
- autopsy $
- autorecon $
- axel $

B

- b374k $
- backdoor-factory $
- bed $
- beef-xss
    - $ beef-xss
    - $ beef-xss-stop
- berate-ap
    - $ berate_ap
- bettercap $
- bettercap-ui
- bind9
    - bind9
        - $ arpaname
        - $ ddns-confgen
        - $ dnssec-importkey
        - $ named
        - $ named-journalprint
        - $ named-nzd2nzf
        - $ named-rrchecker
        - $ nsec3hash
        - $ tsig-keygen
    - bind9-dev
    - bind9-dnsutils
        - $ delv
        - $ dig
        - $ dnstap-read
        - $ mdig
        - $ nslookup
        - $ nsupdate
    - bind9-doc
    - bind9-host
        - $ host
    - bind9-libs
    - bind9-utils
        - $ dnssec-cds
        - $ dnssec-dsfromkey
        - $ dnssec-keyfromlabel
        - $ dnssec-keygen
        - $ dnssec-revoke
        - $ dnssec-settime
        - $ dnssec-signzone
        - $ dnssec-verify
        - $ named-checkconf
        - $ named-checkzone
        - $ named-compilezone
        - $ rndc
        - $ rndc-confgen
    - bind9utils
    - dnsutils
- bing-ip2hosts $
- binwalk
    - binwalk
        - $ binwalk
    - python3-binwalk
- bloodhound $
- bloodhound.py
    - $ bloodhound-python
- blue-hydra
    - $ blue_hydra
    - $ rfkill-reset
    - $ test-discovery
- bluelog $
- blueranger $
- bluesnarfer $
- bluez
    - bluetooth
    - bluez
        - $ bluemoon
        - $ bluetoothctl
        - $ bluetoothd
        - $ btattach
        - $ btmgmt
        - $ btmon
        - $ ciptool
        - $ gatttool
        - $ hciattach
        - $ hciconfig
        - $ hcitool
        - $ hex2hcd
        - $ l2ping
        - $ l2test
        - $ mpris-proxy
        - $ obexctl
        - $ rctest
        - $ rfcomm
        - $ sdptool
    - bluez-cups
    - bluez-hcidump
        - $ hcidump
    - bluez-meshd
        - $ mesh-cfgclient
        - $ mesh-cfgtest
        - $ meshctl
    - bluez-obexd
    - bluez-source
    - bluez-test-scripts
    - bluez-test-tools
        - $ b1ee
        - $ bnep-tester
        - $ btvirt
        - $ gap-tester
        - $ hci-tester
        - $ hfp
        - $ ioctl-tester
        - $ iso-tester
        - $ isotest
        - $ l2cap-tester
        - $ mesh-tester
        - $ mgmt-tester
        - $ rfcomm-tester
        - $ sco-tester

        - $ smp-tester
        - $ userchan-tester
    - libbluetooth-dev
    - libbluetooth3
- braa $
- bruteforce-luks $
- bruteforce-salted-openssl $
- bruteforce-wallet $
- bruteshark
    - $ brutesharkcli
- brutespray $
- btscanner $
- bulk-extractor
    - $ bulk_extractor
- bully $
- burpsuite $
- bytecode-viewer $

C

- cabextract $
- cadaver $
- caldera $
- calico
    - calicoctl
        - $ calicoctl
- capstone
    - capstone-tool
        - $ cstool
    - libcapstone-dev
    - libcapstone4
    - python3-capstone
- ccrypt
    - ccrypt
        - $ ccat
        - $ ccdecrypt
        - $ ccencrypt
        - $ ccguess
        - $ ccrypt
        - $ mount.smb3
        - $ setcifsacl
        - $ smb2-quota
        - $ smbinfo
- cilium-cli
    - $ cilium
- cisco-auditing-tool
    - $ CAT
- cisco-global-exploiter
    - $ cge.pl
- cisco-ocs $
- cisco-torch $
- cisco7crack $
- clamav
    - clamav
        - $ clambc
        - $ clamscan
        - $ clamsubmit
        - $ sigtool
    - clamav-base
    - clamav-daemon
        - $ clamconf
        - $ clamd
        - $ clamdtop
        - $ clamonacc
    - clamav-docs
    - clamav-freshclam
        - $ freshclam
    - clamav-milter
        - $ clamav-milter
    - clamav-testfiles
    - clamdscan
        - $ clamdscan
    - libclamav-dev
        - $ clamav-config
    - libclamav11t64
- cloud-enum
    - $ cloud_enum
- cloudbrute $
    - elpa-ps-ccrypt
- certgraph $
- certipy-ad $
- cewl
    - $ cewl
    - $ fab-cewl
- changeme $
- chaosreader $
- cherrytree $
- chirp
    - $ chirpw
- chisel $
- chkrootkit
    - $ chklastlog
    - $ chkrootkit
    - $ chkrootkit-daily
    - $ chkwtmp
- chntpw
    - $ chntpw
    - $ reged
    - $ sampasswd
    - $ samunlock
    - $ samusrgrp
- chromium
    - chromium
        - $ chromium
    - chromium-common
    - chromium-driver
        - $ chromedriver
    - chromium-l10n
    - chromium-sandbox
    - chromium-shell
        - $ chromium-shell
- cifs-utils
    - $ cifs.idmap
    - $ cifs.upcall
    - $ cifscreds
    - $ getcifsacl
    - $ mount.cifs
- cmospwd $
- cmseek $
- cntlm $
- code-oss
    - $ code
    - $ code-oss
    - $ vscode
- coercer $
- colly
    - colly
        - $ colly
    - golang-github-gocolly-colly-dev
- command-not-found
    - $ command-not-found
    - $ update-command-not-found
- commix $
- copy-router-config
    - $ copy-router-config.pl
    - $ merge-router-config.pl
- cosign $
- covenant-kbx $
- cowpatty
    - $ cowpatty
    - $ genpmk
- crack
    - crack
        - $ Crack
        - $ Crack
        - $ Crack-Reporter
        - $ Crack-Reporter
    - crack-common
    - crack-md5
        - $ Crack
        - $ Crack-Reporter
- crackle $
- crackmapexec
    - $ cmedb
    - $ crackmapexec
- creddump7 $

- cri-tools
  - $ crictl
  - $ critest
- crowbar $
- crunch $
- cryptcat $
- cryptsetup
  - cryptsetup
    - $ cryptdisks_start
    - $ cryptdisks_stop
    - $ luksformat
  - cryptsetup-bin
    - $ cryptsetup
    - $ integritysetup
    - $ veritysetup
  - cryptsetup-initramfs
  - cryptsetup-ssh
    - $ cryptsetup-ssh
  - cryptsetup-suspend
  - libcryptsetup-dev
  - libcryptsetup12
- cryptsetup-nuke-password
- cupid-wpa
  - cupid-hostapd
    - $ cupid-hostapd
    - $ cupid-hostapd_cli
  - cupid-wpasupplicant
    - $ cupid-wpa_cli
    - $ cupid-wpa_passphrase
    - $ cupid-wpa_supplicant
- curl
  - curl
    - $ curl
  - libcurl3t64-gnutls
  - libcurl4-doc
  - libcurl4-gnutls-dev
    - $ curl-config
  - libcurl4-openssl-dev
    - $ curl-config
    - $ d2j-std-apk
    - $ d2j_invoke
    - $ dex-tools
- dfdatetime
  - python3-dfdatetime
- dfvfs
  - python3-dfvfs
- dfwinreg
  - python3-dfwinreg
- dhcpig $
- dirb
  - $ dirb
  - $ dirb-gendict
  - $ html2dic
- dirbuster $
- dirsearch $
- dislocker
  - dislocker
    - $ dislocker
    - $ dislocker-bek
    - $ dislocker-file
    - $ dislocker-find
    - $ dislocker-fuse
    - $ dislocker-metadata
  - libdislocker0-dev
  - libdislocker0.7t64
- distorm3
  - libdistorm3-3
  - libdistorm3-dev
  - python3-distorm3
- dmitry $
- dns2tcp
  - $ dns2tcpc
  - $ dns2tcpd
- dnscat2
  - dnscat2
  - dnscat2-client
    - $ dnscat
  - dnscat2-server
    - $ dnscat2-server
- dnschef $
- dnsenum $
- dnsgen $
- dnsmap
  - $ dnsmap
  - $ dnsmap-bulk
- dnsrecon $
- dnstracer $
- dnstwist $
- dnswalk $
- dnsx $
- doona $
- dos2unix
  - $ dos2unix
  - $ mac2unix
  - $ unix2dos
  - $ unix2mac
- dotdotpwn $
- dploot
  - python3-dploot
    - $ dploot
- dradis
  - $ dradis
  - $ dradis-stop
- driftnet $
- dscan
  - dscan
    - $ dscan
  - dscan-doc
- dsniff
  - $ arpspoof
  - $ dnsspoof
  - $ dsniff
  - $ filesnarf
  - $ macof
  - $ mailsnarf
  - $ msgsnarf
  - $ sshmitm
    - libcurl4t64
- curlftpfs $
- cutecom $
- cutycapt $
- cymothoa
  - $ bgrep
  - $ cymothoa
  - $ udp_server

D

- darkstat $
- davtest $
- dbd $
- dbeaver $
- dc3dd $
- dcfldd $
- ddrescue
  - $ dd_rescue
- de4dot $
- defectdojo
  - $ defectdojo
  - $ defectdojo-stop
- dex2jar
  - $ d2j-apk-sign
  - $ d2j-asm-verify
  - $ d2j-baksmali
  - $ d2j-class-version-switch
  - $ d2j-decrypt-string
  - $ d2j-dex-recompute-checksum
  - $ d2j-dex-weaver
  - $ d2j-dex2jar
  - $ d2j-dex2smali
  - $ d2j-jar-access
  - $ d2j-jar-weaver
  - $ d2j-jar2dex
  - $ d2j-jar2jasmin
  - $ d2j-jasmin2jar
  - $ d2j-smali

        - $ sshow
        - $ tcpkill
        - $ tcpnice
        - $ urlsnarf
        - $ webmitm
        - $ webspy
- dufflebag $
- dumpsterdiver
    - $ DumpsterDiver
- dumpzilla $
- dvwa
    - $ dvwa-start
    - $ dvwa-stop
- dwarf2json $

E

- eaphammer $
- eapmd5pass $
- edb-debugger
    - edb-debugger
        - $ edb
    - edb-debugger-plugins
- eksctl $
- email2phonenumber $
- emailharvester $
- enum4linux $
- enum4linux-ng $
- enumiax $
- ethtool $
- ettercap
    - ettercap-common
    - ettercap-graphical
        - $ ettercap
        - $ ettercap-pkexec
        - $ etterfilter
        - $ etterlog
    - ettercap-text-only
        - $ ettercap
        - $ etterfilter
        - $ etterlog
- evil-ssdp $
- evil-winrm $
- evilginx2 $
- exe2hexbat
    - $ exe2hex
- exiflooter $
- exifprobe
    - $ exifgrep
    - $ exifprobe
- exiv2
    - exiv2
        - $ exiv2
    - libexiv2-27
    - libexiv2-dev
    - libexiv2-doc
- expect
    - expect
        - $ autoexpect
        - $ autopasswd
        - $ cryptdir
        - $ decryptdir
        - $ dislocate
        - $ expect
        - $ expect_autoexpect
        - $ expect_autopasswd
        - $ expect_cryptdir
        - $ expect_decryptdir
        - $ expect_dislocate
        - $ expect_ftp-rfc
        - $ expect_kibitz
        - $ expect_lpunlock
        - $ expect_mkpasswd
        - $ expect_multixterm
        - $ expect_passmass
        - $ expect_rftp
        - $ expect_rlogin-cwd
        - $ expect_timed-read
        - $ expect_timed-run
        - $ expect_tknewsbiff
        - $ expect_tkpasswd
        - $ expect_unbuffer
        - $ expect_weather
        - $ expect_xkibitz
        - $ expect_xpstat
        - $ ftp-rfc
        - $ kibitz
        - $ lpunlock
        - $ multixterm
        - $ passmass
        - $ rlogin-cwd
        - $ timed-read
        - $ timed-run
        - $ tknewsbiff
        - $ tkpasswd
        - $ unbuffer
        - $ xkibitz
        - $ xpstat
    - tcl-expect
    - tcl-expect-dev
- exploitdb
    - $ exploitdb
    - $ searchsploit
- exploitdb-bin-sploits
    - $ exploitdb-bin-sploit
- exploitdb-papers $
- ext3grep $
- ext4magic $
- extundelete $
- eyewitness
    - $ eyewitness
    - $ geckodriver

F

- faraday-agent-dispatcher
    - $ faraday-dispatcher
- faraday-cli $
- fatcat $
- fcrackzip
    - $ fcrackzip
    - $ fcrackzipinfo
- fern-wifi-cracker $
- feroxbuster $
- ferret-sidejack $
- ffuf $
- fierce $
- fiked $
- finalrecon $
- firefox-developer-edition-kbx
    - firefox-developer-edition-en-us-kbx
        - $ firefox-developer-edition-en-us-kbx
- firewalk $
- firmware-mod-kit
- flashrom
    - flashrom
        - $ flashrom
    - libflashrom-dev
    - libflashrom1
- foremost $
- forensic-artifacts
    - forensic-artifacts
    - python3-artifacts
- forensics-colorize
    - $ colorize
    - $ filecompare
- fping
    - $ fping
    - $ fping6
- fragrouter $
- framework2 $
- freeradius
    - freeradius
        - $ checkrad
        - $ freeradius
        - $ rad_counter

        - $ raddebug
        - $ radmin
        - $ rlm_sqlippool_tool
    - freeradius-common
    - freeradius-config
    - freeradius-dhcp
    - freeradius-iodbc
    - freeradius-krb5
    - freeradius-ldap
    - freeradius-memcached
    - freeradius-mysql
    - freeradius-postgresql
    - freeradius-python3
    - freeradius-redis
    - freeradius-rest
    - freeradius-utils
        - $ radclient
        - $ radcrypt
        - $ radeapclient
        - $ radlast
        - $ radsniff
        - $ radsqlrelay
        - $ radtest
        - $ radwho
        - $ radzap
        - $ rlm_ippool_tool
        - $ smbencrypt
    - freeradius-yubikey
    - libfreeradius-dev
    - libfreeradius3
- freeradius-wpe $
- freerdp2
    - freerdp2-dev
    - freerdp2-shadow-x11
        - $ freerdp-shadow-cli
    - freerdp2-wayland
        - $ wlfreerdp
    - freerdp2-x11
        - $ xfreerdp
    - libfreerdp-client2-2t64
    - libfreerdp-server2-2t64
    - libfreerdp-shadow-subsystem2-2t64
    - libfreerdp-shadow2-2t64
    - libfreerdp2-2t64
    - libuwac0-0t64
    - libuwac0-dev
    - libwinpr-tools2-2t64
    - libwinpr2-2t64
    - libwinpr2-dev
    - winpr-utils
        - $ winpr-hash
        - $ winpr-makecert
- ftester
    -
        - $ freport
        - $ ftest
        - $ ftestd
- fuse3
    - fuse3
        - $ fusermount
        - $ fusermount3
        - $ mount.fuse
        - $ mount.fuse3
    - libfuse3-3
    - libfuse3-dev
- fwbuilder
    - fwbuilder
        - $ fwb_compile_all
        - $ fwb_iosacl
        - $ fwb_ipf
        - $ fwb_ipfw
        - $ fwb_ipt
        - $ fwb_pf
        - $ fwb_pix
        - $ fwb_procurve_acl
        - $ fwbedit
        - $ fwbuilder
    - fwbuilder-common
    - fwbuilder-doc

G

- galleta $
- gdb-peda
- gdisk
    -
        - $ cgdisk
        - $ fixparts
        - $ gdisk
        - $ sgdisk
- getallurls $
- getsploit $
- ghidra $
- git
    - git
        - $ git
        - $ git-receive-pack
        - $ git-shell
        - $ git-upload-archive
        - $ git-upload-pack
        - $ scalar
    - git-all
    - git-cvs
        - $ git-cvsserver
    - git-daemon-run
    - git-daemon-sysvinit
    - git-doc
    - git-email
    - git-gui
    - git-man
    - git-mediawiki
    - git-svn
    - gitk
        - $ gitk
    - gitweb
- gitleaks $
- glibc
    - glibc-doc
    - glibc-source
    - libc-bin
        - $ getconf
        - $ getent
        - $ iconv
        - $ iconvconfig
        - $ ld.so
        - $ ldconfig
        - $ ldd
        - $ locale
        - $ localedef
        - $ pldd
        - $ tzselect
        - $ zdump
        - $ zic
    - libc-dev-bin
        - $ gencat
    - libc-devtools
        - $ memusage
        - $ memusagestat
        - $ mtrace
        - $ sotruss
        - $ sprof
    - libc-l10n
    - libc0.3
    - libc0.3-dev
    - libc6
    - libc6-amd64
    - libc6-dbg
    - libc6-dev
    - libc6-dev-i386
    - libc6-dev-x32
    - libc6-i386
    - libc6-mips32
    - libc6-mips64
    - libc6-mipsn32
    - libc6-powerpc
    - libc6-ppc64
    - libc6-s390
    - libc6-sparc
    - libc6-sparc64

- libc6-x32
- libc6.1
- libc6.1-dev
- locales
  - $ locale-gen
  - $ update-locale
  - $ validlocale
- locales-all
- nscd
  - $ nscd
  - $ nscd
- gnuradio
- gnuradio
  - $ dial_tone
  - $ display_qt
  - $ gnuradio-companion
  - $ gnuradio-config-info
  - $ gr-ctrlport-monitor
  - $ gr-perf-monitorx
  - $ gr_filter_design
  - $ gr_modtool
  - $ gr_plot
  - $ gr_plot_const
  - $ gr_plot_fft
  - $ gr_plot_iq
  - $ gr_plot_psd
  - $ gr_plot_qt
  - $ gr_read_file_metadata
  - $ grcc
  - $ polar_channel_construction
  - $ tags_demo
  - $ uhd_fft
  - $ uhd_rx_cfile
  - $ uhd_rx_nogui
  - $ uhd_siggen
  - $ uhd_siggen_gui
- gnuradio-dev
- gnuradio-doc
- libgnuradio-analog3.10.10
- libgnuradio-audio3.10.10
- libgnuradio-blocks3.10.10
- libgnuradio-channels3.10.10
- libgnuradio-digital3.10.10
- libgnuradio-dtv3.10.10
- libgnuradio-fec3.10.10
- libgnuradio-fft3.10.10
- libgnuradio-filter3.10.10
- libgnuradio-iio3.10.10
- libgnuradio-network3.10.10
- libgnuradio-pdu3.10.10
- libgnuradio-pmt3.10.10
- libgnuradio-qtgui3.10.10
- libgnuradio-runtime3.10.10
- libgnuradio-soapy3.10.10
- libgnuradio-trellis3.10.10
- libgnuradio-uhd3.10.10
- libgnuradio-video-sdl3.10.10
- libgnuradio-vocoder3.10.10
- libgnuradio-wavelet3.10.10
- libgnuradio-zeromq3.10.10
- gobuster $
- godoh $
- golang-github-binject-go-donut
- golang-github-binject-go-donut
  - $ go-donut
- golang-github-binject-go-donut-dev
- goldeneye $
- goofile $
- google-nexus-tools
  - $ nexus-adb
  - $ nexus-fastboot
- gophish
  - $ gophish
  - $ gophish-stop
- gospider $
- gowitness $
- gpart $
- gparted
- gparted
  - $ gparted
- gparted-common
- gpp-decrypt $
- gqrx-sdr
  - $ gqrx
- gr-air-modes
- gr-air-modes
  - $ modes_rx
- libgnuradio-air-modes1t64
- gr-iqbal
- gr-iqbal
- libgnuradio-iqbalance3.9.0
- gr-osmosdr
- gr-osmosdr
  - $ osmocom_fft
  - $ osmocom_siggen_nogui
- libgnuradio-osmosdr0.2.0t64
- grokevt
  - $ grokevt-addlog
  - $ grokevt-builddb
  - $ grokevt-dumpmsgs
  - $ grokevt-findlogs
  - $ grokevt-parselog
  - $ grokevt-ripdll
- gss-ntlmssp
- gss-ntlmssp
- gss-ntlmssp-dev
- gtkhash
- caja-gtkhash
- gtkhash
  - $ gtkhash
- nemo-gtkhash
- thunar-gtkhash
- guymager $
- gvm
  - $ gvm-check-setup
  - $ gvm-feed-update
  - $ gvm-setup
  - $ gvm-start
  - $ gvm-stop

H

- h8mail $
- hackrf
- hackrf
  - $ hackrf_biast
  - $ hackrf_clock
  - $ hackrf_cpldjtag
  - $ hackrf_debug
  - $ hackrf_info
  - $ hackrf_operacake
  - $ hackrf_spiflash
  - $ hackrf_sweep
  - $ hackrf_transfer
- hackrf-doc
- hackrf-firmware
- libhackrf-dev
- libhackrf0
- hak5-wifi-coconut
  - $ wifi_coconut
- hakrawler $
- hamster-sidejack $
- hash-identifier $
- hashcat
- hashcat
  - $ hashcat
- hashcat-data
- hashcat-utils
- hashdeep
  - $ hashdeep
  - $ md5deep
  - $ sha1deep
  - $ sha256deep
  - $ tigerdeep
  - $ whirlpooldeep
- hashid $

- hashrat $
- havoc $
- hb-honeypot
  - $ hb-honeypot
  - $ hb_honeypot.pl
- hcxtools
  - $ hcxeiutool
  - $ hcxessidtool
  - $ hcxhash2cap
  - $ hcxhashcattool
  - $ hcxhashtool
  - $ hcxmactool
  - $ hcxpcapngtool
  - $ hcxpmkidtool
  - $ hcxpmktool
  - $ hcxpsktool
  - $ hcxwltool
  - $ whoismac
  - $ wlancap2wpasec
- heartleech $
- hexinject
  - $ hex2raw
  - $ hexinject
  - $ packets.tcl
  - $ prettypacket
- hivex
  - libhivex-bin
    - $ hivexget
    - $ hivexml
    - $ hivexsh
  - libhivex-dev
  - libhivex-ocaml
  - libhivex-ocaml-dev
  - libhivex0
  - libwin-hivex-perl
    - $ hivexregedit
  - python3-hivex
  - ruby-hivex
- horst $
- hostapd-mana
  - $ hostapd-mana
  - $ hostapd-mana_cli
- hostapd-wpe
  - $ hostapd-wpe
  - $ hostapd-wpe_cli
- hosthunter $
- hostsman $
- hotpatch
  - $ hotpatcher
- hping3 $
- htshells $
- httprint $
- httprobe $
- httpx-toolkit $
- httrack
  - httrack
    - $ httrack
  - httrack-doc
  - libhttrack-dev
  - libhttrack2
  - proxytrack
    - $ proxytrack
  - webhttrack
    - $ htsserver
    - $ webhttrack
  - webhttrack-common
- hubble $
- humble $
- hurl
  - $ hURL
- hydra
  - hydra
    - $ dpl4hydra
    - $ hydra
    - $ hydra-wizard
    - $ pw-inspector
  - hydra-gtk
    - $ xhydra
- hyperion

I

- i2c-tools
  - i2c-tools
    - $ ddcmon
    - $ decode-dimms
    - $ decode-edid
    - $ decode-vaio
    - $ i2c-stub-from-dump
    - $ i2cdetect
    - $ i2cdump
    - $ i2cget
    - $ i2cset
    - $ i2ctransfer
  - libi2c-dev
  - libi2c0
  - python3-smbus
- iaxflood $
- ibombshell $
- ident-user-enum $
- ifenslave
- ike-scan
  - $ ike-scan
  - $ psk-crack
- imhex
  - $ imhex
  - $ imhex-updater
- impacket
  - python3-impacket
    - $ impacket-netview
    - $ impacket-rpcdump
    - $ impacket-samrdump
    - $ impacket-secretsdump
    - $ impacket-wmiexec
- impacket-scripts
  - $ impacket-DumpNTLMInfo
  - $ impacket-Get-GPPPassword
  - $ impacket-GetADUsers
  - $ impacket-GetNPUsers
  - $ impacket-GetUserSPNs
  - $ impacket-addcomputer
  - $ impacket-atexec
  - $ impacket-changepasswd
  - $ impacket-dcomexec
  - $ impacket-dpapi
  - $ impacket-esentutl
  - $ impacket-exchanger
  - $ impacket-findDelegation
  - $ impacket-getArch
  - $ impacket-getPac
  - $ impacket-getST
  - $ impacket-getTGT
  - $ impacket-goldenPac
  - $ impacket-karmaSMB
  - $ impacket-keylistattack
  - $ impacket-kintercept
  - $ impacket-lookupsid
  - $ impacket-machine_role
  - $ impacket-mimikatz
  - $ impacket-mqtt_check
  - $ impacket-mssqlclient
  - $ impacket-mssqlinstance
  - $ impacket-net
  - $ impacket-nmapAnswerMachine
  - $ impacket-ntfs-read
  - $ impacket-ntlmrelayx
  - $ impacket-ping
  - $ impacket-ping6
  - $ impacket-psexec
  - $ impacket-raiseChild
  - $ impacket-rbcd
  - $ impacket-rdp_check
  - $ impacket-reg
  - $ impacket-registry-read
  - $ impacket-rpcmap
  - $ impacket-sambaPipe

- $ impacket-services
- $ impacket-smbclient
- $ impacket-smbexec
- $ impacket-smbpasswd
- $ impacket-smbrelayx
- $ impacket-smbserver
- $ impacket-sniff
- $ impacket-sniffer
- $ impacket-split
- $ impacket-ticketConverter
- $ impacket-ticketer
- $ impacket-tstool
- $ impacket-wmipersist
- $ impacket-wmiquery

- inetsim $
- inspectrum $
- inspy $
- instaloader $
- intrace $
- inviteflood $
- iodine
  - $ iodine
  - $ iodine-client-start
  - $ iodined
- ipv6toolkit
  - $ addr6
  - $ blackhole6
  - $ flow6
  - $ frag6
  - $ icmp6
  - $ jumbo6
  - $ messi
  - $ mldq6
  - $ na6
  - $ ni6
  - $ ns6
  - $ path6
  - $ ra6
  - $ rd6
  - $ rs6
  - $ scan6
  - $ script6
  - $ tcp6
  - $ udp6
- irpas
  - $ ass
  - $ cdp
  - $ dfkaa
  - $ dhcpx
  - $ file2cable
  - $ hsrp
  - $ icmp_redirect
  - $ igrp
  - $ inetmask
  - $ irdp
  - $ irdpresponder
  - $ itrace
  - $ netenum
  - $ protos
  - $ tctrace
  - $ timestamp
- ismtp $
- isr-evilgrade
  - $ evilgrade
- ivre
  - ivre
    - $ ivre
  - ivre-doc
- iw $

J

- jadx
  - $ jadx
  - $ jadx-gui
- javasnoop $
- jboss-autopwn
  - $ jboss-linux
  - $ jboss-win
- jd-gui $
- john
  - john
    - $ SIPdump
    - $ base64conv
    - $ bitlocker2john
    - $ calc_stat
    - $ cprepair
    - $ dmg2john
    - $ eapmd5tojohn
    - $ genmkvpwd
    - $ gpg2john
    - $ hccap2john
    - $ john
    - $ keepass2john
    - $ mailer
    - $ mkvcalcproba
    - $ putty2john
    - $ racf2john
    - $ rar2john
    - $ raw2dyna
    - $ tgtsnarf
    - $ uaf2john
    - $ unafs
    - $ undrop
    - $ unique
    - $ unshadow
    - $ vncpcap2john
    - $ wpapcap2john
    - $ zip2john
  - john-data
    - $ 1password2john
    - $ 7z2john
    - $ DPAPImk2john
    - $ adxcsouf2john
    - $ aem2john
    - $ aix2john
    - $ andotp2john
    - $ androidbackup2john
    - $ androidfde2john
    - $ ansible2john
    - $ apex2john
    - $ applenotes2john
    - $ aruba2john
    - $ atmail2john
    - $ axcrypt2john
    - $ bestcrypt2john
    - $ bitcoin2john
    - $ bitshares2john
    - $ bitwarden2john
    - $ bks2john
    - $ blockchain2john
    - $ ccache2john
    - $ cisco2john
    - $ cracf2john
    - $ dashlane2john
    - $ deepsound2john
    - $ diskcryptor2john
    - $ dmg2john
    - $ ecryptfs2john
    - $ ejabberd2john
    - $ electrum2john
    - $ encfs2john
    - $ enpass2john
    - $ enpass5tojohn
    - $ ethereum2john
    - $ filezilla2john
    - $ geli2john
    - $ hccapx2john
    - $ htdigest2john
    - $ ibmiscanner2john
    - $ ikescan2john
    - $ ios7tojohn
    - $ itunes_backup2john
    - $ iwork2john
    - $ kdcdump2john
    - $ keychain2john

- $ keyring2john
- $ keystore2john
- $ kirbi2john
- $ known_hosts2john
- $ krb2john
- $ kwallet2john
- $ lastpass2john
- $ ldif2john
- $ libreoffice2john
- $ lion2john
- $ lotus2john
- $ luks2john
- $ mac2john
- $ mcafee_epo2john
- $ monero2john
- $ money2john
- $ mosquitto2john
- $ mozilla2john
- $ multibit2john
- $ neo2john
- $ office2john
- $ openbsd_softraid2john
- $ openssl2john
- $ padlock2john
- $ pcap2john
- $ pdf2john
- $ pem2john
- $ pfx2john
- $ pgpdisk2john
- $ pgpsda2john
- $ pgpwde2john
- $ prosody2john
- $ ps_token2john
- $ pse2john
- $ pwsafe2john
- $ radius2john
- $ restic2john
- $ sap2john
- $ sense2john
- $ signal2john
- $ sipdump2john
- $ ssh2john
- $ sspr2john
- $ staroffice2john
- $ strip2john
- $ telegram2john
- $ tezos2john
- $ truecrypt2john
- $ vdi2john
- $ vmx2john
- $ zed2john

- johnny $
- joomscan $
- joplin
  - joplin
    - $ joplin
  - joplin-cli
    - $ joplin-cli
- jsp-file-browser $
- jsql
  - jsql-injection
    - $ jsql
    - $ jsql-injection
- juice-shop
  - $ juice-shop
  - $ juice-shop-stop

K

- kali-autopilot $
- kali-community-wallpapers
- kali-defaults
  - kali-defaults
    - $ kali-deprecated
    - $ kali-motd
    - $ kali-setup
    - $ kali-treecd
    - $ kali-winexec
  - kali-defaults-desktop
- kali-meta
  - kali-desktop-core
  - kali-desktop-e17
  - kali-desktop-gnome
  - kali-desktop-i3
  - kali-desktop-i3-gaps
  - kali-desktop-kde
  - kali-desktop-live
  - kali-desktop-lxde
  - kali-desktop-mate
  - kali-desktop-xfce
  - kali-linux-core
  - kali-linux-default
  - kali-linux-everything
  - kali-linux-firmware
  - kali-linux-headless
  - kali-linux-labs
  - kali-linux-large
  - kali-linux-nethunter
  - kali-linux-wsl
  - kali-system-cli
  - kali-system-core
  - kali-system-gui
  - kali-tools-802-11
  - kali-tools-bluetooth
  - kali-tools-crypto-stego
  - kali-tools-database
  - kali-tools-detect
  - kali-tools-exploitation
  - kali-tools-forensics
  - kali-tools-fuzzing
  - kali-tools-gpu
  - kali-tools-hardware
  - kali-tools-identify
  - kali-tools-information-gathering
  - kali-tools-passwords
  - kali-tools-post-exploitation
  - kali-tools-protect
  - kali-tools-recover
  - kali-tools-reporting
  - kali-tools-respond
  - kali-tools-reverse-engineering
  - kali-tools-rfid
  - kali-tools-sdr
  - kali-tools-sniffing-spoofing
  - kali-tools-social-engineering
  - kali-tools-top10
  - kali-tools-voip
  - kali-tools-vulnerability
  - kali-tools-web
  - kali-tools-windows-resources
  - kali-tools-wireless
- kali-tweaks $
- kali-wallpapers
  - kali-legacy-wallpapers
  - kali-wallpapers-2019.4
  - kali-wallpapers-2020.4
  - kali-wallpapers-2021.4
  - kali-wallpapers-2022
  - kali-wallpapers-2023
  - kali-wallpapers-2024
  - kali-wallpapers-all
  - kali-wallpapers-legacy
  - kali-wallpapers-mobile-2023
- kalibrate-rtl
  - $ kal
- kerberoast $
- kismet
  - kismet
  - kismet-capture-common
  - kismet-capture-hak5-wifi-coconut
    - $ kismet_cap_hak5_wifi_coconut
  - kismet-capture-linux-bluetooth
    - $ kismet_cap_linux_bluetooth
  - kismet-capture-linux-wifi
    - $ kismet_cap_linux_wifi
  - kismet-capture-nrf-51822

        - $ kismet_cap_nrf_51822
    - kismet-capture-nrf-52840
        - $ kismet_cap_nrf_52840
    - kismet-capture-nrf-mousejack
        - $ kismet_cap_nrf_mousejack
    - kismet-capture-nxp-kw41z
        - $ kismet_cap_nxp_kw41z
    - kismet-capture-rz-killerbee
        - $ kismet_cap_rz_killerbee
    - kismet-capture-ti-cc-2531
        - $ kismet_cap_ti_cc_2531
    - kismet-capture-ti-cc-2540
        - $ kismet_cap_ti_cc_2540
    - kismet-capture-ubertooth-one
        - $ kismet_cap_ubertooth_one
    - kismet-core
        - $ kismet
        - $ kismet_cap_kismetdb
        - $ kismet_cap_pcapfile
        - $ kismet_server
    - kismet-logtools
        - $ kismetdb_clean
        - $ kismetdb_dump_devices
        - $ kismetdb_statistics
        - $ kismetdb_strip_packets
        - $ kismetdb_to_gpx
        - $ kismetdb_to_kml
        - $ kismetdb_to_pcap
        - $ kismetdb_to_wiglecsv
    - kismet-plugins
        - $ kismet_discovery
        - $ kismet_eventbus
        - $ kismet_proxytest
    - python3-kismetcapturebtgeiger
        - $ kismet_cap_bt_geiger
    - python3-kismetcapturefreaklabszigbee
        - $ kismet_cap_freaklabs_zigbee
    - python3-kismetcapturertl433
        - $ kismet_cap_sdr_rtl433
    - python3-kismetcapturertladsb
        - $ kismet_cap_sdr_rtladsb
    - python3-kismetcapturertlamr
        - $ kismet_cap_sdr_rtlamr
- knocker $
- koadic $
- kubernetes-helm
    - $ helm
- kustomize $

L

- lapsdumper $
- laudanum $
- lbd $
- legion $
- libewf
    - ewf-tools
        - $ ewfacquire
        - $ ewfacquirestream
        - $ ewfdebug
        - $ ewfexport
        - $ ewfinfo
        - $ ewfmount
        - $ ewfrecover
        - $ ewfverify
    - libewf-dev
    - libewf2
    - python3-libewf
- libfindrtp
- libfreefare
    - libfreefare-bin
        - $ mifare-classic-format
        - $ mifare-classic-read-ndef
        - $ mifare-classic-write-ndef
        - $ mifare-desfire-access
        - $ mifare-desfire-create-ndef
        - $ mifare-desfire-ev1-configure-ats
        - $ mifare-desfire-ev1-configure-default-key
        - $ mifare-desfire-ev1-configure-random-uid
        - $ mifare-desfire-format
        - $ mifare-desfire-info
        - $ mifare-desfire-read-ndef
        - $ mifare-desfire-write-ndef
        - $ mifare-ultralight-info
    - libfreefare-dev
    - libfreefare-doc
    - libfreefare0t64
- libimage-exiftool-perl
    - $ exiftool
- libnfc
    - libnfc-bin
        - $ nfc-barcode
        - $ nfc-emulate-forum-tag4
        - $ nfc-jewel
        - $ nfc-list
        - $ nfc-mfclassic
        - $ nfc-mfultralight
        - $ nfc-read-forum-tag3
        - $ nfc-relay-picc
        - $ nfc-scan-device
    - libnfc-dev
    - libnfc-examples
        - $ nfc-anticol
        - $ nfc-dep-initiator
        - $ nfc-dep-target
        - $ nfc-emulate-forum-tag2
        - $ nfc-emulate-tag
        - $ nfc-emulate-uid
        - $ nfc-mfsetuid
        - $ nfc-poll
        - $ nfc-relay
    - libnfc-pn53x-examples
        - $ pn53x-diagnose
        - $ pn53x-sam
        - $ pn53x-tamashell
    - libnfc6
- libpst
    - libpst-dev
    - libpst4t64
    - pst-utils
        - $ lspst
        - $ nick2ldif
        - $ pst2dii
        - $ pst2ldif
        - $ readpst
- libsmali-java
    - $ baksmali
    - $ smali
- ligolo-ng
    - $ ligolo-agent
    - $ ligolo-proxy
- linux-exploit-suggester $
- llvm-defaults
    - clang
        - $ asan_symbolize
        - $ clang
        - $ clang++
    - clang-format
        - $ clang-format
        - $ clang-format-diff
        - $ git-clang-format
    - clang-tidy
        - $ clang-tidy
        - $ clang-tidy-diff
        - $ run-clang-tidy
    - clang-tools
        - $ c-index-test
        - $ clang-apply-replacements
        - $ clang-check
        - $ clang-query
        - $ sancov
        - $ scan-build
        - $ scan-view
    - clangd
        - $ clangd
    - flang

        - $ bbc
        - $ f18-parse-demo
        - $ fir-opt
        - $ flang-new
        - $ flang-to-external-fc
        - $ tco
    - libbolt-dev
    - libc++-dev
    - libc++-dev-wasm32
    - libc++1
    - libc++abi-dev
    - libc++abi1
    - libclang-cpp-dev
    - libclang-dev
    - libclang-rt-dev
    - libclang-rt-dev-wasm32
    - libclang-rt-dev-wasm64
    - libclang1
    - libflang-dev
    - liblld-dev
    - liblldb-dev
    - libllvm-ocaml-dev
    - libomp-dev
    - libomp5
    - lld
        - $ ld.lld
        - $ lld
        - $ lld-link
        - $ wasm-ld
    - lldb
        - $ lldb
        - $ lldb-argdumper
        - $ lldb-server
    - llvm
        - $ bugpoint
        - $ dsymutil
        - $ llc
        - $ llvm-PerfectShuffle
        - $ llvm-addr2line
        - $ llvm-ar
        - $ llvm-as
        - $ llvm-bcanalyzer
        - $ llvm-c-test
        - $ llvm-cat
        - $ llvm-cfi-verify
        - $ llvm-config
        - $ llvm-cov
        - $ llvm-cvtres
        - $ llvm-cxxdump
        - $ llvm-cxxfilt
        - $ llvm-diff
        - $ llvm-dis
        - $ llvm-dlltool
        - $ llvm-dwarfdump
        - $ llvm-dwp
        - $ llvm-exegesis
        - $ llvm-extract
        - $ llvm-lib
        - $ llvm-link
        - $ llvm-lto
        - $ llvm-lto2
        - $ llvm-mc
        - $ llvm-mca
        - $ llvm-modextract
        - $ llvm-mt
        - $ llvm-nm
        - $ llvm-objcopy
        - $ llvm-objdump
        - $ llvm-opt-report
        - $ llvm-pdbutil
        - $ llvm-profdata
        - $ llvm-ranlib
        - $ llvm-rc
        - $ llvm-readelf
        - $ llvm-readobj
        - $ llvm-reduce
        - $ llvm-rtdyld
        - $ llvm-size
        - $ llvm-split
        - $ llvm-stress
        - $ llvm-strings
        - $ llvm-strip
        - $ llvm-symbolizer
        - $ llvm-tblgen
        - $ llvm-undname
        - $ llvm-xray
        - $ obj2yaml
        - $ opt
        - $ sanstats
        - $ verify-uselistorder
        - $ yaml2obj
    - llvm-bolt
        - $ llvm-bolt
        - $ llvm-bolt-heatmap
        - $ llvm-boltdiff
        - $ merge-fdata
        - $ perf2bolt
    - llvm-dev
    - llvm-runtime
        - $ lli
    - python3-clang
    - python3-lldb
- lvm2
    - dmeventd
        - $ dmeventd
    - dmsetup
        - $ blkdeactivate
        - $ dmsetup
        - $ dmstats
    - libdevmapper-dev
    - libdevmapper-event1.02.1
    - libdevmapper1.02.1
    - liblvm2-dev
    - liblvm2cmd2.03
    - lvm2
        - $ fsadm
        - $ lvchange
        - $ lvconvert
        - $ lvcreate
        - $ lvdisplay
        - $ lvextend
        - $ lvm
        - $ lvmconfig
        - $ lvmdiskscan
        - $ lvmdump
        - $ lvmpolld
        - $ lvmsadc
        - $ lvmsar
        - $ lvreduce
        - $ lvremove
        - $ lvrename
        - $ lvresize
        - $ lvs
        - $ lvscan
        - $ pvchange
        - $ pvck
        - $ pvcreate
        - $ pvdisplay
        - $ pvmove
        - $ pvremove
        - $ pvresize
        - $ pvs
        - $ pvscan
        - $ vgcfgbackup
        - $ vgcfgrestore
        - $ vgchange
        - $ vgck
        - $ vgconvert
        - $ vgcreate
        - $ vgdisplay
        - $ vgexport
        - $ vgextend
        - $ vgimport
        - $ vgimportclone
        - $ vgmerge
        - $ vgmknodes

- $ vgreduce
- $ vgremove
- $ vgrename
- $ vgs
- $ vgscan
- $ vgsplit
- lvm2-dbusd
  - $ lvmdbusd
- lvm2-lockd
  - $ lvmlockctl
  - $ lvmlockd

- lynis $

M

- mac-robber $
- macchanger $
- magicrescue
  - $ dupemap
  - $ magicrescue
  - $ magicsort
- maltego $
- maltego-teeth
- maryam $
- maskprocessor
  - $ mp32
  - $ mp64
- masscan $
- massdns $
- mc
  - mc
    - $ mc
    - $ mcdiff
    - $ mcedit
    - $ mcview
  - mc-data
- mdbtools
  - libmdb3t64
  - libmdbsql3t64
  - mdbtools
    - $ mdb-array
    - $ mdb-count
    - $ mdb-export
    - $ mdb-header
    - $ mdb-hexdump
    - $ mdb-json
    - $ mdb-parsecsv
    - $ mdb-prop
    - $ mdb-queries
    - $ mdb-schema
    - $ mdb-sql
    - $ mdb-tables
    - $ mdb-ver
  - mdbtools-dev
  - mdbtools-doc
  - odbc-mdbtools
- mdk3 $
- mdk4 $
- medusa $
- memdump $
- mercurial
  - mercurial
    - $ chg
    - $ hg
  - mercurial-common
    - $ hg-ssh
- merlin
  - golang-github-ne0nd0g-merlin-dev
  - merlin
  - merlin-server
    - $ merlinserver
- merlin-agent $
- metacam $
- metagoofil $
- metasploit-framework
  - $ msf-egghunter
  - $ msf-exe2vba
  - $ msf-exe2vbs
  - $ msf-find_badchars
  - $ msf-halflm_second
  - $ msf-hmac_sha1_crack
  - $ msf-java_deserializer
  - $ msf-jsobfu
  - $ msf-makeiplist
  - $ msf-md5_lookup
  - $ msf-metasm_shell
  - $ msf-msf_irb_shell
  - $ msf-nasm_shell
  - $ msf-pattern_create
  - $ msf-pattern_offset
  - $ msf-pdf2xdp
  - $ msf-virustotal
  - $ msfconsole
  - $ msfd
  - $ msfdb
  - $ msfrpc
  - $ msfrpcd
  - $ msfupdate
  - $ msfvenom
- mfcuk $
- mfoc $
- mfterm $
- mimikatz $
- minicom
  - $ ascii-xfr
  - $ minicom
  - $ runscript
  - $ xminicom
- miredo
  - miredo
    - $ miredo
    - $ miredo-checkconf
    - $ teredo-mire
  - miredo-server
    - $ miredo-server
- missidentify $
- mitm6 $
- mitmproxy
  - $ mitmdump
  - $ mitmproxy
  - $ mitmweb
- mongo-tools
  - $ bsondump
  - $ mongodump
  - $ mongoexport
  - $ mongofiles
  - $ mongoimport
  - $ mongorestore
  - $ mongostat
- msfpc $
- multiforcer
  - $ multiforcer
  - $ showconfig-opencl
- multimac $
- multimon-ng $
- myrescue
  - $ myrescue
  - $ myrescue-bitmap2ppm
  - $ myrescue-stat
- mysql-defaults
  - default-libmysqlclient-dev
  - default-libmysqld-dev
  - default-mysql-client
  - default-mysql-client-core
  - default-mysql-server
  - default-mysql-server-core
  - mysql-common

N

- naabu $
- name-that-hash
  - $ name-that-hash
  - $ nth
- nasm
  - $ nasm

        - $ ndisasm
- nasty $
- nbtscan $
- nbtscan-unixwiz $
- ncat-w32 $
- ncrack $
- ncurses-hexedit
    - $ hexeditor
- net-snmp
    - libnetsnmptrapd40t64
    - libsnmp-base
    - libsnmp-dev
        - $ mib2c
        - $ mib2c-update
        - $ net-snmp-config
    - libsnmp-perl
    - libsnmp40t64
    - snmp
        - $ agentxtrap
        - $ encode_keychange
        - $ fixproc
        - $ snmp-bridge-mib
        - $ snmpbulkget
        - $ snmpbulkwalk
        - $ snmpcheck
        - $ snmpconf
        - $ snmpdelta
        - $ snmpdf
        - $ snmpget
        - $ snmpgetnext
        - $ snmpinform
        - $ snmpnetstat
        - $ snmpping
        - $ snmpps
        - $ snmpset
        - $ snmpstatus
        - $ snmptable
        - $ snmptest
        - $ snmptls
        - $ snmptranslate
        - $ snmptrap
        - $ snmpusm
        - $ snmpvacm
        - $ snmpwalk
    - snmpd
        - $ net-snmp-create-v3-user
        - $ snmpd
    - snmptrapd
        - $ snmptrapd
        - $ traptoemail
    - tkmib
        - $ tkmib
- net-tools
    - $ arp
    - $ ifconfig
    - $ ipmaddr
    - $ iptunnel
    - $ mii-tool
    - $ nameif
    - $ netstat
    - $ plipconfig
    - $ rarp
    - $ route
    - $ slattach
- netbase
- netcat
    - netcat-traditional
        - $ nc.traditional
- netdiscover $
- netexec
    - $ netexec
    - $ nxc
    - $ nxcdb
- netmask $
- netsed $
- netsniff-ng
    - $ astraceroute
    - $ bpfc
    - $ curvetun
    - $ flowtop
    - $ ifpps
    - $ mausezahn
    - $ netsniff-ng
    - $ trafgen
- netw-ib-ox-ag
    - netwag
        - $ netwag
    - netwag-doc
    - netwox
        - $ netwox
    - netwox-doc
- nextnet $
- nfs-utils
    - libnfsidmap-dev
    - libnfsidmap1
    - nfs-common
        - $ blkmapd
        - $ mount.nfs
        - $ mount.nfs4
        - $ mountstats
        - $ nfsconf
        - $ nfsidmap
        - $ nfsiostat
        - $ nfsstat
        - $ rpc.gssd
        - $ rpc.idmapd
        - $ rpc.statd
        - $ rpc.svcgssd
        - $ rpcctl
        - $ rpcdebug
        - $ showmount
        - $ sm-notify
        - $ start-statd
        - $ umount.nfs
        - $ umount.nfs4
    - nfs-kernel-server
        - $ exportfs
        - $ fsidd
        - $ nfsdcld
        - $ nfsdcldb
        - $ nfsdclnts
        - $ nfsdcltrack
        - $ nfsref
        - $ rpc.mountd
        - $ rpc.nfsd
- ngrep $
- nikto
    - $ nikto
    - $ replay
- nipper-ng
    - $ nipper
- nishang $
- nmap
    - ncat
        - $ ncat
    - ndiff
        - $ ndiff
    - nmap
        - $ nmap
        - $ nping
    - nmap-common
- nmapsi4 $
- nuclei $

O

- o-saft $
- oclgausscrack
    - $ gausscombinator
    - $ gaussfilter
    - $ oclgausscrack
- odat $
- offsec-courses
    - offsec-awae
    - offsec-awae-python2
    - offsec-exp100

- offsec-exp301
- offsec-pen300
- offsec-pwk
- ohrwurm $
- ollydbg $
- onesixtyone $
- openocd $
- openssh
  - openssh-client
    - $ scp
    - $ sftp
    - $ slogin
    - $ ssh
    - $ ssh-add
    - $ ssh-agent
    - $ ssh-argv0
    - $ ssh-copy-id
    - $ ssh-keygen
    - $ ssh-keyscan
  - openssh-server
    - $ sshd
  - openssh-sftp-server
  - openssh-tests
  - ssh
  - ssh-askpass-gnome
- opentaxii
  - opentaxii
    - $ opentaxii-add-api-root
    - $ opentaxii-add-collection
    - $ opentaxii-create-account
    - $ opentaxii-delete-blocks
    - $ opentaxii-job-cleanup
    - $ opentaxii-run-dev
    - $ opentaxii-sync-data
    - $ opentaxii-update-account
  - opentaxii-doc
- openvpn $
- ophcrack
  - ophcrack
    - $ ophcrack
  - ophcrack-cli
    - $ ophcrack-cli
- oscanner $
- osrframework
  - $ alias_generator
  - $ alias_generator.py
  - $ checkfy
  - $ checkfy.py
  - $ domainfy
  - $ domainfy.py
  - $ mailfy
  - $ mailfy.py
  - $ osrf
  - $ osrframework-cli
  - $ phonefy
  - $ phonefy.py
  - $ searchfy
  - $ searchfy.py
  - $ usufy
  - $ usufy.py
- outguess
  - $ histogram
  - $ outguess
  - $ outguess-extract
  - $ seek_script
- owasp-mantra-ff $
- owl $

P

- p0f $
- pack
  - $ dictstat
  - $ jpackage
  - $ maskgen
  - $ pack200
  - $ policygen
  - $ rulegen
  - $ statsgen
  - $ unpack200
- pack2
  - $ pack2
  - $ pack200
  - $ unpack200
- pacu $
- padbuster $
- paros $
- parsero $
- parted
  - libparted-dev
  - libparted-fs-resize0t64
  - libparted-i18n
  - libparted2t64
  - parted
    - $ parted
    - $ partprobe
  - parted-doc
- pasco $
- passdetective
  - $ PassDetective
- passing-the-hash
  - $ pth-curl
  - $ pth-net
  - $ pth-rpcclient
  - $ pth-smbclient
  - $ pth-smbget
  - $ pth-sqsh
  - $ pth-winexe
  - $ pth-wmic
  - $ pth-wmis
- patator $
- payloadsallthethings $
- pdf-parser $
- pdfcrack $
- pdfid $
- peass-ng
  - peass
    - $ linpeas
    - $ peass
    - $ winpeas
- peirates $
- perl-cisco-copyconfig
- phishery $
- photon $
- php-defaults
  - libapache2-mod-php
  - libphp-embed
  - php
  - php-all-dev
  - php-bcmath
  - php-bz2
  - php-cgi
    - $ php-cgi.default
  - php-cli
    - $ phar.default
    - $ phar.phar.default
    - $ php.default
  - php-common
    - $ phpdismod
    - $ phpenmod
    - $ phpquery
  - php-curl
  - php-dev
    - $ php-config.default
    - $ phpize.default
  - php-enchant
  - php-fpm
  - php-gd
  - php-gmp
  - php-imap
  - php-interbase
  - php-intl
  - php-json
  - php-ldap
  - php-mbstring
  - php-mysql

- php-odbc
- php-pgsql
- php-phpdbg
  - $ phpdbg.default
- php-pspell
- php-readline
- php-snmp
- php-soap
- php-sqlite3
- php-sybase
- php-tidy
- php-xml
- php-zip

- phpggc $
- phpsploit $
- pipal $
- pixiewps $
- plaso
  - plaso
  - python3-plaso
    - $ image_export.py
    - $ log2timeline.py
    - $ pinfo.py
    - $ psort.py
    - $ psteal.py
- plocate
  - $ plocate
  - $ plocate-build
  - $ updatedb.plocate
- pnscan
  - $ pnscan
  - $ t_listen
- pocsuite3
  - $ poc-console
  - $ pocsuite
- polenum $
- pompem $
- portspoof
  - $ portspoof
  - $ portspoof-start
  - $ portspoof-stop
- poshc2
  - $ _posh-common
  - $ fpc
  - $ posh
  - $ posh-config
  - $ posh-cookie-decrypter
  - $ posh-log
  - $ posh-project
  - $ posh-server
  - $ posh-service
  - $ posh-stop-service
  - $ sharpsocks
- powercat $
- powershell
  - $ pwsh
  - $ pwsh
- powershell-empire
  - $ powershell-empire
  - $ starkiller
- powersploit $
- princeprocessor $
- protos-sip $
- proxify
  - $ mitmrelay
  - $ proxify
  - $ replay-proxify
- proxmark3
  - proxmark3
    - $ proxmark3
  - proxmark3-common
    - $ pm3
    - $ pm3-flash
    - $ pm3-flash-all
    - $ pm3-flash-bootrom
    - $ pm3-flash-fullimage
  - proxmark3-doc
  - proxmark3-firmwares

- proxychains-ng
  - libproxychains4
  - proxychains4
    - $ proxychains4
    - $ proxychains4-daemon
- proxytunnel $
- pskracker
  - pskracker
    - $ pskracker
  - pskracker-data
- pspy
  - $ pspy
  - $ pspy-binaries
- ptunnel $
- pwnat $
- pwncat $
- pyinstaller
  - python3-pyinstaller
    - $ pyi-archive_viewer
    - $ pyi-bindepend
    - $ pyi-grab_version
    - $ pyi-makespec
    - $ pyi-set_version
    - $ pyinstaller
- pyinstxtractor $
- python-defaults
  - libpython-all-dbg
  - libpython-all-dev
  - libpython2-dbg
    - $ x86_64-linux-gnu-python2-dbg-config
  - libpython2-dev
    - $ x86_64-linux-gnu-python2-config
  - libpython2-stdlib
  - python-all
  - python-all-dbg
  - python-all-dev
  - python2
    - $ pdb2
    - $ pydoc2
    - $ pygettext2
  - python2-dbg
    - $ python2-dbg
    - $ python2-dbg-config
  - python2-dev
    - $ python2-config
  - python2-doc
  - python2-minimal
    - $ pyclean
    - $ pycompile
    - $ python2
    - $ pyversions
- python-faraday
  - faraday
    - $ faraday
    - $ faraday-manage
    - $ faraday-server
    - $ faraday-start-all
    - $ faraday-worker
    - $ faraday-worker-gevent
    - $ python-faraday
  - python-faraday
- python-ldapdomaindump
  - python3-ldapdomaindump
    - $ ldapdomaindump
    - $ ldd2bloodhound
    - $ ldd2pretty
- python-pip
  - python3-pip
    - $ pip
    - $ pip3
    - $ pip3.11
  - python3-pip-whl
- python-virtualenv
  - python3-virtualenv
    - $ virtualenv
  - virtualenv

Q

- qemu
  - qemu-block-extra
  - qemu-guest-agent
    - $ qemu-ga
  - qemu-system
  - qemu-system-arm
    - $ qemu-system-aarch64
    - $ qemu-system-arm
    - $ qemu-system-arm64
    - $ qemu-system-armel
    - $ qemu-system-armhf
  - qemu-system-common
    - $ qemu-pr-helper
  - qemu-system-data
  - qemu-system-gui
  - qemu-system-mips
    - $ qemu-system-mips
    - $ qemu-system-mips64
    - $ qemu-system-mips64el
    - $ qemu-system-mipsel
  - qemu-system-misc
    - $ qemu-system-alpha
    - $ qemu-system-avr
    - $ qemu-system-cris
    - $ qemu-system-hppa
    - $ qemu-system-loong64
    - $ qemu-system-loongarch64
    - $ qemu-system-m68k
    - $ qemu-system-microblaze
    - $ qemu-system-microblazeel
    - $ qemu-system-nios2
    - $ qemu-system-or1k
    - $ qemu-system-riscv32
    - $ qemu-system-riscv64
    - $ qemu-system-rx
    - $ qemu-system-s390x
    - $ qemu-system-sh4
    - $ qemu-system-sh4eb
    - $ qemu-system-tricore
    - $ qemu-system-xtensa
    - $ qemu-system-xtensaeb
  - qemu-system-modules-opengl
  - qemu-system-modules-spice
  - qemu-system-ppc
    - $ qemu-system-powerpc
    - $ qemu-system-ppc
    - $ qemu-system-ppc64
    - $ qemu-system-ppc64el
    - $ qemu-system-ppc64le
  - qemu-system-sparc
    - $ qemu-system-sparc
    - $ qemu-system-sparc64
  - qemu-system-x86
    - $ kvm
    - $ qemu-system-amd64
    - $ qemu-system-i386
    - $ qemu-system-x86_64
    - $ qemu-system-x86_64-microvm
  - qemu-system-xen
  - qemu-user
    - $ qemu-aarch64
    - $ qemu-aarch64_be
    - $ qemu-alpha
    - $ qemu-amd64
    - $ qemu-arm
    - $ qemu-arm64
    - $ qemu-armeb
    - $ qemu-armel
    - $ qemu-armhf
    - $ qemu-cris
    - $ qemu-hexagon
    - $ qemu-hppa
    - $ qemu-i386
    - $ qemu-loong64
    - $ qemu-loongarch64
    - $ qemu-m68k
    - $ qemu-microblaze
    - $ qemu-microblazeel
    - $ qemu-mips
    - $ qemu-mips64
    - $ qemu-mips64el
    - $ qemu-mipsel
    - $ qemu-mipsn32
    - $ qemu-mipsn32el
    - $ qemu-nios2
    - $ qemu-or1k
    - $ qemu-powerpc
    - $ qemu-ppc
    - $ qemu-ppc64
    - $ qemu-ppc64el
    - $ qemu-ppc64le
    - $ qemu-riscv32
    - $ qemu-riscv64
    - $ qemu-s390x
    - $ qemu-sh4
    - $ qemu-sh4eb
    - $ qemu-sparc
    - $ qemu-sparc32plus
    - $ qemu-sparc64
    - $ qemu-x86_64
    - $ qemu-xtensa
    - $ qemu-xtensaeb
  - qemu-user-binfmt
  - qemu-user-static
    - $ qemu-aarch64-static
    - $ qemu-aarch64_be-static
    - $ qemu-alpha-static
    - $ qemu-amd64-static
    - $ qemu-arm-static
    - $ qemu-arm64-static
    - $ qemu-armeb-static
    - $ qemu-armel-static
    - $ qemu-armhf-static
    - $ qemu-cris-static
    - $ qemu-debootstrap
    - $ qemu-hexagon-static
    - $ qemu-hppa-static
    - $ qemu-i386-static
    - $ qemu-loong64-static
    - $ qemu-loongarch64-static
    - $ qemu-m68k-static
    - $ qemu-microblaze-static
    - $ qemu-microblazeel-static
    - $ qemu-mips-static
    - $ qemu-mips64-static
    - $ qemu-mips64el-static
    - $ qemu-mipsel-static
    - $ qemu-mipsn32-static
    - $ qemu-mipsn32el-static
    - $ qemu-nios2-static
    - $ qemu-or1k-static
    - $ qemu-powerpc-static
    - $ qemu-ppc-static
    - $ qemu-ppc64-static
    - $ qemu-ppc64el-static
    - $ qemu-ppc64le-static
    - $ qemu-riscv32-static
    - $ qemu-riscv64-static
    - $ qemu-s390x-static
    - $ qemu-sh4-static
    - $ qemu-sh4eb-static
    - $ qemu-sparc-static
    - $ qemu-sparc32plus-static
    - $ qemu-sparc64-static
    - $ qemu-x86_64-static
    - $ qemu-xtensa-static
    - $ qemu-xtensaeb-static
  - qemu-utils
    - $ qemu-img
    - $ qemu-io
    - $ qemu-nbd
    - $ qemu-storage-daemon
- qsslcaudit $
- quark-engine
  - $ freshquark
  - $ quark

R

- radare2
  - libradare2-5.0.0t64
  - libradare2-common
  - libradare2-dev
  - radare2
    - $ r2
    - $ r2agent
    - $ r2pm
    - $ r2r
    - $ rabin2
    - $ radare2
    - $ radiff2
    - $ rafind2
    - $ ragg2
    - $ rahash2
    - $ rarun2
    - $ rasign2
    - $ rasm2
    - $ ravc2
    - $ rax2
- rainbowcrack
  - $ rcrack
  - $ rt2rtc
  - $ rtc2rt
  - $ rtgen
  - $ rtmerge
  - $ rtsort
- rake $
- rarcrack $
- raven $
- rcracki-mt
  - $ rcracki_mt
- rdesktop $
- readpe
  - libpe-dev
  - libpe1t64
  - pev
  - readpe
    - $ ofs2rva
    - $ pedis
    - $ pehash
    - $ peldd
    - $ pepack
    - $ peres
    - $ pescan
    - $ pesec
    - $ pestr
    - $ readpe
    - $ rva2ofs
- reaver
  - $ reaver
  - $ wash
- rebind
  - $ dns-rebind
- recon-ng
  - $ recon-cli
  - $ recon-ng
  - $ recon-web
- reconspider $
- recordmydesktop $
- recoverdm
  - $ mergebad
  - $ recoverdm
- recoverjpeg
  - $ recoverjpeg
  - $ recovermov
  - $ remove-duplicates
  - $ sort-pictures
- redeye
  - $ redeye
  - $ redeye-stop
- redfang
  - $ fang
- redsnarf $
- redsocks $
- reglookup
  - libregfi-dev
  - libregfi1t64
  - python3-pyregfi
  - reglookup
    - $ reglookup
    - $ reglookup-recover
    - $ reglookup-timeline
  - reglookup-doc
- regripper $
- rekono-kbx
  - $ rekono
- rephrase $
- requests
  - python-requests-doc
  - python3-requests
- responder
  - $ responder
  - $ responder-BrowserListener
  - $ responder-DHCP_Auto
  - $ responder-FindSQLSrv
  - $ responder-Icmp-Redirect
  - $ responder-MultiRelay
  - $ responder-RunFinger
- rev-proxy-grapher $
- rfcat
  - $ rfcat
  - $ rfcat_bootloader
  - $ rfcat_msfrelay
  - $ rfcat_server
- rfdump $
- ridenum $
- rifiuti $
- rifiuti2
  - $ rifiuti-vista
  - $ rifiuti2
- rizin-cutter
  - librizin-cutter-dev
  - rizin-cutter
    - $ cutter
- rkhunter $
- rling
  - $ dedupe
  - $ getpass
  - $ rehex
  - $ rling
  - $ splitlen
- robotstxt
  - golang-github-temoto-robotstxt-dev
  - robotstxt
    - $ robots.txt-check
- ropper $
- routerkeygenpc
  - $ routerkeygen
  - $ routerkeygen-cli
- routersploit
  - $ routersploit
  - $ rsf.py
- rsakeyfind $
- rsmangler $
- rtpbreak $
- rtpflood $
- rtpinsertsound $
- rtpmixsound $
- ruby-pedump
  - $ pedump-ruby
- rz-ghidra

S

- s3scanner $
- safecopy $
- sakis3g $
- samba
  - ctdb
    - $ ctdb
    - $ ctdb_diagnostics
    - $ ctdbd
    - $ ltdbtool

        - $ onnode
        - $ ping_pong
    - ldb-tools
        - $ ldbadd
        - $ ldbdel
        - $ ldbedit
        - $ ldbmodify
        - $ ldbrename
        - $ ldbsearch
    - libldb-dev
    - libldb2
    - libnss-winbind
    - libpam-winbind
    - libsmbclient
    - libsmbclient-dev
    - libsmbclient0
    - libwbclient-dev
    - libwbclient0
    - python3-ldb
    - python3-ldb-dev
    - python3-samba
    - registry-tools
        - $ regdiff
        - $ regpatch
        - $ regshell
        - $ regtree
    - samba
        - $ dumpmscat
        - $ eventlogadm
        - $ mvxattr
        - $ nmbd
        - $ oLschema2ldif
        - $ pdbedit
        - $ profiles
        - $ samba
        - $ samba-gpupdate
        - $ samba_dnsupdate
        - $ samba_downgrade_db
        - $ samba_spnupdate
        - $ samba_upgradedns
        - $ sharesec
        - $ smbcontrol
        - $ smbd
        - $ smbstatus
    - samba-ad-dc
    - samba-ad-provision
    - samba-common
    - samba-common-bin
        - $ dbwrap_tool
        - $ net
        - $ nmblookup
        - $ samba-log-parser
        - $ samba-regedit
        - $ samba-tool
        - $ samba_kcc
        - $ smbpasswd
        - $ testparm
    - samba-dev
    - samba-dsdb-modules
    - samba-libs
    - samba-testsuite
        - $ gentest
        - $ locktest
        - $ masktest
        - $ ndrdump
        - $ smbtorture
    - samba-vfs-modules
    - smbclient
        - $ cifsdd
        - $ mdsearch
        - $ rpcclient
        - $ smbcacls
        - $ smbclient
        - $ smbcquotas
        - $ smbget
        - $ smbspool
        - $ smbtar
        - $ smbtree
    - winbind
        - $ ntlm_auth
        - $ wbinfo
        - $ winbindd
- samdump2 $
- sbd $
- scalpel $
- scapy
    - python3-scapy
        - $ scapy
        - $ scapy3
- screen $
- scrounge-ntfs $
- sctpscan $
- seclists $
- secure-socket-funneling
    - secure-socket-funneling-windows-binaries
- sendemail
    - $ sendEmail
    - $ sendemail
- sentrypeer $
- set
    - $ se-toolkit
    - $ setoolkit
- sfuzz
    - $ sfo
    - $ sfuzz
- sharpshooter $
- shed $
- shellfire $
- shellnoob $
- shellter $
- sherlock $
- sickle-tool $
- sidguesser
    - $ sidguess
- siege
    - $ bombardment
    - $ siege
    - $ siege.config
    - $ siege2csv
- sigma-cli $
- silenttrinity $
- siparmyknife $
- sipcrack
    - $ sipcrack
    - $ sipdump
- sipp $
- sipsak $
- sipvicious
    - $ svcrack
    - $ svcrash
    - $ svmap
    - $ svreport
    - $ svwar
- skipfish $
- sleuthkit
    - libsleuthkit-java
    - libsleuthkit-jni
    - libtsk-dev
    - libtsk19t64
    - sleuthkit
        - $ blkcalc
        - $ blkcat
        - $ blkls
        - $ blkstat
        - $ fcat
        - $ ffind
        - $ fiwalk
        - $ fls
        - $ fsstat
        - $ hfind
        - $ icat
        - $ ifind
        - $ ils
        - $ img_cat
        - $ img_stat
        - $ istat

        - $ jcat
        - $ jls
        - $ jpeg_extract
        - $ mactime
        - $ mmcat
        - $ mmls
        - $ mmstat
        - $ pstat
        - $ sigfind
        - $ sorter
        - $ srch_strings
        - $ tsk_comparedir
        - $ tsk_gettimes
        - $ tsk_imageinfo
        - $ tsk_loaddb
        - $ tsk_recover
        - $ usnjls
- slimtoolkit
  - $ slim-sensor
  - $ slimtoolkit
- sliver
  - $ sliver-client
  - $ sliver-server
- slowhttptest $
- smbmap $
- smtp-user-enum $
- sn0int $
- sniffjoke
  - $ sj-commit-results
  - $ sj-iptcpopt-probe
  - $ sniffjoke
  - $ sniffjoke-autotest
  - $ sniffjokectl
- snmpcheck
  - $ snmp-check
- snmpenum $
- snort
  - snort
    - $ appid_detector_builder.sh
    - $ generic_send_udp
    - $ generic_web_server_fuzz
    - $ generic_web_server_fuzz2
    - $ gopherd
    - $ halflife
    - $ line_send_tcp
    - $ msrpcfuzz
    - $ msrpcfuzz_udp
    - $ ntlm2
    - $ ntlm_brute
    - $ pmspike
    - $ post_fuzz
    - $ post_spike
    - $ quake
    - $ quakeserver
    - $ sendmsrpc
    - $ ss_spike
    - $ statd_spike
    - $ sunrpcfuzz
    - $ webfuzz
    - $ x11_spike
- spire
  - $ spire-agent
  - $ spire-server
- sploitscan $
- spooftooph $
- spray $
- sprayingtoolkit
  - $ atomizer
  - $ spindrift
  - $ sprayingtoolkit
- spraykatz $
- sqldict $
- sqlitebrowser $
- sqlmap
  - $ sqlmap
  - $ sqlmapapi
- sqlninja $
- sqlsus $
    - $ snort
    - $ snort2lua
    - $ u2boat
    - $ u2spewfoo
  - snort-common
  - snort-common-libraries
  - snort-doc
  - snort-rules-default
- snowdrop
  - $ sd-c
  - $ sd-eng
  - $ sd-engf
- socat
  - $ filan
  - $ procan
  - $ socat
  - $ socat-broker.sh
  - $ socat-chain.sh
  - $ socat-mux.sh
  - $ socat1
- sparrow-wifi
  - $ sparrow-wifi
  - $ sparrowwifiagent
- spectools
  - $ spectool_curses
  - $ spectool_net
  - $ spectool_raw
- spiderfoot
  - $ spiderfoot
  - $ spiderfoot-cli
- spike
  - $ citrix
  - $ closed_source_web_server_fuzz
  - $ dceoversmb
  - $ dltest
  - $ do_post
  - $ generic_chunked
  - $ generic_listen_tcp
  - $ generic_send_tcp
- ssdeep
  - libfuzzy-dev
  - libfuzzy2
  - ssdeep
    - $ ssdeep
- ssldump $
- sslh
  - $ sslh
  - $ sslh-select
- sslscan $
- sslsniff $
- sslsplit $
- sslstrip $
- sslyze $
- statsprocessor
  - $ sp32
  - $ sp64
- stegcracker $
- steghide
  - steghide
    - $ steghide
  - steghide-doc
- stegsnow $
- stunnel4
  - $ stunnel
  - $ stunnel3
  - $ stunnel4
- subfinder $
- subjack $
- sublist3r $
- subversion
  - libapache2-mod-svn
  - libsvn-dev
  - libsvn-doc
  - libsvn-java
  - libsvn-perl
  - libsvn1
  - python3-subversion
  - ruby-svn

- subversion
  - $ svn
  - $ svnadmin
  - $ svnauthz
  - $ svnauthz-validate
  - $ svnbench
  - $ svndumpfilter
  - $ svnfsfs
  - $ svnlook
  - $ svnmucc
  - $ svnrdump
  - $ svnserve
  - $ svnsync
  - $ svnversion
- subversion-tools
  - $ fsfs-access-map
  - $ fsfs-stats
  - $ svn-backup-dumps
  - $ svn-bisect
  - $ svn-clean
  - $ svn-hot-backup
  - $ svn-mergeinfo-normalizer
  - $ svn-populate-node-origins-index
  - $ svn-vendor
  - $ svn_apply_autoprops
  - $ svn_load_dirs
  - $ svnraisetreeconflict
  - $ svnwrap
- sucrack $
- sudo
  - libnss-sudo
  - sudo
    - $ cvtsudoers
    - $ cvtsudoers
    - $ sudo
    - $ sudo
    - $ sudo_logsrvd
    - $ sudo_logsrvd
    - $ sudo_sendlog
    - $ sudo_sendlog
    - $ sudoedit
    - $ sudoedit
    - $ sudoreplay
    - $ sudoreplay
    - $ visudo
    - $ visudo
  - sudo-ldap
    - $ cvtsudoers
    - $ sudo
    - $ sudo_logsrvd
    - $ sudo_sendlog
    - $ sudoedit
    - $ sudoreplay
    - $ visudo
- swaks $
- syft $

T

- t50 $
- tcpdump $
- tcpflow
  - tcpflow
    - $ tcpflow
    - $ tcpflow
  - tcpflow-nox
    - $ tcpflow
- tcpick $
- tcpreplay
  - $ tcpbridge
  - $ tcpcapinfo
  - $ tcpliveplay
  - $ tcpprep
  - $ tcpreplay
  - $ tcpreplay-edit
  - $ tcprewrite
- teamsploit $
- termineter $
- terraform $
- testdisk
  - $ fidentify
  - $ photorec
  - $ testdisk
- testssl.sh
  - $ testssl
- tetragon
  - $ tetra
- tftp-hpa
  - tftp-hpa
    - $ tftp
  - tftp-hpa-dbg
  - tftpd-hpa
    - $ in.tftpd
- tftpd32 $
- thc-ipv6
  - $ atk6-address6
  - $ atk6-alive6
  - $ atk6-connect6
  - $ atk6-connsplit6
  - $ atk6-covert_send6
  - $ atk6-covert_send6d
  - $ atk6-denial6
  - $ atk6-detect-new-ip6
  - $ atk6-detect_sniffer6
  - $ atk6-dnsdict6
  - $ atk6-dnsrevenum6
  - $ atk6-dnssecwalk
  - $ atk6-dos-new-ip6
  - $ atk6-dump_dhcp6
  - $ atk6-dump_router6
  - $ atk6-exploit6
  - $ atk6-extract_hosts6
  - $ atk6-extract_networks6
  - $ atk6-fake_advertise6
  - $ atk6-fake_dhcps6
  - $ atk6-fake_dns6d
  - $ atk6-fake_dnsupdate6
  - $ atk6-fake_mipv6
  - $ atk6-fake_mld26
  - $ atk6-fake_mld6
  - $ atk6-fake_mldrouter6
  - $ atk6-fake_pim6
  - $ atk6-fake_router26
  - $ atk6-fake_router6
  - $ atk6-fake_solicitate6
  - $ atk6-firewall6
  - $ atk6-flood_advertise6
  - $ atk6-flood_dhcpc6
  - $ atk6-flood_mld26
  - $ atk6-flood_mld6
  - $ atk6-flood_mldrouter6
  - $ atk6-flood_redir6
  - $ atk6-flood_router26
  - $ atk6-flood_router6
  - $ atk6-flood_rs6
  - $ atk6-flood_solicitate6
  - $ atk6-flood_unreach6
  - $ atk6-four2six
  - $ atk6-fragmentation6
  - $ atk6-fragrouter6
  - $ atk6-fuzz_dhcpc6
  - $ atk6-fuzz_dhcps6
  - $ atk6-fuzz_ip6
  - $ atk6-implementation6
  - $ atk6-implementation6d
  - $ atk6-inject_alive6
  - $ atk6-inverse_lookup6
  - $ atk6-kill_router6
  - $ atk6-ndpexhaust26
  - $ atk6-ndpexhaust6
  - $ atk6-node_query6
  - $ atk6-parasite6
  - $ atk6-passive_discovery6
  - $ atk6-randicmp6
  - $ atk6-redir6
  - $ atk6-redirsniff6

- $ atk6-rsmurf6
- $ atk6-sendpees6
- $ atk6-sendpeesmp6
- $ atk6-smurf6
- $ atk6-thcping6
- $ atk6-thcsyn6
- $ atk6-toobig6
- $ atk6-toobigsniff6
- $ atk6-trace6

- thc-pptp-bruter $
- thc-ssl-dos $
- theharvester
  - $ restfulHarvest
  - $ theHarvester
  - $ theharvester
- tiger
  - tiger
    - $ tiger
    - $ tigercron
    - $ tigexp
  - tiger-otheros
- tightvnc
  - tightvncpasswd
    - $ tightvncpasswd
  - tightvncserver
    - $ Xtightvnc
    - $ tightvncconnect
    - $ tightvncserver
  - xtightvncviewer
    - $ xtightvncviewer
- tlssled $
- tmux $
- tnftp
  - ftp
  - tnftp
    - $ tnftp
- tnscmd10g $
- traceroute
  - $ lft.db
  - $ tcptraceroute.db
  - $ traceproto.db
  - $ traceroute-nanog
  - $ traceroute.db
  - $ traceroute6.db
- trivy $
- truecrack $
- trufflehog
  - $ snifftest
  - $ trufflehog
  - $ trufflehog-generate
- tundeep $
- twofi $
- tzdata
  - tzdata
  - tzdata-legacy

U

- ubertooth
  - libubertooth-dev
  - libubertooth1
  - ubertooth
    - $ ubertooth-afh
    - $ ubertooth-btbr
    - $ ubertooth-btle
    - $ ubertooth-debug
    - $ ubertooth-dfu
    - $ ubertooth-ducky
    - $ ubertooth-dump
    - $ ubertooth-ego
    - $ ubertooth-follow
    - $ ubertooth-rx
    - $ ubertooth-scan
    - $ ubertooth-specan
    - $ ubertooth-specan-ui
    - $ ubertooth-util
  - ubertooth-firmware
  - ubertooth-firmware-source

- udptunnel $
- uhd
  - libuhd-dev
  - libuhd4.6.0-dpdk
  - libuhd4.6.0-dpdk-tests
  - libuhd4.6.0t64
  - python3-uhd
  - uhd-doc
  - uhd-host
    - $ rfnoc_image_builder
    - $ uhd_adc_self_cal
    - $ uhd_cal_rx_iq_balance
    - $ uhd_cal_tx_dc_offset
    - $ uhd_cal_tx_iq_balance
    - $ uhd_config_info
    - $ uhd_find_devices
    - $ uhd_image_loader
    - $ uhd_images_downloader
    - $ uhd_usrp_probe
    - $ usrp2_card_burner
    - $ usrpctl
- uhd-images
- unar
  - $ lsar
  - $ unar
- unblob $
- undbx $
- unhide
  - unhide
    - $ unhide
    - $ unhide-linux
    - $ unhide-posix
    - $ unhide-tcp
    - $ unhide_rb
  - unhide-gui
    - $ unhide-gui
- unhide.rb $
- unicorn-magic $
- unicornscan
  - $ fantaip
  - $ unibrow
  - $ unicfgtst
  - $ unicornscan
  - $ us
- uniscan
  - $ uniscan
  - $ uniscan-gui
- unix-privesc-check $
- unrar-nonfree
  - libunrar-dev
  - libunrar-headers
  - libunrar5t64
  - unrar
    - $ unrar-nonfree
- upx-ucl $
- urlcrazy $
- util-linux
  - bsdextrautils
    - $ col
    - $ colcrt
    - $ colrm
    - $ column
    - $ hd
    - $ hexdump
    - $ look
    - $ ul
    - $ write
  - bsdutils
    - $ logger
    - $ renice
    - $ script
    - $ scriptlive
    - $ scriptreplay
    - $ wall
  - eject
    - $ eject
  - fdisk
    - $ cfdisk

        - $ fdisk
        - $ sfdisk
    - libblkid-dev
    - libblkid1
    - libfdisk-dev
    - libfdisk1
    - libmount-dev
    - libmount1
    - libsmartcols-dev
    - libsmartcols1
    - libuuid1
    - mount
        - $ losetup
        - $ mount
        - $ swapoff
        - $ swapon
        - $ umount
    - rfkill
        - $ rfkill
    - util-linux
        - $ agetty
        - $ blkdiscard
        - $ blkid
        - $ blkzone
        - $ blockdev
        - $ chcpu
        - $ chmem
        - $ choom
        - $ chrt
        - $ dmesg
        - $ fallocate
        - $ findfs
        - $ findmnt
        - $ flock
        - $ fsck
        - $ fsfreeze
        - $ fstrim
        - $ getopt
        - $ getty
        - $ hardlink
        - $ i386
        - $ ionice
        - $ ipcmk
        - $ ipcrm
        - $ ipcs
        - $ isosize
        - $ last
        - $ lastb
        - $ ldattach
        - $ linux32
        - $ linux64
        - $ lsblk
        - $ lscpu
        - $ lsipc
        - $ lslocks
        - $ lslogins
        - $ lsmem
        - $ lsns
        - $ mcookie
        - $ mesg
        - $ mkfs
        - $ mkswap
        - $ more
        - $ mountpoint
        - $ namei
        - $ nsenter
        - $ partx
        - $ pivot_root
        - $ prlimit
        - $ readprofile
        - $ rename.ul
        - $ resizepart
        - $ rev
        - $ rtcwake
        - $ runuser
        - $ setarch
        - $ setpriv
        - $ setsid
        - $ setterm
        - $ su
        - $ sulogin
        - $ swaplabel
        - $ switch_root
        - $ taskset
        - $ uclampset
        - $ unshare
        - $ utmpdump
        - $ wdctl
        - $ whereis
        - $ wipefs
        - $ x86_64
        - $ zramctl
    - util-linux-extra
        - $ blkpr
        - $ ctrlaltdel
        - $ enosys
        - $ fadvise
        - $ fincore
        - $ fsck.cramfs
        - $ fsck.minix
        - $ hwclock
        - $ lsfd
        - $ lsirq
        - $ mkfs.bfs
        - $ mkfs.cramfs
        - $ mkfs.minix
        - $ pipesz
        - $ waitpid
    - util-linux-locales
    - uuid-dev
    - uuid-runtime
        - $ uuidd
        - $ uuidgen
        - $ uuidparse
- vboot-utils
    - cgpt
        - $ cgpt
    - vboot-kernel-utils
        - $ futility
        - $ vbutil_kernel
    - vboot-utils
        - $ chromeos-tpm-recovery
        - $ crossystem
        - $ dev_debug_vboot
        - $ dumpRSAPublicKey
        - $ dump_fmap
        - $ dump_kernel_config
        - $ enable_dev_usb_boot
        - $ gbb_utility
        - $ tpm-nvsize
        - $ tpmc
        - $ vbutil_firmware
        - $ vbutil_key
        - $ vbutil_keyblock
- veil
    - veil
        - $ veil
    - veil-catapult
    - veil-evasion
- villain $
- vim
    - vim
        - $ vim.basic
    - vim-athena
    - vim-common
        - $ helpztags
    - vim-doc
    - vim-gtk3
        - $ vim.gtk3
    - vim-gui-common
        - $ gvimtutor
    - vim-motif
        - $ vim.motif

- vim-nox
  - $ vim.nox
- vim-runtime
  - $ vimtutor
- vim-tiny
  - $ vim.tiny
- xxd
  - $ xxd
- vinetto $
- vlan
  - $ vconfig
- voiphopper $
- vopono $
- vpnc
  - $ cisco-decrypt
  - $ pcf2vpnc
  - $ vpnc
  - $ vpnc-connect
  - $ vpnc-disconnect

W

- wafw00f $
- wapiti
  - $ wapiti
  - $ wapiti-getcookie
- watobo $
- waybackpy $
- wce $
- webacoo $
- webscarab $
- webshells $
- websploit $
- weevely $
- wfuzz $
- wget $
- wgetpaste $
- what-is-python
  - python-dev-is-python3
  - python-is-python3
    - $ pdb
    - $ python-config
  - python-is-python3
    - $ pydoc
    - $ python
- whatmask $
- whatweb $
- whois
  - $ mkpasswd
  - $ whois
- wifi-honey $
- wifiphisher $
- wifipumpkin3
  - $ captiveflask
  - $ evilqr3
  - $ phishkin3
  - $ sslstrip3
  - $ wifipumpkin3
  - $ wp3
- wifite $
- wig $
- wig-ng
  - $ wig-ng
  - $ wig-ng.py
- windows-binaries
  - $ windows-binaries
  - $ windows-resources
- windows-privesc-check $
- winexe $
- winregfs
  - $ fsck.winregfs
  - $ mount.winregfs
- wireshark
  - libwireshark-data
  - libwireshark-dev
  - libwireshark17t64
  - libwiretap-dev
  - libwiretap14t64
  - libwsutil-dev
  - libwsutil15t64
  - tshark
    - $ tshark
  - wireshark
    - $ wireshark
  - wireshark-common
    - $ capinfos
    - $ captype
    - $ dumpcap
    - $ editcap
    - $ mergecap
    - $ mmdbresolve
    - $ randpkt
    - $ rawshark
    - $ reordercap
    - $ sharkd
    - $ text2pcap
  - wireshark-dev
    - $ asn2deb
    - $ idl2deb
    - $ idl2wrs
  - wireshark-doc
- witnessme
  - $ witnessme
  - $ wmapi
  - $ wmdb
- wmi
  - wmi-client
    - $ wmic
    - $ wmis
- wordlistraider $
- wordlists $
- wotmate $
- wpa-sycophant
  - $ wpa_sycophant
- wpscan $
- wsgidav
  - python-wsgidav-doc
  - python3-wsgidav
    - $ wsgidav

X

- xmount $
- xplico
  - $ mfbc
  - $ mfile
  - $ mpaltalk
  - $ mwmail
  - $ trigcap
  - $ xplico
  - $ xplico-webui
  - $ xplico-webui-stop
- xspy $
- xsser $

Y

- yara
  - libyara-dev
  - libyara10
  - yara
    - $ yara
    - $ yarac
  - yara-doc
- yersinia $

Z

- zaproxy
  - $ owasp-zap
  - $ zaproxy
- zenmap-kbx $
- zerofree $
- zim $
- zonedb
  - golang-github-zonedb-zonedb-dev
  - zonedb

        - $ zonedb
- zsh
  - zsh
    - $ rzsh
    - $ zsh
    - $ zsh5
  - zsh-common
  - zsh-dev
  - zsh-doc
  - zsh-static
    - $ zsh-static
    - $ zsh5-static
- zsh-autosuggestions
- zsh-syntax-highlighting