OOP LAB EXERCISE 9

NAME: VIVESH G REG NO: 23011101165 CLASS: AI&DS B

DATE: 03/10/24

Question 1:

Write a java program using built-in exception to check if the file is found at a particular location.

```
package EX10;
import java.io.*;
import java.util.Scanner;
public class filefinder {
  public static void main(String[] args) {
     Scanner scan = new Scanner(System.in);
     System.out.println("Enter File name or Path: ");
     String FPath = scan.nextLine();
     try {
       File file = new File(FPath);
       if (file.exists()) {
          System.out.println("File found");
       } else {
          throw new FileNotFoundException("File not found");
     } catch (FileNotFoundException e) {
       System.out.println(e.getMessage());
  }
}
```

OUTPUT:

```
$ /usr/bin/env /usr/lib/jvm/java-11-openjdk-amd64/bin/java -cp /home/ai_ds-b3/
.config/Code/User/workspaceStorage/c150051b45723de8d56f3039657778b7/redhat.java
/jdt_ws/JAVA_810a656f/bin EX10.filefinder
Enter File name or Path:
sample.txt
File found
$ ^C

$ cd /home/ai_ds-b3/Documents/JAVA ; /usr/bin/env /usr/lib/jvm/java-11-openjdk
-amd64/bin/java -cp /home/ai_ds-b3/.config/Code/User/workspaceStorage/c150051b4
5723de8d56f3039657778b7/redhat.java/jdt_ws/JAVA_810a656f/bin EX10.filefinder
Enter File name or Path:
new.txtx
File not found
```

Question 2:

Write a java program to get the last modification date and time of a file.

```
package EX10;
import java.util.*;
import java.io.*;
public class getdetails {
  public static void main(String[] args) {
     Scanner scan = new Scanner(System.in);
     System.out.println("Enter File name or Path: ");
     String FPath = scan.nextLine();
     try {
       File file = new File(FPath);
       if (file.exists()) {
          long lastModified = file.lastModified();
          Date date = new Date(lastModified);
          System.out.println("Last modified Date & Time: " + date);
       } else {
          throw new FileNotFoundException("File not found");
     } catch (FileNotFoundException e) {
       System.out.println(e.getMessage());
  }
}
```

OUTPUT:

```
$ /usr/bin/env /usr/lib/jvm/java-11-openjdk-amd64/bin/java -cp /home/ai_ds-b3/.confi
g/Code/User/workspaceStorage/c150051b45723de8d56f3039657778b7/redhat.java/jdt_ws/JAVA
_810a656f/bin EX10.getdetails
Enter File name or Path:
sample.txt
Last modified Date & Time: Thu Oct 03 08:58:48 IST 2024
$ ■
```

Question 3:

Write a java program to rename an existing file.

```
package EX10;
import java.util.*;
import java.io.*;
public class fileren {
  public static void main(String[] args) {
     Scanner scan = new Scanner(System.in);
     System.out.println("Enter original File name or Path: ");
     String originalFilePath = scan.nextLine();
     System.out.println("Enter name to rename: ");
     String newFilePath = scan.nextLine();
     File originalFile = new File(originalFilePath);
     File newFile = new File(newFilePath);
     if (originalFile.exists()) {
       if (originalFile.renameTo(newFile)) {
          System.out.println("File renamed successfully: " + originalFilePath + " -> "
+ newFilePath);
       } else {
          System.out.println("Failed to rename file: " + originalFilePath);
     } else {
       System.out.println("File not found: " + originalFilePath);
  }
}
```

OUTPUT:

```
$ /usr/bin/env /usr/lib/jvm/java-11-openjdk-amd64/bin/java -cp /home/ai_ds-b3/
.config/Code/User/workspaceStorage/c150051b45723de8d56f3039657778b7/redhat.java
/jdt_ws/JAVA_810a656f/bin EX10.fileren
Enter original File name or Path:
sample.txt
Enter name to rename:
sample1.txt
File renamed successfully: sample.txt -> sample1.txt
$ ■
```

Question 4:

Write a java program to create directory or folder in particular drive

CODE:

```
package EX10;
import java.io.*;
import java.util.*;
public class createdict {
  public static void main(String[] args) {
     Scanner scan = new Scanner(System.in);
     System.out.println("Enter Directory name or Path: ");
     String DPath = scan.nextLine();
    File directory = new File(DPath);
     if (directory.exists()) {
       System.out.println("Directory already exists");
     } else {
       if (directory.mkdirs()) {
          System.out.println("Directory created successfully: ");
       } else {
          System.out.println("Failed to create directory: ");
    }
```

OUTPUT:

```
$ /usr/bin/env /usr/lib/jvm/java-11-openjdk-amd64/bin/java -cp /home/ai_ds-b3/.confi
g/Code/User/workspaceStorage/c150051b45723de8d56f3039657778b7/redhat.java/jdt_ws/JAVA
_810a656f/bin EX10.createdict
Enter Directory name or Path:
new
Directory created successfully:
$ \[
\begin{align*}
```

```
> new

≡ sample1.txt
```

Question 5:

Write a java program to check whether a file can be read or not.

```
package EX10;
import java.io.*;
import java.util.*;
public class checkread {
  public static void main(String[] args) {
     Scanner scan = new Scanner(System.in);
     System.out.println("Enter File name or Path: ");
     String FPath = scan.nextLine();
     try {
       File file = new File(FPath);
       if (file.exists()) {
          if (file.canRead()){
            System.out.println("File can be read");
          } else {
            System.out.println("File cannot be read");
       } else {
          throw new FileNotFoundException("File not found");
     } catch (FileNotFoundException e) {
       System.out.println(e.getMessage());
     }
  }
```

}

OUTPUT:

```
$ /usr/bin/env /usr/lib/jvm/java-11-openjdk-amd64/bin/java -cp /home/ai_ds-b3/
.config/Code/User/workspaceStorage/c150051b45723de8d56f3039657778b7/redhat.java
/jdt_ws/JAVA_810a656f/bin EX10.checkread
Enter File name or Path:
sample1.txt
File can be read
$ \bigset
```

RESULT:

The above programs has been executed successfully