Message Type	Date	Message	Include	Exclude	Exclusion Criteria	Include	Exclude	Exclusion Criteria	Partial Consensus Between Evaluators	Final Evaluation (Mozilla Expert)
REPLY OF QUESTION	2024-01-18 20:03:15	> <@supressed_user> AsyncTabSwitcher was a kludge we developed during e10s to avoid seeing flashes of graphics garbage if the content process hadn't yet uploaded layers to the compositor. > > Since then, the platform has changed substantially - with WebRender, and the various cross-process coordination primitives we gained with Fission... is there a path to replacing AsyncTabSwitcher with something better? In general, it is possible to maybe make the tab switcher code simpler / move some of the logic to native code. But tab warming seems still like a useful optimisation and we'd need some heuristics about when to warm a tab... To me it seems like the front end is better suited to handle at least that part of the logic... But yeah I've simplified a fair amount of it over time, and there's probably some more potential simplifications to do That said it's very hairy code to touch, and this week I'm sick so I don't have that much energy to tackle it right now :)	☑	☐		☐	☑	Question sensitive to the time	Exclude	
REPLY OF QUESTION	2024-01-18 21:21:07	> <@supressed_user> nika: Hey - off hand, do you remember if we have a way for privileged JS in a content process to access the WindowGlobalParent of a subframe so that it can send messages down to an actor in that subframe? Or do all messages need to be marshalled through the parent process? All `WindowGlobalParent` exist in the parent process So there is no `WindowGlobalParent` in a content process You need to get the parent process involved	☑	☐		☑	☐		Include	Include
REPLY OF QUESTION	2024-01-29 12:54:40	> <@supressed_user> flod: any idea why I might not be seeing `[fluent] Missing message in locale` warnings when running mochitests? Sorry, no idea on my side, but eemeli might know	☑	☐		☑	☐		Include	Exclude
REPLY OF QUESTION	2024-01-30 12:22:04	> <@supressed_user> Are you using git? Assuming you're on a custom branch with your changes, you can pass `--upstream bookmarks/central` and see if it identifies the stack correctly then Yes, I am using GIT. It working fine. I ran into this issue for the first time in 2 months. Thanks for your help . I will try your suggestion.	☐	☑	Follow up question	☐	☑	Follow up question	Exclude	
REPLY OF QUESTION	2024-02-06 10:54:08	> <@supressed_user> Is there any really really simple place to store an int that isnt prefs? I want to store a timestamp preferably with more than seconds precision (so I dont want to just /1000 it) What's wrong with prefs? if your data is associated with a site you could use the content pref service	☑	☐		☑	☐		Include	Include
REPLY OF QUESTION	2024-02-06 10:54:26	> <@supressed_user> Is there any really really simple place to store an int that isnt prefs? I want to store a timestamp preferably with more than seconds precision (so I dont want to just /1000 it) No, there isn't. content prefs get blown away for permanent private browsing / 'don't remember history', right?	☑	☐		☑	☐		Include	Include
REPLY OF QUESTION	2024-02-06 12:51:24	> <@supressed_user> Do we have anything like clock.tick (https://searchfox.org/mozilla-central/source/browser/components/newtab/test/unit/lib/DiscoveryStreamFeed.test.js#2850) for xpcshell tests? ie something we can change the time with to test timing / expiration situations iirc sinon has it, but it doesn't work for most cases as it can't mock the setTimeout in the .sys.mjs scope as that's a different setTimeout	☑	☐		☑	☐		Include	Include
REPLY OF QUESTION	2024-02-08 05:22:07	> <@supressed_user> what kind of trackpad is it? is this 2-finger dragging (or the double tab to drag on windows), or 1-finger dragging? 2 finger dragging, up-down motion. Left-tight works as expected	☐	☑	Follow up question	☐	☑	Follow up question	Exclude	
REPLY OF QUESTION	2024-02-08 05:47:55	> <@supressed_user> let me see if I'm mixing things up. is this right? > > - 2 finger dragging up on a normal page scrolls the page up > - but 2 finger dragging up on the tab strip scrolls to the left (on RTL) Woah. WOAH. Hold on a minute. This made me realize I confused myself with how I'm actually scrolling, and what I'm expecting to actually happen. Give me a minute to figure myself out Okay I think I figured out what was (and still is) wrong with me Bottom line is that I think there's no Firefox bug, just one in my head In my mind I'm thinking that for vertical scrolling, I need to 2 finger drag down to scroll up, but for horizonal scrolling, my instinct is to 2 finger up to scroll up My workaround: To get used to 2 finger drag sideways... That just now was an emotional rollercoaster. I've been doing it for years and haven't realized. Sorry for the spam everyone, carry on... And thanks aminomancer for your help!	☐	☑	Follow up question	☐	☑	Follow up question	Exclude	

Type	Timestamp	Message	☐/☑	☐/☑	Classification	☐/☑	☐/☑	Classification	Decision	
REPLY OF QUESTION	2024-02-17 16:08:32	> <@supressed_user> what was the output for `./mach build` ? sorry, my computer just restarted and lost the build logs that save in the terminal buffer, but I can provide the ./mach package logs right now. I will try it tomorrowand and report the logs asap. .	☐	☑	Follow up question	☐	☑	Follow up question	Exclude	
REPLY OF QUESTION	2024-02-17 16:20:06	> <@supressed_user> which issue do you mean? the linker error for `portable64.lib`, or the `Couldn't load XPCOM` error? Couldn't load XPCOM	☐	☑	Question lacks context	☐	☑	Follow up question	Exclude	
REPLY OF QUESTION	2024-02-17 16:23:26	> <@supressed_user> which project is the above log for? the directory name says iceweasel iceweasel, the Firefox official version also ran into trouble and the logs/errors are same.	☐	☑	Follow up question	☐	☑	Follow up question	Exclude	
REPLY OF QUESTION	2024-02-28 17:54:13	> <@supressed_user> how complex is that webarchive format? is there an OSS library to read/write them on Windows too? That may also be a solution... (though not really a standard I imagine) It appears to be a binary property list format, there are lots of bplist writer libraries out there I'm sure, we just need to figure out which properties and keys to write Even if Edge doesn't support it, I think that's fine, because the .webarchive extension will open in Safari anyway	☑	☐		☑	☐		Include	Exclude
REPLY OF QUESTION	2024-02-29 17:05:12	> <@supressed_user> Is there a guide or example of taking a dictionary passed back from JS into a JS::Value and turning it C++-accessible nsCStrings? I've made a webidl object, but still not sure how to turn the JS::Value into it... This is more like a #dom:mozilla.org question I think generally the DOM bindings generate code is doing that translation so it would depend on the specific context you are working with.	☑	☐		☑	☐		Include	Exclude
REPLY OF QUESTION	2024-03-05 16:28:40	> <@supressed_user> kcochrane: hey - with the moz-page-nav component now available, do you think we have everything in place to swap that in for the sidebar in about:preferences? hjones: Hanna actually put together [a document](https://docs.google.com/document/d/1BUfotq-21zbJAzBoErJxTVFT5MyegaraFv0gX8KG3Xc/edit#heading=h.ssudrsg4csnc) for the plans for this!	☐	☑	Question lacks context	☐	☑	Question sensitive to the time	Exclude	
REPLY OF QUESTION	2024-03-08 17:11:34	> <@supressed_user> hsohaney: Are you using a debug build? I dont think so	☐	☑	Follow up question	☐	☑	Follow up question	Exclude	
REPLY OF QUESTION	2024-03-13 20:58:22	> <@supressed_user> emilio: I'd review if you send patches! But I dunno if you wanna pursue that... Olli reviewed the Dom change already, and I plan to fix up other stuff later today, it seems feasible Well, tomorrow, most likely, actually	☐	☑	Not a question	☐	☑	Not a question	Exclude	
REPLY OF QUESTION	2024-03-18 19:20:06	> <@supressed_user> mconley: emilio curious what you thought about next steps for the `Assert.equals` stuff? :-) I got bit by it and I _think_ stricter equality is useful, specially for tests, but probably not the most important thing to chase... I don't have super-strong opinions other than that, I just found it surprising	☐	☑	Not a question	☐	☑	Not a question	Exclude	
REPLY OF QUESTION	2024-03-19 17:12:33	> <@supressed_user> Like I see system themes are behind maybeInstallAddon, so assume they don't get installed by default? Where are you seeing this? https://searchfox.org/mozilla-central/search?q=maybeInstallAddon shows no hits for me.	☐	☑	Follow up question	☐	☑	Follow up question	Exclude	
REPLY OF QUESTION	2024-03-19 17:14:09	> <@supressed_user> Where are you seeing this? https://searchfox.org/mozilla-central/search?q=maybeInstallAddon shows no hits for me. Sorry, it's `maybeInstallBuiltinAddon` Ah maybe the difference is between using `moz.build` and `FINAL_TARGET_FILES.features` vs `jar.mn`?	☐	☑	Follow up question	☐	☑	Follow up question	Exclude	
REPLY OF QUESTION	2024-03-23 22:48:00	> <@supressed_user> emilio:after the last customstateset patch I was wondering if we might ship it? Would the next step be an i2s email? Yeah I think it's in a good state. An I2s email would be the next step since you already sent the relevant patch to enable it hah	☐	☑	Question lacks context	☐	☑	Question lacks context	Exclude	
REPLY OF QUESTION	2024-03-23 22:59:21	> <@supressed_user> In that case should I still send out an i2s saying I intend to enable it in 2 weeks, you think? Sounds good keithamus: please check on try before enabling by default in case of: * Tests that rely on it but for which we don't enable the pref already. * We have tests for stuff like new interfaces added (pretty sure that's the case and you need to change test_interfaces :))	☐	☑	Follow up question	☐	☑	Follow up question	Exclude	

REPLY OF QUESTION	2024-03-24 12:57:45	> <@supressed_user> emilio: I checked on try last night and the tests all passed so to see them failing on autoland is a little confusing. Could you help me understand where I made the wrong step? Can you elaborate? Are they failing in autoland because of that patch? The nightly: true thing will cause failures in beta But nothing that will cause your patch to be backed out	☐	☑	Follow up question	☐	☑	Follow up question	Exclude	
REPLY OF QUESTION	2024-03-26 20:59:53	> <@supressed_user> Is there a helper function somewhere in the frontend to open a new browser window (BROWSER_CHROME_URL), and return a promise which resolves when gBrowser is available in that new window? BrowserTestUtils has some such thing but don't know the name off hand (on the phone sorry)	☑	☐		☑	☐		Include	
REPLY OF QUESTION	2024-04-02 13:11:10	> <@supressed_user> pbz: that is a good question and as you say I think the outcome is surprising. zeid may be able to shed light on this? Yes this is intended behaviour, but has not been revisited since the initial release/implementation. If a module is missing peers (or owners), it will just show the 'parent' module peers/owners.	☐	☑		☐	☑	Follow up question	Exclude	
REPLY OF QUESTION	2024-04-03 16:26:15	> <@supressed_user> Sorry, I was out last week. > > Yes we do want to avoid using Log.sys.mjs and Console.sys.mjs, and we're gradually moving everyone to console.createInstance. > > The rough plan is to get everything JS using one logger, and then integrate that with MOZ_LOG / about:logging, hence ending up with some kind of single logging control across c++ & JS. > > However, we've only really just started (I haven't had much time on it recently), and we're currently transitioning the Console.sys.mjs uses across, as they're simpler. > > For Log.sys.mjs we don't yet have the equivalent of file logging - I have been looking for use cases for some of the code there, and this is now one that I can add. > > So for now, I think it would be fine for you to use Log.sys.mjs. I've logged the use case as bug 1889052 so that we have it tracked - can you add a reference to that in the code where you'll hit the warning? thanks yeah that's just the direction I was looking for	☐	☑	Follow up question	☐	☑	Follow up question	Exclude	
REPLY OF QUESTION	2024-04-03 22:55:15	> <@supressed_user> Someone told me about a try flag for only generating builds and not running any tests. But now I can't find it. Anyone? There's probably a preset of sorts but I just usually do mach try fuzzy and select the builds I want	☑	☐		☑	☐		Include	Include
REPLY OF QUESTION	2024-04-03 22:56:36	> <@supressed_user> And just select no tests? And the task scheduler is ok with that? You need to select the build tasks, just grep for build and add the ones you need?	☐	☑	Follow up question	☐	☑	Follow up question	Exclude	
REPLY OF QUESTION	2024-04-05 17:58:20	> <@supressed_user> I had a quick question about the HSTS pref, should this be considered under cache storage or site data storage? Just pushing this out again	☑	☐		☑	☐		Include	Exclude
REPLY OF QUESTION	2024-04-07 19:36:15	> <@supressed_user> The new profile work is being tracked in https://bugzilla.mozilla.org/show_bug.cgi?id=1882882 i c. thanks for the repsonse! im not a coder so im not really sure what all the numbers mean in each persons comment, but one question, how will i know when the feature gets implemented?	☐	☑	Follow up question	☐	☑	Follow up question	Exclude	
REPLY OF QUESTION	2024-04-08 15:11:06	> <@supressed_user> estrobink: Could you clarify how you switch profiles? I don't understand why you end up with 7 windows for two (work/personal) profiles. Yeah so here's the scenario: I am in my default release profile window I go to about:profiles I launch my work profile by pressing launch profile in new browser Then I drag that new app icon to my macOS dock so I can easily switch between work and home profile	☐	☑	Follow up question	☐	☑	Follow up question	Exclude	

REPLY OF QUESTION	2024-04-17 16:20:27	> <@supressed_user> I think it depends on lots of things. Is the CSS still being loaded? Is there some script that's influencing the style / layout that hasn't run yet? ok I give up on trying to link the actual revision. here is the method that I use to insert the link and click on it: https://gist.github.com/Trikolon/6576f76e2c642c4adcea4a43fedafdd6 I'm inserting it via `SpecialPowers.spawn`, which should only resolve once the code has run? I also tried it with `EventUtils.synthesizeMouse` inside of the `spawn` call, but that didn't help.	☐	☑	Follow up question	☐	☑	Follow up question	Exclude	
REPLY OF QUESTION	2024-04-18 06:27:11	> <@supressed_user> What's `lineno = '<int>'`? `mach lint --fix` seems to add it to my test manifest and I see a bunch of them in-tree: https://searchfox.org/mozilla-central/search?q=lineno&path=.toml&case=false&regexp=false Bug 1890589, looks like it should be about due to land on central.	☐	☑	Question sensitive to the time	☐	☑	Question sensitive to the time	Exclude	
REPLY OF QUESTION	2024-04-25 15:47:15	> <@supressed_user> is there something I can do to implement this blur effect? no	☐	☑	Question lacks context	☐	☑	Question lacks context	Exclude	
REPLY OF QUESTION	2024-04-25 15:50:58	There's some Wayland protocol to request it And some X11 prop > <@supressed_user> and why doesn't firefox do the same? Because nobody has implemented it yet	☐	☑	Question lacks context	☐	☑	Question lacks context	Exclude	
REPLY OF QUESTION	2024-04-25 15:52:57	> <@supressed_user> The background image on my new tab page changed and no longer matches the example in settings. It's clearly the same kind of image but a different pattern. Is that expected? Chris Peterson (:cpeterson) asked the same thing on slack and amy mentioned they'd changed the thumbnails or images in the last 24h	☐	☑	Question sensitive to the time	☐	☑	Question sensitive to the time	Exclude	
REPLY OF QUESTION	2024-04-25 15:54:28	> <@supressed_user> how? https://code.videolan.org/videolan/vlc/-/merge_requests/3835 (but we can't depend on kwindoweffects at build time so either dlopening it if possible or reimplementing whatever it does)	☐	☑	Question lacks context	☐	☑	Question lacks context	Exclude	
REPLY OF QUESTION	2024-04-29 12:56:55	> <@supressed_user> daleharvey: I think you just need `noautofocus='true'` on the `<panel>`? E.g., the protections popup uses `<panelmultiview>` and doesn't unfocus the urlbar Thanks, I dont have a <panel element yet but gives me a similiar implementation to compare against / see where the difference is so should be good from here, cheers	☐	☑	Follow up question	☐	☑	Follow up question	Exclude	
REPLY OF QUESTION	2024-04-29 17:27:30	> <@supressed_user> Standard8: thanks for digging; are you filing or am I? :-) Can you please?	☐	☑	Not a question	☐	☑	Not a question	Exclude	
REPLY OF QUESTION	2024-05-08 10:54:58	> <@supressed_user> emilio: I wonder if you have any more thoughts re: https://bugzilla.mozilla.org/show_bug.cgi?id=1890261 ? No, sorry, I've been meaning to get to that, will probably dig a bit more today or tomorrow	☐	☑	Not a question	☐	☑	Not a question	Exclude	
REPLY OF QUESTION	2024-05-13 16:06:38	> <@supressed_user> mconley: for the profile backup work, presumably that will be covering search engines as well? > > Is there a meta bug for that work? We currently copy the `search.json.mozlz4` alongside the rest of prefs. Is that sufficient?: https://searchfox.org/mozilla-central/rev/ee2ad260c25310a9fbf96031de05bbc0e94394cc/browser/components/backup/resources/PreferencesBackupResource.sys.mjs#26	☑	☐		☐	☑	Question lacks context	Exclude	
REPLY OF QUESTION	2024-05-16 18:45:33	> <@supressed_user> If I'm using `./mach run`, how can I change log level? Want to get debug logs. I think you can [set the `MOZ_LOG` environment variable](https://firefox-source-docs.mozilla.org/xpcom/logging.html#enabling-logging-using-environment-variables)	☑	☐		☑	☐		Include	Include
REPLY OF QUESTION	2024-05-21 13:48:00	> <@supressed_user> sclements: seems reasonable to make that closer to the non-overlay scrollbars, but I'd check with #macdev:mozilla.org / mstange / spohl (maybe just send the patch to `#mac-reviewers`?) So it'd be changing this line to 14? https://searchfox.org/mozilla-central/rev/c84d3db8d7d6503b1208a0378db640095e106355/widget/ScrollbarDrawingCocoa.cpp#472	☐	☑	Follow up question	☐	☑	Follow up question	Exclude	

REPLY OF QUESTION	2024-05-21 15:26:06	> <@supressed_user> hi all, I'm working on making some changes to the new tab hover preview feature and I have come up against a strange issue. I am trying to set up a MutationObserver to listen to changes on other elements in the frontend (to decide if the tab preview should be disabled or not), but when I try to set it up (even with a no-op callback function), I get an 'Unexpected NS_ERROR_FAILURE' in the console. There is a javascript traceback pointing to my call, but there doesn't seem to be any way to get a more descriptive error message. Has anyone here run into something like this before? NS_ERROR_FAILURE is always the least helpful thing. Do you have a patch you can share (e.g. via work-in-progress phabricator upload)? And are you testing on an artifact build or a compiled build? In the latter case you might be able to get somewhere with a C++ debugger like MS Visual Studio or XCode or gdb/lldb (depending on what platform you're on) generally `MutationObserver` is a web-exposed API so I'd expect any exceptions to come in the form of 'normal' DOM exceptions so what you're seeing is likely a bug but it's difficult to say exactly what's happening without being able to reproduce / more details :-)	☑	☐		☑	☐		Include	Include
REPLY OF QUESTION	2024-05-21 15:52:09	> <@supressed_user> NS_ERROR_FAILURE is always the least helpful thing. Do you have a patch you can share (e.g. via work-in-progress phabricator upload)? And are you testing on an artifact build or a compiled build? In the latter case you might be able to get somewhere with a C++ debugger like MS Visual Studio or XCode or gdb/lldb (depending on what platform you're on) thanks Gijs ! I do have a patch here: https://phabricator.services.mozilla.com/D210723 I removed everything else in the patch (besides tests) to isolate the line causing the issue. I've been testing on macos using an artifact build. I will try a compiled build and see where I can get with xcode.	☐	☑	Follow up question	☐	☑	Follow up question	Exclude	
REPLY OF QUESTION	2024-05-31 19:45:01	> <@supressed_user> I'm trying to do a moz-phab submit, but keep running into this error: > fatal: git cat-file 47e3095612f9a404c2dabf49ae242622d3aa0270: bad file > > Could anyone help me out? maybe try asking in #conduit:mozilla.org	☐	☑	Question lacks context	☑	☐		Include	Exclude
REPLY OF QUESTION	2024-07-01 13:50:14	> <@supressed_user> anyone in tabbrowser-reviewers group available for reviewing https://phabricator.services.mozilla.com/D201936 ? dao: mak can one of you help?	☐	☑	Not a question	☐	☑	Not a question	Exclude	