
Layer 1: Ingestion Layer
CLIENT
Google ADK Trigger
Fires when a new meeting transcript lands in Google Drive. Uses Google
Google Workspace SDK
Cloud Pub/Sub
Python
Google ADK
New Transcript Event
Layer 2: Agentic Orchestration (Google ADK)
Extract Context
SERVICE
Ingestion Orchestrator
Manages pipeline state and dispatches tasks to the Extraction
Python
LangGraph
Lyzr SDK
Google ADK
Raw Tasks
Dispatch Raw Data
SERVICE
Extraction Agent
Extracts action items, owne deadlines, and decisions using GPT-
Python
Lyzr SDK
OpenAI GPT-4o
Google ADK
Decisions Stream
SERVICE
Memory Agent
Embeds content and owns the Correction Feedback Loop. Re-
Python
Lyzr SDK
Sentence-Transformers
Google ADK
Upsert Embeddings
SERVICE
RAG Chat Agent
Enforces role-based filtering at query time.
Python
LangGraph
Lyzr SDK
OpenAI GPT-4o
Google ADK
Verified Tasks
Wait for Review
Commit Tasks
RBAC-Filtered Query
Save Action Items
Tasks Stream
Layer 3: Persistence & Memory Layer
DATABASE
Organizational Memory ...
Payload metadata includes role/access tags; queries are filtered
Qdrant
HNSW Indexing
gRPC
DATABASE
Meeting Metadata DB
Structured relational store for metadata, task status, and
PostgreSQL
Layer 4: Human-in-the-Loop Review Layer
FRONTEND
HITL Review Portal
Review, edit, and approve extracted items. Verified tasks flow back to
React
Tailwind CSS
LangGraph SDK
Commit Verified Tasks
Layer 5: User Interface Layer
Natural Language Query
FRONTEND
User Dashboard & Chat UI
Primary interface for natural-language querying of organizational
React
Tailwind CSS
Lucide React
Framer Motion