Question ⑦:

Student ID: 100058970

Amitrakshar Biswas

Section: 19

var1 = ~~false~~ TRUE
var2 = ~~"~~ TRUE
var3 = ~~false~~ false
var4 = ~~"~~ TRUE
var5 = ~~false~~ false
var6 = ~~"~~ false

---

result1 = ~~false~~ false
result2 = ~~"~~ TRUE
result3 = ~~false~~ TRUE
result4 = ~~"~~ TRUE
result5 = ~~false~~ TRUE

---

result6 = ~~false~~ TRUE
result7 = ~~false~~ false
result8 = ~~"~~ TRUE
result9 = ~~false~~ TRUE
result10 = ~~"~~ false

2/2

Output

① false ~~TRUE~~
② ~~TRUE~~ ~~TRUE~~
③ ~~TRUE~~ ~~TRUE~~
④ false ~~TRUE~~
⑤ ~~TRUE~~ false

line ⑮

$result\ 1 = \underline{(var1\ \&\&\ var2)}\ \&\&\ \underline{(40\ \%\ 3\ > 45)}\ ||\ (var5\ \&\&\ var6)$

$\qquad = \qquad TRUE \qquad\qquad \&\&\qquad false \qquad || \qquad false$

$\qquad = \quad false$

line ㉒

$result\ 8 = (TRUE\ \&\&\ TRUE)$

$P = 5$

$q = 6$

$p = 9$

sum $= 0$

output

① 11 $\longrightarrow$ line ⑧

② 9 line ⑰

③ 5 line ㉙

④ 32 line �35

⑤ 14 line ㊳