

Loops

(1)

User will enter an integer number and you have to find whether the number is palindrome or not.

[You are not allowed to convert the user input to string]

Input	Output
4728 Explanation: if we reverse the number then it is 8274. Thus the reverse number 8274 is not equal to user input 4729 therefore it is not Palindrome	4728 is not Palindrome
1221 Explanation: if we reverse the number then it is 1221. Thus the reverse number 1221 is equal to user input 1221 therefore it is Palindrome	1221 is Palindrome
4665	4665 is not Palindrome

(2)

You need to help a student for his homework, your task is to write a code that takes two numbers from the user and tell which numbers are prime and which numbers are not prime.

Input	Output
2 5	2 is Prime 3 is Prime 4 is not Prime 5 is Prime
11 23	11 is Prime 12 is not Prime 13 is Prime 14 is not Prime 15 is not Prime 16 is not Prime 17 is Prime 18 is not Prime 19 is Prime 20 is not Prime 21 is not Prime 22 is not Prime 23 is Prime

(3)

It is getting hard to determine who is going to win the Ballon d'Or, so you are hired to write a program to solve the issue. First, an integer number will be given as input which will determine how many players are there. Then you will take information for those players (name, national team, goals scored). Then the Ballon d'Or will be awarded to the player who scored the most goals.

Input	Output
2 Messi Argentina 24 Haaland Norway 56	The Ballon d'Or is awarded to Haaland from Norway for scoring 56 goals this season.
3 Christiano Portugal 10 Chiesa Italy 7 Neymar Brazil 21	The Ballon d'Or is awarded to Neymar from Brazil for scoring 21 goals this season.

(4)

You are given a task to convert the mass of different patients from kg to g. At first the admin will enter how many conversions they need. Then, weight will be entered for each patient and it should convert the weight from kg to g.

Input	Output
3 6 90 55	6000 90000 55000
2 4 22	4000 22000

(5)

There is a series which is known as the Fibonacci series. This series is basically the summation of the previous two preceding numbers. You should write a program that takes an input from the user and print that many numbers of the series.

[Fibonacci Series starts from 0,1]

Input	Output
4	0,1,1,2
8	0,1,1,2,3,5,8,13

(6)

You need to write a code in java that can find the factorial from the user input.

Input	Output
4	24
8	40320

(7)

Write java code for the following patterns:


a)

```
* * * * *
*           *
*           *
*           *
*           *
* * * * *
```


b)



c)



d)



e)

\$	#	\$	#	\$
\$		\$		\$
\$	#	\$	#	\$
\$		\$		\$
\$	#	\$	#	\$