


Project: Clearwater Valley Regional WCS — PP-2

Project No.: 2018-GEO-0093

Dates: September 10, 2018 to




September 11, 2018

Depth (ft)	Elev. (ft)	Graphic Log	USCS	Sample Type/No.	SPT N-Value	Rec. (%)	MC (%)	Description
Rig: CME-55 Truck Mount								
0	5484.7		SM	 SS1	10		8.2	FILL / TOPSOIL: Brown, loose to med. dense, silty SAND w/ gravel frags., rootlets (SM/GM)
				 SS2	7		18.4	ALLUVIAL CLAY: Olive-brown to brown, firm to stiff, lean CLAY with sand, occ. thin sand lenses at 7' and 9' (1-2" thick) (CL)
5	5479.7		CL	 ST1				
				 SS3	11		21.2	
10	5474.7			 SS4	13			
				 SS5	17		12.8	ALLUVIAL SAND/SILT: Gray to tan, med. dense to dense, silty SAND to sandy SILT, saturated below ~14', increasing density w/ depth (SM/ML)
15	5469.7		SM	 SS6	21		16.5	
				 SS7	24			
20	5464.7			 SS8	27			
				 RC1		88		BEDROCK — CHALLIS VOLCANICS: Gray-green, fine-grained ss/siltstone, tuffaceous, thinly to med. bedded, mod. weathered upper 3', sl. weathered below. Clay disc at 25.2'.
25	5459.7			 RC2		92		
30	5454.7		ROCK					
35	5449.7			 RC3		95		
TD = 40.0 ft bgs								

Project: Clearwater Valley Regional WCS — PP-2

Project No.: 2018-GEO-0093

Dates: September 11, 2018 to
September 12, 2018

Depth (ft)	Elev. (ft)	Graphic Log	USCS	Sample Type/No.	SPT N-Value	Rec. (%)	MC (%)	Description
Rig: CME-55 Truck Mount								
0	5483.9		SM	 SS1	8			FILL / TOPSOIL: Brown, loose, silty SAND w/ gravel frags., organic topsoil upper 8" (SM)
5	5478.9		CL	 SS2	9		17.9	ALLUVIAL CLAY: Olive-brown, firm to stiff, lean CLAY with sand, slight mottling, moderate plasticity (CL)
				 SS3	10		22.1	
10	5473.9			 SS4	14			
				 SS5	16		14.2	ALLUVIAL SAND/SILT: Gray-tan, med. dense to dense, silty SAND, saturated below ~14', trace fine gravel near base (SM)
15	5468.9			 SS6	20			
			SM	 SS7	26			
20	5463.9			 SS8	29			
				 RC1		86		BEDROCK — CHALLIS VOLCANICS: Gray-green, fine ss/siltstone, tuffaceous, thinly bedded, mod. weathered upper 2'. Two clay-filled discs at 25.5' and 27'. (RQD=58-68%)
25	5458.9							
			ROCK	 RC2		91		
30	5453.9							
35	5448.9							TD = 35.0 ft bgs Boring completed September 12, 2018

Project: Clearwater Valley Regional WCS — PP-2

Project No.: 2018-GEO-0093

Dates: September 12, 2018 to
September 13, 2018

Depth (ft)	Elev. (ft)	Graphic Log	USCS	Sample Type/No.	SPT N-Value	Rec. (%)	MC (%)	Description
Rig: CME-55 Truck Mount								
0	5485.2		SM					FILL / TOPSOIL: Brown, loose, silty SAND w/ gravel, thin topsoil (SM) — thinnest cover, near creek bank erosion scarp
				SS1	11		7.5	ALLUVIAL CLAY: Brown to olive-brown, firm to stiff, lean CLAY with sand, occ. sand lenses, slight iron staining at 5' (CL)
				SS2	8		17.1	
5	5480.2		CL	ST1				
				SS3	12		20.8	
10	5475.2			SS4	11			ALLUVIAL SAND/SILT: Tan to gray, med. dense to dense, silty SAND to sandy SILT, saturated below ~14', denser at base (SM/ML)
				SS5	19			
15	5470.2		SM	SS6	23			
				SS7	22			
20	5465.2			SS8	28			
				RC1		84		BEDROCK — CHALLIS VOLCANICS: Gray-green to brown, fine ss/siltstone, tuffaceous, most weathered of all borings (near creek), RQD=55%, clay in joints. (ROCK)
25	5460.2		ROCK					
30	5455.2							TD = 30.0 ft bgs Boring completed September 13, 2018




GW 13.8'



Project: Clearwater Valley Regional WCS — PP-2

Project No.: 2018-GEO-0093

Dates: September 13, 2018 to
September 14, 2018

Depth (ft)	Elev. (ft)	Graphic Log	USCS	Sample Type/No.	SPT N-Value	Rec. (%)	MC (%)	Description
Rig: CME-55 Truck Mount								
0	5484.1		SM	 SS1	9			FILL / TOPSOIL: Brown, loose to med. dense, silty SAND w/ gravel, rootlets (SM)
5	5479.1		CL	 SS2	7		18.8	ALLUVIAL CLAY: Olive-brown, firm to stiff, lean CLAY with sand, uniform, moderate plasticity (CL)
				 SS3	10			
				 SS4	15		21.5	
10	5474.1			 SS5	15			ALLUVIAL SAND/SILT: Gray to tan, med. dense to dense, silty SAND, saturated below ~14', gradual transition to bedrock (SM)
				 SS6	19			
			SM	 SS7	25			
				 SS8	26			
15	5469.1			 RC1		87		BEDROCK — CHALLIS VOLCANICS: Gray-green, fine ss/siltstone, tuffaceous, sl. weathered, RQD=60%. Short core run. (ROCK)
20	5464.1							
25	5459.1							TD = 25.0 ft bgs Boring completed September 14, 2018

GW 14.0'

