


3

jump to: col  row


5

specific  
commands

Columns



confirm?



initiate() is run at the beginning every time

- 1 is remove, after selecting you can highlight & choose to remove a column, row, or cell
- 2 is keep, where a small dropdown will allow you to select a range for rows, or you can select columns or you can select

rows

- 3 is a search, you can find & replace everywhere, within a column by selecting column & searching (in any order) or by selecting the drop down (change cell's value or only substring) and a replace bar to type in
- 4 is a None/NaN button that opens a drop down asking to remove rows or change all those cell's to \_\_\_\_\_ (user input) or keep rows
- 5 shows general data - if nothing selected it shows DF size - if col it will show pie graph or bar graph with stats below
- 6 is a jump. Col & row will both have drop-down for selections but you can also type
  - can jump to col, row, or cell
- 7 creates a new column, can be empty, filled, or a boolean col
- 8 click on a col header to rename it, or change its type, or unlock its type, or choose to sort it

When column is highlighted:

- 1.) make column index
- 2.) create limiting factor
- 3.) create new boolean column
- 4.) change case
- 5.) None / NaN

- remove or change

6.) Make col index

7.) If string also in %:

- split

8.) If col type is Numbers, math operations

9.) Remove numbers, letters, whitespace

10.) keep letters

When cell is highlighted:

1.) change value

2.) remove value

3.)

When row is highlighted:

1.) remove row

2.) make header row

If nothing is selected:

if there are duplicate rows:

- remove duplicate rows

(suggestion in specific commands)

if something is typed in 3:

- remove rows with

- keep rows with