

DO467

Travis Michette

Version 1.0

Table of Contents

l. Installing Red Hat Ansible Automation Platform
1.1. Explaining the Red Hat Ansible Automation Platform Architecture
1.1.1. Red Hat Ansible Automation Platform
1.1.2. Red Hat Ansible Automation Platform Components
1.1.2.1. Ansible Core
1.1.2.2. Ansible Content Collections 1
1.1.2.3. Automation Content Navigator
1.1.2.4. Automation Execution Environments
1.1.2.5. Automation Controller
1.1.2.6. Automation Hub and Private Automation Hub
1.1.2.7. Red Hat Insights for Red Hat Ansible Automation Platform
1.1.3. Why Use Ansible Automation Platform?
1.2. Installing Automation Controller and Private Automation Hub
1.2.1. Planning the Installation
1.2.1.1. Standalone Automation Controller with a Database on the Same Node
1.2.1.2. Standalone Private Automation Hub with a Database on the Same Node
1.2.1.3. Automation Controller and Private Automation Hub with External Database Servers 1
1.2.1.4. Advanced Deployment Scenarios
1.2.2. Installation Requirements 2
1.2.2.1. Database Storage
1.2.3. Subscription and Support
1.2.4. Installing Red Hat Ansible Automation Platform
1.2.4.1. Installing Automation Controller
1.2.4.2. Installing Private Automation Hub
1.2.5. Replacing the CA Certificate
1.2.5.1. Gathering Certificates and Private Keys
1.2.5.2. Preparing the Systems
1.2.5.3. Trusting Custom CA Certificates
1.3. Initial Configuration of Automation Controller and Private Automation Hub
1.3.1. Configuration Overview
1.3.2. Making Automation Execution Environments Available from Private Automation Hub 2
1.3.2.1. Synchronizing Automation Execution Environments
1.3.2.2. Manually Adding Container Images
1.3.2.3. Managing Container Repositories, Images, and Tags
1.3.3. Synchronizing Ansible Content Collections
1.3.3.1. Synchronizing Red Hat Certified Ansible Content Collections

1.3.3.2. Synchronizing Ansible Content Collections from Ansible Galaxy	
1.3.3.3. Manually Adding Ansible Content Collections	
1.3.4. Testing Basic Automation Controller Functionality	
1.3.4.1. The Demo Project. 3	
1.3.4.2. Default Execution Environment Registry Credential	
1.3.4.3. The Demo Credential	
1.3.4.4. The Demo Inventory	
1.3.4.5. The Demo Job Template	
2. Managing User Access	
2.1. Creating and Managing Automation Controller Users 4	
2.1.1. Role-based Access Controls	
2.1.2. Automation Controller Organizations	
2.1.3. Types of Users	
2.1.4. Creating Users	
2.1.5. Editing Users 4	
2.1.6. Organization Roles	
2.1.7. Managing User Organization Roles 4	
2.2. Managing Automation Controller Access with Teams	
2.2.1. Teams in Automation Controller	
2.2.2. Creating Teams	
2.2.3. Team Roles	
2.2.4. Adding Users to a Team and Assigning Team Roles	
2.2.5. Organization Roles	
2.2.6. Managing Organization Roles	
2.3. Creating and Managing Users and Groups for Private Automation Hub	
2.3.1. User Access	
2.3.1.1. Creating Groups	
2.3.1.2. Creating Users. 5	
2.3.1.3. Creating Groups to Manage Content	
3. Managing Inventories and Machine Credentials	
3.1. Creating a Static Inventory 6	
3.1.1. Red Hat Ansible Inventory	
3.1.2. Creating an Inventory Using the Automation Controller Web UI	
3.1.2.1. Creating a New Inventory 6	
3.1.2.2. Creating a Host Group in an Inventory	
3.1.2.3. Creating Hosts in an Inventory	
3.1.3. Inventory Roles	
3.1.3.1. Assigning Roles	

3.1.4. Inventory Variables 6
3.2. Creating Machine Credentials for Access to Inventory Hosts
3.2.1. Storing Secrets in Credentials
3.2.2. Credential Types 6
3.2.3. Creating Machine Credentials
3.2.4. Editing Machine Credentials
3.2.5. Credential Roles 6
3.2.6. Managing Credential Access
3.2.7. Common Credential Scenarios
3.2.7.1. Credentials Protected by Automation Controller, Not Known to Users
3.2.7.2. Credential Prompts for Sensitive Password, Not Stored in Automation Controller 7
4. Managing Projects and Launching Ansible Jobs
4.1. Creating a Project for Ansible Playbooks
4.1.1. Automation Controller Projects
4.1.2. Creating a Project
4.1.3. Project Roles
4.1.4. Managing Project Access
4.1.5. Creating SCM Credentials
4.1.6. SCM Credential Roles
4.1.7. Managing Access to SCM Credentials
4.1.8. Updating Projects
4.1.8.1. Update Revision on Launch
4.1.8.2. Manual Updates
4.1.9. Support for Ansible Content Collections and Roles
4.2. Creating Job Templates and Launching Jobs
4.2.1. Job Templates
4.2.2. Creating Job Templates
4.2.3. Modifying Job Execution
4.2.4. Prompting for Job Parameters
4.2.5. Job Template Roles 9
4.2.6. Managing Job Template Access
4.2.7. Launching Jobs 9
4.2.8. Evaluating the Results of a Job. 9
5. Advanced Job Configuration
5.1. Improving Performance with Fact Caching
5.1.1. Fact Caching
5.1.1.1. Enabling Fact Caching in Automation Controller
5.2. Creating Job Template Surveys to Set Variables for Jobs

5.2.1. Managing Variables	
5.2.2. Defining Extra Variables	
5.2.3. Job Template Surveys	
5.2.3.1. Managing Answers to Survey Questions	
5.2.3.2. Creating a Job Template Survey	
5.3. Scheduling Jobs and Configuring Notifications	
5.3.1. Scheduling Job Execution	
5.3.1.1. Temporarily Disabling a Schedule.	
5.3.1.2. Scheduled Management Jobs	
5.3.2. Reporting Job Execution Results	
5.3.2.1. Notification Templates	
5.3.2.2. Creating Notification Templates	
5.3.2.3. Enabling Job Result Notification	
6. Constructing Job Workflows	
6.1. Creating Workflow Job Templates and Launching Workflow Jobs	
6.1.1. Workflow Job Templates	
6.1.2. Creating Workflow Job Templates	
6.1.2.1. Using the Workflow Visualizer	
6.1.2.2. Adding Multiple Nodes with the Same Relationship	
6.1.2.3. Creating Convergent Nodes	
6.1.2.4. Workflow Job Template Surveys	
6.1.3. Launching Workflow Jobs	
6.1.3.1. Evaluating Workflow Job Execution	
6.2. Requiring Approvals in Workflow Jobs	
6.2.1. Approval Nodes	
6.2.2. Adding Approval Nodes to Workflows	
6.2.3. Approving and Denying Workflow Approval Requests	
6.2.4. Approval Time-outs	
6.2.5. Approval Notifications	
7. Managing Advanced Inventories	
7.1. Importing External Static Inventories	
7.1.1. Importing Existing Static Inventories	
7.1.2. Storing an Inventory in a Project	
7.2. Configuring Dynamic Inventory Plug-ins	
7.2.1. Dynamic Inventories	
7.2.2. OpenStack Dynamic Inventories	
7.2.3. Red Hat Satellite 6 Dynamic Inventories	
7.3. Filtering Hosts with Smart Inventories	

	7.3.1. Defining Smart Inventories	12
	7.3.2. Using Ansible Facts in Smart Inventory Filters	12
	7.3.2.1. Creating a Smart Inventory Based on Ansible Facts	12
	7.3.3. Other Smart Inventory Filters	12
8.	Automating Configuration of Ansible Automation Platform	13
	8.1. Configuring Red Hat Ansible Automation Platform with Collections	13
	8.1.1. Automating Red Hat Ansible Automation Platform Configuration	13
	8.1.2. Getting the Supported Ansible Content Collection	13
	8.1.3. Exploring the Supported Ansible Content Collection	13
	8.1.3.1. Reading Documentation with Ansible Content Navigator	13
	8.1.3.2. Reading Documentation on Automation Hub	13
	8.1.4. Examples of Automation with ansible.controller	13
	8.1.4.1. Creating Automation Controller Users	13
	8.1.4.2. Creating Automation Controller Teams	13
	8.1.4.3. Adding Users to Organizations and Teams	13
	8.1.5. Community-supported Ansible Content Collections	13
	8.2. Automating Configuration Updates with Git Webhooks	13
	8.2.1. Introducing Red Hat Ansible Automation Platform Webhooks	13
	8.2.1.1. What Are the Benefits of Webhooks	13
	8.2.2. Configuring Webhooks	13
	8.2.2.1. Configuring a Webhook for a Job Template	13
	8.2.2.2. Creating the Webhook for the Repository in GitLab	14
	8.2.3. Use Cases for Using Webhooks	14
	8.2.3.1. Triggering Different Job Templates Using Branches	14
	8.2.3.2. Configuration as Code for Automation Controller.	14
	8.3. Launching Jobs with the Automation Controller API.	14
	8.3.1. The Automation Controller REST API	14
	8.3.1.1. Using the REST API	14
	8.3.1.2. JSON Pagination	14
	8.3.1.3. Accessing the REST API From a Graphical Web Browser	14
	8.3.2. Launching a Job Template Using the API	14
	8.3.3. Launching a Job Using the API from an Ansible Playbook	14
	8.3.3.1. Vault Credentials	14
	8.3.4. Token-based Authentication	14
9.	Maintaining Red Hat Ansible Automation Platform	15
	9.1. Performing Basic Troubleshooting of Automation Controller.	15
	9.1.1. Automation Controller Components.	15
	9.1.1.1. Starting, Stopping, and Restarting Automation Controller	15

9.1.1.2. Supervisord Components	15
9.1.2. Automation Controller Configuration and Log Files	15
9.1.2.1. Configuration Files	15
9.1.2.2. Log Files	15
9.1.2.3. Other Automation Controller Files	15
9.1.3. Common Troubleshooting Scenarios	15
9.1.3.1. Problems Running Playbooks	15
9.1.3.2. Problems Connecting to Your Host	15
9.1.3.3. Playbooks Do Not Appear in the List of Job Templates	15
9.1.3.4. Playbook Stays in Pending State	15
9.1.3.5. Error: Provided Hosts List Is Empty	15
9.1.4. Performing Command-Line Management	15
9.1.4.1. Changing the Automation Controller Admin Password	15
9.2. Backing Up and Restoring Red Hat Ansible Automation Platform	15
9.2.1. Backing Up Red Hat Ansible Automation Platform	16
9.2.1.1. Backup Procedure	16
9.2.2. Restoring Ansible Automation Platform From Backup	16
9.2.2.1. Restoration Procedure	16
10. Getting Insights into Automation Performance	17
10.1. Gathering Data for Cloud-based Analysis	17
10.1.1. Introducing Red Hat Hybrid Cloud Console Services	17
10.1.2. Collecting Data for Cloud Services	17
10.1.3. Registering Managed Hosts with Insights for Ansible Automation Platform	17
10.1.4. Accessing the Red Hat Hybrid Cloud Console	17
10.2. Getting Insights into Automation Performance	17
10.2.1. Insights for Ansible Automation Platform	17
10.2.2. Generating Remediation Playbooks with Advisor	17
10.2.2.1. Automating Remediation of an Issue for Multiple Systems	17
10.2.2.2. Automating Remediation of Multiple Issues for One System	
10.2.3. Comparing Systems with Drift	17
10.2.3.1. Finding Differences Between Systems	17
10.2.3.2. Comparing the State of One System at Different Times	17
10.2.3.3. Comparing Systems to a Standard Baseline	17
10.2.4. Sending Alerts Based on Ansible Facts with Policies	17
10.3. Evaluating Performance with Automation Analytics	18
10.3.1. Automation Analytics.	18
10.3.2. Reporting Playbook Execution Status	18
10.3.3. Examining Job History	18

10.3.4. Monitoring Notifications	. 18
10.4. Producing Reports from Automation Analytics	. 18
10.4.1. Producing Reports from Automation Analytics.	. 18
10.4.1.1. Choosing an Appropriate Report	. 18
10.4.1.2. Using Automation Calculator to Compute Savings	. 18
10.4.1.3. Exporting a Report	. 18
10.4.2. Predicting the Cost Savings of Automation	. 18
10.4.2.1. Creating a Savings Plan	. 18
10.4.2.2. Reviewing the Cost Savings Calculations.	. 18
11. Building a Large Scale Red Hat Ansible Automation Platform Deployment	. 19
11.1. Designing a Clustered Ansible Automation Platform Implementation	. 19
11.1.1. Running Red Hat Ansible Automation Platform at Scale	. 19
11.1.2. Automation Mesh	. 19
11.1.2.1. Benefits of Automation Mesh	. 19
11.1.2.2. Types of Nodes on Automation Mesh	. 19
11.1.2.3. What Are Instance Groups?	. 19
11.1.3. Planning Network Communication and Firewalls	. 19
11.1.3.1. Requirements for Control Nodes and Hybrid Nodes	. 19
11.1.3.2. Requirements for Hop Nodes	. 19
11.1.3.3. Requirements for Execution Nodes	. 19
11.1.4. Planning for Automation Mesh	. 19
11.1.4.1. Providing Resilient Services	. 19
11.2. Deploying Distributed Execution with Automation Mesh	. 19
11.2.1. Configuring Automation Mesh	. 19
11.2.1.1. Creating Instance Groups	. 19
11.2.1.2. Adding Nodes to the Automation Mesh	. 19
11.2.1.3. Removing Nodes from the Automation Mesh	. 19
11.2.2. Visualizing Automation Mesh Topology	. 19
11.2.3. Automation Mesh Design Patterns	. 20
11.2.4. Validation Checks	. 20
11.3. Managing Distributed Execution with Automation Mesh	. 20
11.3.1. Managing Instance Groups in Automation Controller	. 20
11.3.1.1. Creating Instance Groups	. 20
11.3.1.2. Assigning Execution Nodes to an Instance Group	. 20
11.3.1.3. Running a Health Check on the Nodes	. 20
11.3.1.4. Disassociating a Node from an Instance Group	. 20
11.3.2. Assigning Default Instance Groups to Inventories and Job Templates	. 20
11.3.2.1. Configuring an Inventory to Use Instance Groups	. 20

11.3.2.2. Configure a Job Template to Use Instance Groups	20
11.3.2.3. Running a Job Template with Instance Groups	20
11.3.3. Testing the Resilience of Automation Mesh	20
11.3.3.1. Testing Control Plane Resilience	20
11.3.3.2. Testing Execution Plane Resilience	20
11.3.4. Monitoring Automation Mesh from the Web UI	20
11.3.5. Monitoring Automation Mesh from the Command Line	20
11.3.5.1. Listing Nodes and Instance Groups	20
11.3.5.2. Monitoring Automation Mesh Using the receptorctl Command	20
Appendix A: References and Additional Information	21



1. Installing Red Hat Ansible Automation Platform

1.1. Explaining the Red Hat Ansible Automation Platform Architecture

Section Info Here

- 1.1.1. Red Hat Ansible Automation Platform
- 1.1.2. Red Hat Ansible Automation Platform Components
- 1.1.2.1. Ansible Core
- 1.1.2.2. Ansible Content Collections
- 1.1.2.3. Automation Content Navigator
- 1.1.2.4. Automation Execution Environments
- 1.1.2.5. Automation Controller
- 1.1.2.6. Automation Hub and Private Automation Hub
- 1.1.2.7. Red Hat Insights for Red Hat Ansible Automation Platform
- 1.1.3. Why Use Ansible Automation Platform?

1.2. Installing Automation Controller and Private Automation Hub

- 1.2.1. Planning the Installation
- 1.2.1.1. Standalone Automation Controller with a Database on the Same Node
- 1.2.1.2. Standalone Private Automation Hub with a Database on the Same Node
- 1.2.1.3. Automation Controller and Private Automation Hub with External Database Servers



- 1.2.1.4. Advanced Deployment Scenarios
- 1.2.2. Installation Requirements
- 1.2.2.1. Database Storage
- 1.2.3. Subscription and Support
- 1.2.4. Installing Red Hat Ansible Automation Platform
- 1.2.4.1. Installing Automation Controller
- 1.2.4.2. Installing Private Automation Hub
- 1.2.5. Replacing the CA Certificate
- 1.2.5.1. Gathering Certificates and Private Keys
- 1.2.5.2. Preparing the Systems
- 1.2.5.3. Trusting Custom CA Certificates

1.3. Initial Configuration of Automation Controller and Private Automation Hub

- 1.3.1. Configuration Overview
- 1.3.2. Making Automation Execution Environments Available from Private Automation Hub
- 1.3.2.1. Synchronizing Automation Execution Environments
- 1.3.2.2. Manually Adding Container Images
- 1.3.2.3. Managing Container Repositories, Images, and Tags
- 1.3.3. Synchronizing Ansible Content Collections
- 1.3.3.1. Synchronizing Red Hat Certified Ansible Content Collections
- 1.3.3.2. Synchronizing Ansible Content Collections from Ansible Galaxy



1.3.3.3. Manually Adding Ansible Content Collections

1.3.4. Testing Basic Automation Controller Functionality

- 1.3.4.1. The Demo Project
- 1.3.4.2. Default Execution Environment Registry Credential
- 1.3.4.3. The Demo Credential
- 1.3.4.4. The Demo Inventory
- 1.3.4.5. The Demo Job Template



2. Managing User Access

2.1. Creating and Managing Automation Controller Users

Section Info Here

- 2.1.1. Role-based Access Controls
- 2.1.2. Automation Controller Organizations
- 2.1.3. Types of Users
- 2.1.4. Creating Users
- 2.1.5. Editing Users
- 2.1.6. Organization Roles
- 2.1.7. Managing User Organization Roles

2.2. Managing Automation Controller Access with Teams

Section Info Here

- 2.2.1. Teams in Automation Controller
- 2.2.2. Creating Teams
- 2.2.3. Team Roles
- 2.2.4. Adding Users to a Team and Assigning Team Roles
- 2.2.5. Organization Roles
- 2.2.6. Managing Organization Roles

2.3. Creating and Managing Users and Groups for Private Automation Hub



- 2.3.1. User Access
- 2.3.1.1. Creating Groups
- 2.3.1.2. Creating Users
- 2.3.1.3. Creating Groups to Manage Content



3. Managing Inventories and Machine Credentials

3.1. Creating a Static Inventory

Section Info Here

- 3.1.1. Red Hat Ansible Inventory
- 3.1.2. Creating an Inventory Using the Automation Controller Web UI
- 3.1.2.1. Creating a New Inventory
- 3.1.2.2. Creating a Host Group in an Inventory
- 3.1.2.3. Creating Hosts in an Inventory
- 3.1.3. Inventory Roles
- 3.1.3.1. Assigning Roles
- 3.1.4. Inventory Variables

3.2. Creating Machine Credentials for Access to Inventory Hosts

- 3.2.1. Storing Secrets in Credentials
- 3.2.2. Credential Types
- 3.2.3. Creating Machine Credentials
- 3.2.4. Editing Machine Credentials
- 3.2.5. Credential Roles
- 3.2.6. Managing Credential Access



3.2.7. Common Credential Scenarios

- 3.2.7.1. Credentials Protected by Automation Controller, Not Known to Users
- 3.2.7.2. Credential Prompts for Sensitive Password, Not Stored in Automation Controller



4. Managing Projects and Launching Ansible Jobs

4.1. Creating a Project for Ansible Playbooks

Section Info Here

- 4.1.1. Automation Controller Projects
- 4.1.2. Creating a Project
- 4.1.3. Project Roles
- 4.1.4. Managing Project Access
- 4.1.5. Creating SCM Credentials
- 4.1.6. SCM Credential Roles
- 4.1.7. Managing Access to SCM Credentials
- 4.1.8. Updating Projects
- 4.1.8.1. Update Revision on Launch
- 4.1.8.2. Manual Updates
- 4.1.9. Support for Ansible Content Collections and Roles

4.2. Creating Job Templates and Launching Jobs

- 4.2.1. Job Templates
- 4.2.2. Creating Job Templates
- 4.2.3. Modifying Job Execution
- 4.2.4. Prompting for Job Parameters



- 4.2.5. Job Template Roles
- 4.2.6. Managing Job Template Access
- 4.2.7. Launching Jobs
- 4.2.8. Evaluating the Results of a Job



5. Advanced Job Configuration

5.1. Improving Performance with Fact Caching

Section Info Here

- 5.1.1. Fact Caching
- 5.1.1.1. Enabling Fact Caching in Automation Controller

5.2. Creating Job Template Surveys to Set Variables for Jobs

Section Info Here

- 5.2.1. Managing Variables
- 5.2.2. Defining Extra Variables
- 5.2.3. Job Template Surveys
- 5.2.3.1. Managing Answers to Survey Questions
- 5.2.3.2. Creating a Job Template Survey

5.3. Scheduling Jobs and Configuring Notifications

- 5.3.1. Scheduling Job Execution
- 5.3.1.1. Temporarily Disabling a Schedule
- 5.3.1.2. Scheduled Management Jobs
- 5.3.2. Reporting Job Execution Results
- 5.3.2.1. Notification Templates
- 5.3.2.2. Creating Notification Templates
- 5.3.2.3. Enabling Job Result Notification



6. Constructing Job Workflows

6.1. Creating Workflow Job Templates and Launching Workflow Jobs

Section Info Here

- 6.1.1. Workflow Job Templates
- 6.1.2. Creating Workflow Job Templates
- 6.1.2.1. Using the Workflow Visualizer
- 6.1.2.2. Adding Multiple Nodes with the Same Relationship
- 6.1.2.3. Creating Convergent Nodes
- 6.1.2.4. Workflow Job Template Surveys
- 6.1.3. Launching Workflow Jobs
- 6.1.3.1. Evaluating Workflow Job Execution

6.2. Requiring Approvals in Workflow Jobs

- **6.2.1. Approval Nodes**
- **6.2.2. Adding Approval Nodes to Workflows**
- 6.2.3. Approving and Denying Workflow Approval Requests
- 6.2.4. Approval Time-outs
- **6.2.5. Approval Notifications**



7. Managing Advanced Inventories

7.1. Importing External Static Inventories

Section Info Here

- 7.1.1. Importing Existing Static Inventories
- 7.1.2. Storing an Inventory in a Project

7.2. Configuring Dynamic Inventory Plug-ins

Section Info Here

- 7.2.1. Dynamic Inventories
- 7.2.2. OpenStack Dynamic Inventories
- 7.2.3. Red Hat Satellite 6 Dynamic Inventories

7.3. Filtering Hosts with Smart Inventories

- 7.3.1. Defining Smart Inventories
- 7.3.2. Using Ansible Facts in Smart Inventory Filters
- 7.3.2.1. Creating a Smart Inventory Based on Ansible Facts
- 7.3.3. Other Smart Inventory Filters



8. Automating Configuration of Ansible Automation Platform

8.1. Configuring Red Hat Ansible Automation Platform with Collections

Section Info Here

- 8.1.1. Automating Red Hat Ansible Automation Platform Configuration
- 8.1.2. Getting the Supported Ansible Content Collection
- 8.1.3. Exploring the Supported Ansible Content Collection
- 8.1.3.1. Reading Documentation with Ansible Content Navigator
- 8.1.3.2. Reading Documentation on Automation Hub
- 8.1.4. Examples of Automation with ansible.controller
- 8.1.4.1. Creating Automation Controller Users
- 8.1.4.2. Creating Automation Controller Teams
- 8.1.4.3. Adding Users to Organizations and Teams
- 8.1.5. Community-supported Ansible Content Collections

8.2. Automating Configuration Updates with Git Webhooks

- 8.2.1. Introducing Red Hat Ansible Automation Platform Webhooks
- 8.2.1.1. What Are the Benefits of Webhooks
- 8.2.2. Configuring Webhooks
- 8.2.2.1. Configuring a Webhook for a Job Template



- 8.2.2.2. Creating the Webhook for the Repository in GitLab
- 8.2.3. Use Cases for Using Webhooks
- 8.2.3.1. Triggering Different Job Templates Using Branches
- 8.2.3.2. Configuration as Code for Automation Controller

8.3. Launching Jobs with the Automation Controller API

- 8.3.1. The Automation Controller REST API
- 8.3.1.1. Using the REST API
- 8.3.1.2. JSON Pagination
- 8.3.1.3. Accessing the REST API From a Graphical Web Browser
- 8.3.2. Launching a Job Template Using the API
- 8.3.3. Launching a Job Using the API from an Ansible Playbook
- 8.3.3.1. Vault Credentials
- 8.3.4. Token-based Authentication



9. Maintaining Red Hat Ansible Automation Platform

9.1. Performing Basic Troubleshooting of Automation Controller

Section Info Here

9.	1.1.	Automation	Controller	Comp	onents
----	------	-------------------	------------	------	--------

- 9.1.1.1. Starting, Stopping, and Restarting Automation Controller
- 9.1.1.2. Supervisord Components
- 9.1.2. Automation Controller Configuration and Log Files
- 9.1.2.1. Configuration Files
- 9.1.2.2. Log Files
- 9.1.2.3. Other Automation Controller Files

9.1.3. Common Troubleshooting Scenarios

- 9.1.3.1. Problems Running Playbooks
- 9.1.3.2. Problems Connecting to Your Host
- 9.1.3.3. Playbooks Do Not Appear in the List of Job Templates
- 9.1.3.4. Playbook Stays in Pending State
- 9.1.3.5. Error: Provided Hosts List Is Empty

9.1.4. Performing Command-Line Management

9.1.4.1. Changing the Automation Controller Admin Password

9.2. Backing Up and Restoring Red Hat Ansible Automation Platform



9.2.1. Backing Up Red Hat Ansible Automation Platform

9.2.1.1. Backup Procedure

9.2.2. Restoring Ansible Automation Platform From Backup

9.2.2.1. Restoration Procedure



10. Getting Insights into Automation Performance

10.1. Gathering Data for Cloud-based Analysis

Section Info Here

- 10.1.1. Introducing Red Hat Hybrid Cloud Console Services
- 10.1.2. Collecting Data for Cloud Services
- 10.1.3. Registering Managed Hosts with Insights for Ansible Automation Platform
- 10.1.4. Accessing the Red Hat Hybrid Cloud Console

10.2. Getting Insights into Automation Performance

- 10.2.1. Insights for Ansible Automation Platform
- 10.2.2. Generating Remediation Playbooks with Advisor
- 10.2.2.1. Automating Remediation of an Issue for Multiple Systems
- 10.2.2.2. Automating Remediation of Multiple Issues for One System
- 10.2.3. Comparing Systems with Drift
- 10.2.3.1. Finding Differences Between Systems
- 10.2.3.2. Comparing the State of One System at Different Times
- 10.2.3.3. Comparing Systems to a Standard Baseline
- 10.2.4. Sending Alerts Based on Ansible Facts with Policies



10.3. Evaluating Performance with Automation Analytics

Section Info Here

- 10.3.1. Automation Analytics
- 10.3.2. Reporting Playbook Execution Status
- 10.3.3. Examining Job History
- 10.3.4. Monitoring Notifications

10.4. Producing Reports from Automation Analytics

- 10.4.1. Producing Reports from Automation Analytics
- 10.4.1.1. Choosing an Appropriate Report
- 10.4.1.2. Using Automation Calculator to Compute Savings
- 10.4.1.3. Exporting a Report
- 10.4.2. Predicting the Cost Savings of Automation
- 10.4.2.1. Creating a Savings Plan
- 10.4.2.2. Reviewing the Cost Savings Calculations



11. Building a Large Scale Red Hat Ansible Automation Platform Deployment

11.1. Designing a Clustered Ansible Automation Platform Implementation

- 11.1.1. Running Red Hat Ansible Automation Platform at Scale
- 11.1.2. Automation Mesh
- 11.1.2.1. Benefits of Automation Mesh
- 11.1.2.2. Types of Nodes on Automation Mesh
- 11.1.2.3. What Are Instance Groups?
- 11.1.3. Planning Network Communication and Firewalls
- 11.1.3.1. Requirements for Control Nodes and Hybrid Nodes
- 11.1.3.2. Requirements for Hop Nodes
- 11.1.3.3. Requirements for Execution Nodes
- 11.1.4. Planning for Automation Mesh
- 11.1.4.1. Providing Resilient Services

11.2. Deploying Distributed Execution with Automation Mesh

- 11.2.1. Configuring Automation Mesh
- 11.2.1.1. Creating Instance Groups
- 11.2.1.2. Adding Nodes to the Automation Mesh
- 11.2.1.3. Removing Nodes from the Automation Mesh
- 11.2.2. Visualizing Automation Mesh Topology



11.2.3. Automation Mesh Design Patterns

11.2.4. Validation Checks

11.3. Managing Distributed Execution with Automation Mesh

11.3.1. Managing Instance Groups in Automation Controller

- 11.3.1.1. Creating Instance Groups
- 11.3.1.2. Assigning Execution Nodes to an Instance Group
- 11.3.1.3. Running a Health Check on the Nodes
- 11.3.1.4. Disassociating a Node from an Instance Group

11.3.2. Assigning Default Instance Groups to Inventories and Job Templates

- 11.3.2.1. Configuring an Inventory to Use Instance Groups
- 11.3.2.2. Configure a Job Template to Use Instance Groups
- 11.3.2.3. Running a Job Template with Instance Groups

11.3.3. Testing the Resilience of Automation Mesh

- 11.3.3.1. Testing Control Plane Resilience
- 11.3.3.2. Testing Execution Plane Resilience

11.3.4. Monitoring Automation Mesh from the Web UI

11.3.5. Monitoring Automation Mesh from the Command Line

- 11.3.5.1. Listing Nodes and Instance Groups
- 11.3.5.2. Monitoring Automation Mesh Using the receptorctl Command



Appendix A: References and Additional Information

Ansible Docs/Tips and Tricks

- **Installing Software and other Packages**: https://ansible-tips-and-tricks.readthedocs.io/en/latest/os-dependent-tasks/installing_packages/
- Ansible Tips and Tricks (Examples): https://github.com/nfaction/ansible-tips-and-tricks/wiki
- Ansible Product Demos: https://github.com/ansible/product-demos
- Ansible Workshops: https://github.com/ansible/workshops/tree/devel/provisioner
- Red Hat CoP Automation Good Practices:
 - https://redhat-cop.github.io/automation-good-practices/
 - https://github.com/redhat-cop/automation-good-practices/
- Ansible Controller Collection: https://console.redhat.com/ansible/automation-hub/repo/published/ ansible/controller/docs?keywords=

Ansible KB Articles and Solutions

 How Do I Perform Security Patching / OS Package Upgrades On Ansible Tower/Automation Controller Nodes Without Breaking Any Ansible Tower/Automation Controller Functionality
https://access.redhat.com/solutions/4566711

Ansible Filters and Collections

- Using filters to manipulate data (Jinja2 Templating): https://docs.ansible.com/ansible/latest/user_guide/playbooks_filters.html
- **Community** General: https://docs.ansible.com/ansible/latest/collections/community/general/index.html

Ansible Blogs and Articles

• When localhost isn't what it seems in Red Hat Ansible Automation Platform 2: https://www.ansible.com/blog/when-localhost-isnt-what-it-seems-in-red-hat-ansible-automation-platform-2

Ansible Execution Environments

• Execution Environments: https://docs.ansible.com/automation-controller/4.2.0/html/userguide/execution_environments.html#ee-mount-options