Update **confidential** designator here

VDI on OpenShift Virtualization

Architecture patterns, infrastructure, and operations

Red Hat

Update **confidential** designator here

Typical logical topology

North-south and east-west

- Users hit LB or Route to broker gateway
- Broker talks to Kubernetes API for pools
- VMIs run on workers with taints/tolerations
- Persistent data on CSI-backed PVCs
- Separate VLANs or NADs for desktop traffic
- Egress controls for internet breakout
- GPU nodes dedicated to graphics pools
- Observability: user logon vs pod metrics

Update **confidential** designator here

Display and input path

Protocols and consoles

- KubeVirt exposes VNC/SPICE for console access
- RDP inside guest for Windows remote desktop
- Partners may offer HTML5 or thin-client gateways
- Tune MTU and latency for WAN scenarios

Update **confidential** designator here

Images and user state

Golden image and persistence

- Golden templates from PVC or container sources
- Non-persistent OS layer vs persistent user disk
- Pipelines build and patch desktop images
- Profile tech may live in-guest or sidecar pattern

Infrastructure choices

Update **confidential** designator here

GPU and performance

Graphics-heavy pools

- NVIDIA vGPU or GPU passthrough where supported
- Dedicated nodes: taints for VDI-only workloads
- CPU and NUMA pinning for low frame latency
- Right-size virtio queues and network MTU

Red Hat

Validate with vendor GPU enablement guides

Update **confidential** designator here

Storage for desktops

Boot, profiles, and IOPS

- Fast block (e.g. Ceph RBD) for OS disks
- RWX file when shared user layers are required
- Snapshot and clone for pool refresh
- Capacity plan for peak concurrent logons

Machine Creation Services

Citrix full provisioning overview

Image management



01

Virtualize

Capturing operating system and apps into a virtual image

02

Store

Store the virtual image

03

Deliver

Deliver the virtual image to multiple target devices

04

Monitor

Review usage of current image and/or contents

Citrix Virtual Apps and Desktops

Web Studio



XITRIX Pulg In DEMO

Hosting | Studio | Red Hat OpenShift | Citrix Workspace | Director

haanddc1017.serenity.local/citrix/studio/hosting

citrix | Virtual Apps and Desktops

SERENITY\haanmo

- Home
- Search
- Machine catalogs
- Delivery groups
- Applications
- Images
- Policies
- Logging
- Administrators
- Hosting
- Licensing
- StoreFront
- App packages
- Zones
- Settings
- Backup and restore

Collapse

Home > Hosting

Add Connection and Resources

Errors (0) Warnings (0)

Name	Type	Address	State
AzureCOnn	Microsoft® AzureTM	https://management.azure.com/	Enabled
openshift-net	-	-	-
OpenShiftConn	OpenShift	https://api.serenity-openshift08.serenity.local:6443	Enabled
serenity-mcs	-	-	-

Click an item to view the details.

Activate Windows
Go to Settings to activate Windows.

Type here to search

10:39 AM
3/17/2025

Joint value

Red Hat OpenShift Virtualization

Unified user experience

Operate your virtual desktops on-premises with the same user experience.

- No additional upgrade from Citrix, but would require OVE or OCP for OpenShift Virtualization access

Virtual desktops at scale

Citrix VDI delivers virtual desktops at scale across all these environments regardless of where your data and applications live.

- On premise, Azure, AWS as a resource location for Citrix
- On premise and ROSA as an option for running OpenShift Virtualization

Flexible use cases

Red Hat delivers OpenShift platform in disconnected or air-gapped environments that allow for Citrix VDI capabilities.

- Citrix on premise (for air-gapped only)
- Hosted, shared desktops
- Persistent desktops
- Linux and Windows machines

Thank you

OpenShift Virtualization |
https://docs.redhat.com/en/documentation/openshift_container_platform/latest/html/virtualization/

Partner solutions: evaluate certified EUC / VDI offerings for OpenShift.

linkedin.com/company/red-hat

youtube.com/user/RedHatVideos

facebook.com/redhatinc

twitter.com/RedHat

Red Hat