



RHIVE CONSTRUCTION

MASTER BRAND GUIDELINE & DESIGN SYSTEM 2.0

FINISH ON TOP.

SYSTEM ONLINE // QUANTUM OPERATIONAL
INTERFACE

*“Advanced aerial mapping to manufacturer-certified installation. 100%
transparent costs, 100% satisfaction, zero surprises.”*

LOCATION: UT - WASATCH FRONT • TEL: (801) 449-1451

// THE SOVEREIGN BUILDER

WE DO NOT BUILD LIKE TRADITIONAL CONTRACTORS.

"We were built to challenge an industry known for inflated pricing, vague bids, poor communication, and short-lived warranties. RHIVE exists to flip that script with honesty, mathematical precision, and female-led operational excellence."



KARA ROBINSON
PRESIDENT // CO-FOUNDER

Championing female-led operational accountability, staging logic, and zero-surprise delivery frameworks. Safeguarding structural project integrity.



MICHAEL ROBINSON
CEO // CO-FOUNDER

Chief Strategic Architect of RHIVE OS. Pioneering algorithmic satellite photogrammetry, 40-parameter estimating sheets, and TrueCost open-book pricing.

01 // ALGORITHMIC PRECISION QUOTING

40-variable geometric calculations accounting for pitch multipliers, layer counts, and accessories.

02 // MILITARY EXECUTION ARMOR

Owens Corning Duration Flex SBS Class 4 hail resistance, SureNail 130 MPH fastening, and magnetic sweeps.

03 // SOVEREIGN INTEGRITY AUDIT

Replacing punch list disputes with forensic master envelope sign-offs and lifetime warranty vault access.

// PALETTE DISCIPLINE: PRIMARY VS. SECONDARY

MASTER COLOR MATRIX

• PRIMARY PALETTE (DOMINANT VISUAL ARCHITECTURE • 80% CANVAS WEIGHT)

	PURE WHITE CANVAS (PRIMARY GROUND) Master Page Backgrounds • High-Legibility Executive Surfaces • Thermal Reflection Apparel	HEX: #FFFFFF RGB: 255, 255, 255
	PITCH BLACK (PRIMARY CONTRAST) Headline Typography • Contrast Inversion • Hardware Structural Framing	HEX: #000000 RGB: 0, 0, 0
	RHIVE NEON PINK (PRIMARY ENERGY BRAND) Brand Crest • High-Priority CTAs • Active Nodes • Interactive Hover Circuits	HEX: #ec028b CMYK: 0, 100, 20, 0

• SECONDARY PALETTE (FUNCTIONAL HIERARCHY, STATUS BADGES • 20% ACCENT WEIGHT)

	Sovereign Gold HEX: #e2ab49 • Warranty & Price Lock		Deep Void Blue HEX: #08137C • Foundation & Bank Lending
	Circuit Gray HEX: #374151 • 1px Card Borders & HUD		Emergency Red HEX: #DC2626 • Priority Leak Dispatch

// CONVERSION ARCHITECTURE

THE 3-LANE STRUCTURED INTAKE

LANE 01 // RED (#DC2626)

PRIORITY DISPATCH

EMERGENCY LEAK

Schedules an emergency same-day or within 24-hour on-site containment visit. Deploys 90-day structural tarping and interior moisture boundary mapping. \$350 triage fee credits directly to full restoration.

TRIGGER: Protocol 'EMERGENCY BREACH' // Auto-Alert to Michael & On-Call Tech

LANE 02 // PINK (#EC028B)

SUB-60S BALLPARK

INSTANT ESTIMATE

Takes the customer through the estimate vs. quote options and verifies they just want a preliminary ballpark price without an on-site visit. Runs satellite photogrammetry in under 60 seconds.

TRIGGER: Address Input → Google Solar API Mesh → SMS Ballpark Link

LANE 03 // GOLD (#E2AB49)

GUARANTEED PRICE LOCK

CERTIFIED QUOTE

Executes the full Telephony diagnostic questionnaire: scope type (retail/storm), roof age, 15-minute on-site attic & decking diagnostic booking, insurance adjuster representation, and locked contract pricing.

TRIGGER: 5-Point Telephony Flow → CRM Stage: 'Quote Bucket'

// FINANCIAL INTEGRITY PROTOCOL

THE 40-VARIABLE ESTIMATING ENGINE

RHIVE does not guess or calculate single-line lump sums. Our pricing derives from an automated spreadsheet calculation incorporating pitch factors, penetrations, tear-off layers, and material SKU schedules:

GEOMETRIC SLOPE MULTIPLIERS		ITEMIZED PENETRATIONS & HARDWARE	
0/12 (Flat Membrane)	1.0000	• Layer Tear-Off: 1, 2, or 3 Layer Calculation	
3/12 Pitch (14.04°)	1.0308	• Chimney Step & Counter Flashing Kits	
6/12 Pitch (26.57°)	1.1180	• Swamp Cooler Curbs: Small vs. Large	
9/12 Pitch (36.87°)	1.2500	• Skylight Replacement & Ice Shields	
12/12+ Steep Slope (45°+)	1.4142	• Parapet Wall Linear SQ & Coping Caps	
		• 6" Seamless Gutters & Multi-Story Downspouts	

THE 50/40/10 MILESTONE LOGIC

50%: Material Procurement & Dispatch • 40%: Installation Completion • 10%: Master Integrity Audit & Sovereign Warranty Activation

ZERO PUNCHLIST VIBES

// EXECUTION MILESTONES

THE 10-STAGE ZERO-SURPRISES JOURNEY

STAGE 01 // INTAKE**LEAD**

Digital intake, drone photogrammetry & Google Solar API geometry analysis.

STAGE 02 // SATELLITE**ESTIMATE**

Instant ballpark metrics establishing transparent financial baseline.

STAGE 03 // PROPOSAL**QUOTE**

Certified proposal with 40-parameter spreadsheet SKU itemization.

STAGE 04 // COMMITMENT**SIGN & VERIFY**

Agreement sealed, 50% deposit triggers dispatch, Ghost Link portal unlocked.

STAGE 05 // LOGISTICS**SCHEDULE**

Operational calendar locked; crew and material delivery synchronized.

STAGE 06 // PROTECTION**PRE-INSTALLATION**

Ground tarping, landscaping protection, and AC condenser shields deployed.

STAGE 07 // DEPLOYMENT**INSTALLATION**

Manufacturer-certified tear-off, synthetic underlayment, and Duration shingles.

STAGE 08 // CERTIFICATION**WARRANTY ACTIVATION**

Forensic 5-point envelope audit & triple magnetic nail sweep. (Zero punchlist).

STAGE 09 // FINAL SETTLEMENT**INVOICING**

Transparent 50/40/10 milestone settlement via secure Ghost Link portal.

STAGE 10 // LIFETIME**WARRANTY VAULT**

Sovereign warranty certificate issued + annual automated drone audit enabled.

// UNIFORM DISCIPLINE & HEAT PROTOCOL

TEAM APPAREL & FIELD STANDARDS

“We reject the sloppy, sweat-stained contractor stereotype. In extreme rooftop heat exceeding 135°F, black shirts cause thermal exhaustion. Standardized white technical apparel protects crew safety and elevates brand authority.”

SUMMER HEAT POLICY: BLACK FIELD SHIRTS STRICTLY PURGED

Rooftop shingle surface temperatures in Utah & Idaho easily reach 135°F–150°F. Black shirts absorb dangerous radiant heat, reducing cognitive focus and increasing heatstroke risks. White technical fabrics reflect over 85% of solar radiation.

CLEAN INSPECTIONS & CLIENT MEETINGS**WHITE PERFORMANCE POLO**

Crisp, tailored white technical pique polo. Left chest: high-density embroidered RHIVE hexagonal crest in black/pink. Right sleeve: tonal silver American Flag. Worn for initial diagnostic inspections, commercial board presentations, and executive site visits.

DIRTY WORK & ROOFTOP OPERATIONS**WHITE HOODED TECHNICAL CREW**

UPF 50+ lightweight moisture-wicking sun hoodie. Integrated ergonomic hood provides direct neck and ear protection from UV rays and attic insulation fibers. Reflective RHIVE lettering across the back for jobsite visibility.

LOWER-BODY & SAFETY GEAR STANDARDS

- **Work Pants:** Dark charcoal or khaki utility/tactical trousers (Carhartt Rugged Flex, 5.11, Duluth). Torn jeans or shorts strictly prohibited.
- **Roof Footwear:** Clean OSHA-compliant composite-toe boots with Cougar Paws / Vibram traction pads. Disposable boot covers mandatory inside homes.
- **Headwear:** White or charcoal low-profile performance caps with tonal RHIVE badge, or matte white OSHA hardhats with reflective safety accents.

// CURATED MEDIA REPOSITORY

AUTHENTIC PROJECT PHOTOGRAPHY VAULT

“Zero stock photos of smiling models in fake hardhats. Every single visual asset published by RHIVE represents real client homes, real commercial membranes, and real Utah/Idaho craftsmanship.”

FOLDER 01 // AERIAL TELEMETRY**DRONE SCANS & ROOF RIDGES**

4K DJI Mavic aerial flights capturing finished multi-pitch roofs, symmetry, and Wasatch mountain backdrop vistas. Sourced from real projects including David DuKatz and 5th East.

FOLDER 02 // FORENSIC DETAIL**ACTIVE CRAFTSMANSHIP**

High-contrast macro shots of step flashing, chimney counter-flashing, continuous synthetic underlayment, and Ice & Water barrier seals. Real progress logs from Pilar Vargas.

FOLDER 03 // RESIDENTIAL**COMPLETED MASTER ROOFS**

Ground-level and 45-degree elevation photography of finished Owens Corning Duration installations with spotless yard conditions post-magnetic nail sweep.

FOLDER 04 // COMMERCIAL**MEMBRANES & MULTIFAMILY**

Heat-welded TPO/PVC commercial flat roof systems, metal parapet coping caps, and commercial drains. Real audited case studies from Justin Stewart Plaza.

MASTER GOOGLE DRIVE LOCATION

All approved photography is organized in Google Drive under: RHIVE Brand Guidelines 2.0 > 01_Top-Rated_Marketing_Photography_and_Drone_Footage. Outside agencies must exclusively pull from this verified asset library.

// ZERO-DEFECT QUALITY CONTROL

PRE-FLIGHT COMPLIANCE GATES

"Before any marketing flyer, website update, proposal template, or social ad campaign goes live, it must pass all 6 compliance gates with zero exceptions."

GATE 01 // GEOMETRY**CHAMFERED CARDS & ZERO CHECKBOXES**

Cards & buttons must use 24px chamfer cuts. Checkboxes are 100% prohibited in digital interfaces (switches & toggles only; manual pen checkmarks permitted exclusively on printed paper field worksheets).

GATE 02 // PALETTE ACCURACY**PRIMARY VS. SECONDARY MATRIX**

Strict adherence to hex standards: Pure White (#FFFFFF), Pitch Black (#000000), and Neon Pink (#ec028b) as primaries; Gold (#e2ab49), Blue (#08137C), Slate (#374151), and Red (#DC2626) as secondaries.

GATE 03 // TYPOGRAPHY**UNIVERSAL RUBIK & GARAMOND**

Rubik is mandatory across all digital touchpoints and web headers to mirror the live site. EB Garamond is reserved for formal editorial and contracts. Space Mono for coordinates and telemetry.

GATE 04 // ESTIMATING TRUTH**MULTI-INPUT PRECISION**

No generic "good, better, best" tiers or "measure to the millimeter" hyperbole. Copy must cite factual multi-input estimating (asphalt, flat membrane, gutters, heat trace) powered by Google Solar & Roofr.

GATE 05 // COMPLETION LANGUAGE**WARRANTY ACTIVATION EXCLUSIVE**

"Punchlist" and "QC" verbiage are permanently banished. All contract and marketing milestones must strictly use "10% Upon Warranty Activation".

GATE 06 // AUTHENTICITY**ZERO STOCK PHOTOS**

All marketing imagery must be pulled directly from the authenticated RHIVE Google Drive project vault. Zero stock models, zero unverified photos.