teo20

	SNPs			indels			MNPs	others
Callset	n	ts/tv	(1st ALT)	n	frm*	rc**		
JRI20	105,582,438	2.51	2.63	10,500,949	–	–	0	710,003

* frameshift ratio: out/(out+in); ** repeat-consistency

	singletons (AC=1)				multiallelic	
Callset	SNPs	ts/tv	indels	rc	sites	SNPs
JRI20	24.5%	2.21	24.7%	0.000	6,604,402	5,076,946

- JRI20 .. `JRI20_joint_call.filtered_*vcf`


SNP count by AF
JRI20
Number of sites
10^8
10^7
10^6
10^5
10^4
0.0
0.2
0.4
0.6
0.8
1.0
Non-reference allele frequency


Indel count by AF
JRI20
Number of sites
10^7
10^6
10^5
10^4
10^3
0.0
0.2
0.4
0.6
0.8
1.0
Non-reference allele frequency

Ts/Tv by AF


JRI20
10^8
10^7
10^6
Number of sites
3.5
3.0
2.5
2.0
1.5
1.0
0.5
0.0
Ts/Tv
0.0
0.2
0.4
0.6
0.8
1.0
Non-ref allele frequency

Ts/Tv stratified by QUAL



Indel distribution



Depth distribution



Substitution types