

TABLE OF CONTENTS

ABSTRACT	i
ACKNOWLEDGEMENT	ii
LIST OF FIGURES	v

CHAPTER NO.	CHAPTER NAME	PAGE NO.
1	INTRODUCTION	1
	1.1 PURPOSE	2
	1.2 PROPOSED SYSTEM	4
	1.3 MOTIVATION	6
	1.4 OBJECTIVES	8
2	LITERATURE REVIEW	10
	2.1 INTRODUCTION	10
	2.2 LITERATURE SURVEY	10
3	SYSTEM REQUIREMENT SPECIFICATION	15
	3.1 HARDWARE REQUIREMENT	15
	3.1.1 HARDWARE DESCRIPTION	16
	3.2 SOFTWARE REQUIREMENT	18
	3.2.1 SOFTWARE DESCRIPTION	19
4	IMPLEMENTATION	22
	4.1 OVERVIEW	22
	4.2 PERFORMANCE MATRIX	24
5	METHODOLOGY	26
6	RESULT ANALYSIS	36
	6.1 RESULT	36

	6.2	SNAPSHOTS AND DISCUSSION	38
7		APPLICATION AND FUTURE ENHANCEMENT	40
	7.1	APPLICATION	40
	7.2	FUTURE ENHANCEMENT	41
8		CONCLUSION	43
		REFERENCES	44

LIST OF FIGURES

FIG NO.	DESCRIPTION	PAGE NO.
5.1	Block diagram	30
5.2	Flow diagram of face_encoding	12
5.3	Flow diagram of face_attendance	33
5.4	Flow diagram of mark_attendance	35
6.1	Faces being detected through the live CCTV footage	38
6.2	Attendance marked in the CSV file	39
6.3	Attendance automatically marked in excel sheet as well as in CSV file	39

CHAPTER 1

INTRODUCTION

In educational institutions and workplaces, traditional methods of attendance tracking such as manual registers or biometric systems often face challenges related to efficiency, accuracy, and security. To address these limitations, this project presents a Smart Attendance System using Image Processing, which leverages CCTV footage to automatically detect and record individual attendance.

The system utilizes facial recognition techniques to identify individuals in real-time video frames extracted from CCTV recordings. Once recognized, the attendance data is securely and accurately stored in an Excel spreadsheet, providing a reliable and automated solution for monitoring presence.[3]

This project was developed and executed using Visual Studio Code, incorporating Python libraries for image processing and Excel manipulation. The objective is to minimize human intervention, reduce errors, and offer a scalable attendance system adaptable to various environments such as classrooms, offices, and public facilities.

1.1 PURPOSE

The purpose of the Smart Attendance System using CCTV Camera is to develop an automated, reliable, and contactless solution for managing attendance in educational institutions, workplaces, and organizations. Traditional attendance methods such as manual roll calls, biometric fingerprint systems, RFID cards, and written registers are time-consuming, prone to human error, and vulnerable to manipulation, damage, or misuse. This project aims to address these longstanding issues by integrating computer vision, facial recognition, and real-time surveillance technology into a unified attendance monitoring system that requires no physical interaction or manual intervention.

The primary objective is to utilize existing CCTV infrastructure and enhance it with intelligent capabilities so that attendance can be captured automatically as individuals appear within the camera's field of view. By leveraging a Hikvision CCTV camera and an RTSP-based connection, the system continuously captures live video frames. These frames are processed using advanced face detection and face recognition algorithms to accurately identify registered individuals. Each recognized face is mapped to its corresponding name, and the system automatically records attendance along with a timestamp into a structured database (CSV or Excel). This eliminates delays, reduces workload for faculty or administrators, and ensures that attendance data is consistently updated and easily accessible.

Another key purpose of the project is to ensure accuracy and authenticity in attendance records. Since biometric or card-based systems can be circumvented through proxy attendance or misuse of ID cards, facial recognition ensures that attendance is marked only when the individual is physically present. The use of 128-dimensional facial embeddings, Euclidean distance matching, and robust detection mechanisms enables the system to distinguish between different individuals even under varying lighting conditions or camera angles. Additionally, by using threaded video capture, the system maintains smooth, lag-free operation even when processing high-resolution CCTV footage.

The project also aims to improve operational efficiency and safety. As the system is fully contactless, it prevents issues associated with shared surfaces, especially important in post-pandemic environments. It requires no physical devices like cards or fingerprints, making the process faster and more hygienic. The automatic recording of attendance minimizes administrative overhead and allows staff to focus on more meaningful tasks instead of routine record keeping.

Furthermore, the purpose extends to building a scalable and future-ready solution. The system can be adapted for multi-camera setups, integrated with cloud platforms, upgraded using deep-learning models for improved accuracy, or extended to support centralized attendance monitoring across multiple locations. Its modular design also allows easy integration with existing institutional management systems, making it a practical choice for large-scale deployments.

Overall, this project aims to demonstrate how intelligent automation combined with everyday CCTV cameras can replace outdated attendance systems with a modern, efficient, and highly accurate solution. By merging advanced image processing, real-time face recognition, and automated data handling, the Smart Attendance System fulfills the increasing demand for secure, contactless, and efficient attendance management in real-world environments.

1.2 PROPOSED SYSTEM

The proposed system introduces a Smart Attendance System using CCTV Camera that leverages facial recognition and real-time video processing to automate attendance marking without any manual effort or physical contact. Unlike traditional methods that rely on roll calls, RFID cards, or biometric scanners, this system integrates modern computer vision techniques with existing surveillance infrastructure to create an efficient, accurate, and non-intrusive attendance solution.

The core of the proposed system is based on three major components: face encoding, real-time face recognition, and automated attendance logging. The first component involves creating a database of registered individuals by storing their facial images in the ImagesAttendance folder. These images are processed to extract 128-dimensional face encodings using a deep-learning model provided by the face_recognition library. This encoding acts as a unique digital signature for each person, enabling reliable identification even under variable lighting or angle conditions.

The second component focuses on integrating a Hikvision CCTV camera through an RTSP stream. To ensure smooth and uninterrupted video capture, the system employs a threaded frame-grabber mechanism, where one thread continuously fetches frames from the CCTV camera while the main thread handles face detection and recognition. This design ensures real-time performance without lag, frame drops, or delays, which is essential for continuous monitoring in classrooms, offices, or sensitive areas.

Each captured frame undergoes preprocessing, including resizing and color conversion, before being passed to the recognition pipeline. The system uses the HOG (Histogram of Oriented Gradients) algorithm for fast and efficient face detection. Once a face is detected, a fresh encoding is generated and compared with the database using Euclidean distance matching. The closest match is identified, and if the distance meets the threshold, the individual is recognized and labeled in the live video feed. Unknown faces are clearly marked in red to differentiate non-registered individuals.

The third component of the proposed system is automated attendance marking. Once a registered individual is recognized, the system triggers the markAttendance() function, which records the person's name along with a timestamp into a CSV file, which can also be exported as an Excel sheet. The system ensures that duplicate attendance for the same person is avoided,

maintaining clean and accurate records. Because the process is automated, real-time attendance is updated continuously as individuals appear in front of the CCTV camera.

The proposed system offers multiple advantages: it is contactless, prevents proxy attendance, reduces administrative workload, and requires no additional hardware other than existing CCTV infrastructure. It is scalable, allowing integration of multiple cameras and easy expansion of the face database. Additionally, the modular design enables future enhancements such as cloud-based attendance storage, mobile app access, advanced deep-learning models, and multi-location attendance monitoring.

Overall, the proposed system provides a modern, intelligent, and efficient alternative to traditional attendance methods. By integrating facial recognition technology with CCTV systems, it delivers a reliable, automated solution suitable for educational institutions, workplaces, and organizations seeking to streamline attendance management with minimal human intervention.

1.3 MOTIVATION

The motivation behind developing a Smart Attendance System using CCTV Camera arises from the persistent challenges and inefficiencies associated with traditional attendance management methods. In most educational institutions and workplaces, attendance is still recorded manually or through systems like RFID cards and biometric fingerprint scanners. These approaches are often time-consuming, prone to errors, and susceptible to manipulation or proxy attendance. Manual entry takes away valuable time from instructional or work-related activities, while biometric systems require physical contact, leading to hygiene concerns, especially in post-pandemic environments. Additionally, RFID tags or ID cards can be lost, damaged, or used dishonestly by others, compromising the integrity of attendance records.

The growing availability of CCTV surveillance systems in campuses, offices, and organizations presents an opportunity to utilize existing infrastructure for more than just security monitoring. Most institutions already have CCTV cameras installed in classrooms, hallways, and entry points, yet this resource remains underutilized. The motivation, therefore, lies in repurposing these cameras for automated attendance tracking, enabling institutions to make better use of their investments without needing additional hardware.

Advancements in computer vision, image processing, and machine learning have made facial recognition highly accurate, fast, and reliable. Modern algorithms, such as HOG-based face detection and deep-learning-based face embeddings, provide powerful tools for identifying individuals in real time. These technologies inspire the development of automated systems capable of removing human involvement from repetitive processes like attendance marking. With the availability of high-resolution CCTV feeds and efficient recognition libraries, integrating face recognition into attendance workflows becomes feasible and practical.

Another strong motivation is the need for a contactless and seamless solution. The shift toward touch-free systems has increased significantly after the COVID-19 pandemic, where minimizing physical contact became a priority for safety. Facial recognition allows individuals to be identified without interacting with any device, improving hygiene and ensuring a smooth, effortless attendance experience. This also eliminates queueing at biometric scanners and reduces congestion at entry points.

From an administrative perspective, maintaining accurate attendance records is critical for academic performance analysis, payroll processing, security monitoring, and compliance reporting. Manual methods often lead to missing entries, false records, or delays in updates. Automating this entire workflow through a CCTV-based system ensures instantaneous, error-free, and transparent attendance logs that can be accessed and analyzed easily. This reduces the workload on faculty, teachers, HR teams, and administrative departments.

Furthermore, the motivation includes the goal of developing a scalable, cost-effective, and future-ready system. Since the solution relies on pre-existing CCTV cameras, it avoids the cost of purchasing new devices or deploying dedicated hardware. The system is flexible and can be expanded to multiple classrooms, buildings, or locations simply by integrating additional cameras and databases. With future enhancements such as cloud connectivity, mobile dashboards, and advanced AI models, the system has the potential to evolve into a comprehensive attendance and monitoring platform.

In summary, the primary motivation behind this project is to create an efficient, accurate, and contactless attendance solution by combining facial recognition technology with existing CCTV infrastructure, ultimately improving operational efficiency, ensuring authenticity, and supporting modern institutional requirements

1.4 OBJECTIVES

- To develop a fully automated attendance system that eliminates the need for manual entry, roll calls, RFID cards, or biometric fingerprints, thereby saving time and improving operational efficiency.
- To integrate facial recognition technology with existing CCTV infrastructure, utilizing already installed cameras to reduce additional hardware costs and maximize institutional resources.
- To accurately detect and recognize individuals in real time from CCTV video streams using advanced image processing techniques and deep-learning-based face encodings.
- To implement an efficient face encoding mechanism, where each registered individual's image is converted into a unique 128-dimensional numerical representation for reliable and consistent recognition.
- To enhance recognition speed and system responsiveness by using a threaded frame grabber for smooth and uninterrupted retrieval of CCTV frames without lag or frame loss.
- To ensure contactless attendance marking, providing a hygienic and convenient solution that requires no physical interaction, suitable for post-pandemic safety standards.
- To design a robust comparison mechanism using Euclidean distance to match detected face encodings with stored encodings, selecting the nearest match with high precision.
- To automate the creation and updating of attendance records by storing recognized names along with timestamps in a CSV or Excel file using Python's data-handling libraries.
- To provide continuous, real-time attendance monitoring, enabling the system to update attendance instantly as individuals appear within the CCTV's field of view.
- To improve administrative workflow efficiency, reducing the workload on teachers, HR teams, and management by generating automatic attendance logs without human involvement.
- To design the system to work effectively in real-world conditions, accounting for varying lighting, face angles, distances, and camera resolutions typical of CCTV environments.

- To ensure scalability and adaptability, allowing the system to support multiple CCTV cameras, expanded student or employee databases, and integration with institutional management software.
- To enhance security and transparency, providing an auditable, timestamped attendance trail that minimizes the risk of manipulation or errors in record-keeping.
- To propose a cost-effective solution, reducing the need for specialized biometric devices and relying instead on software-based processing of existing surveillance streams.
- To create a user-friendly and maintainable system, ensuring that administrators can easily add new individuals, update images, or manage attendance files without technical complexity.
- To lay the foundation for future enhancements, including cloud-based data storage, mobile application monitoring, deep-learning-based recognition improvements, and multi-location attendance integration.
- To demonstrate the practical application of computer vision and artificial intelligence in solving everyday operational challenges in educational and organizational environments.
- To contribute to digital transformation in attendance management, replacing outdated manual methods with a modern, efficient, and automated facial-recognition-based system.

CHAPTER 2

LITERATURE REVIEW

2.1 INTRODUCTION:

Across the reviewed papers, several algorithms and models are discussed for face detection and recognition in smart attendance systems, ranging from traditional methods to advanced deep learning approaches. Papers mention the use of Haar Cascade Algorithm, Viola-Jones algorithm (often modified), and Local Binary Pattern (LBP) Histograms (LBPH) for basic face detection and recognition. These are often chosen for their simplicity and efficiency in certain contexts. For higher accuracy, robustness, and handling more complex scenarios, deep learning-based models can be used. FaceNet model is consistently mentioned as a powerful choice for generating robust face embeddings, crucial for accurate recognition. Super-Resolution Generative Adversarial Networks (SRGAN): This is a critical component for systems dealing with low-resolution images (e.g., from CCTV cameras). SRGANs are used to enhance image quality before face recognition, significantly improving performance in challenging visual environments.

2.2 LITERATURE SURVEY:

1. **J. T. Thirukrishna, A. M. Revathi, Y. Shashank, Thejas Pandith and N. Samarth, “Smart Attendance System Using Face Recognition”, Journal Paper (Asian Journal of Engineering and Applied Technology).** The system aims to address challenges with manual attendance methods in schools and colleges, such as reduced accuracy and maintenance issues, by utilizing face recognition techniques. It implements a system based on the Haar Cascade Algorithm for high accuracy, capable of capturing images effectively within a range of 50-70cm. A user-friendly graphical interface is being developed to simplify image capture, dataset creation, and one-click dataset training. Upon successful face recognition, the system will display the student's name and roll number, automatically recording this information in an attendance sheet with the corresponding time and date.[1]
2. **Nazare Kanchan Jayant and Surekha Borra, “Attendance Management System Using Hybrid Face Recognition Techniques “, June 9-11, 2016 (2016 Conference on Advances in Signal Processing (CASP)), Conference Paper (published in 2016**

Conference on Advances in Signal Processing (CASP)). This paper proposes an automated Attendance Management System (AMS) using face detection and recognition techniques to address the time-consuming nature of manual attendance recording. The system utilizes a modified Viola-Jones algorithm for face detection and an alignment-free partial face recognition algorithm for face recognition. After successful student recognition, the system automatically updates attendance in an Excel sheet. The proposed system aims to improve existing attendance management systems by eliminating manual calling, marking, and entry of attendance data into institutional websites.[2]

3. **Archana S. Nadhan, Chetana Tukkoji, Boosi Shyamala, N. Dayanand Lal, A. N. Sanjeev Kumar, V. Mohan Gowda, Zameer Ahmed Adhoni, and Melaku Endaweke, “Smart Attendance Monitoring Technology for Industry 4.0”, Published 21 June 2022, Journal Paper (Journal of Nanomaterials, Volume 2022, Article ID 4899768).** The study presents an effective Raspberry Pi-based methodology using the OpenCV open-source image processing library for attendance monitoring, aiming to reduce product cost and connect to heterogeneous devices. The system offers a user-friendly interface for teaching, testing, collecting employee photos, and taking attendance. Face detection and recognition are performed using Local Binary Pattern (LBP) histograms, and the database is updated with SQLite. The project's objective is to develop a system that is less sensitive to illumination, rotation, and scaling, making it suitable for real-world applications.[3]
4. **Nico Surantha and Edward Yose, “Low-Resolution Face Recognition for CCTV and Edge-Powered Smart Attendance Systems”, 2024 (as per 2024 IEEE 48th Annual Computers, Software, and Applications Conference (COMPSAC)). Conference Paper (published in 2024 IEEE 48th Annual Computers, Software, and Applications Conference (COMPSAC)).** The paper addresses the challenge of face recognition in attendance systems, particularly when dealing with low-resolution images from CCTV cameras and the inability to detect multiple faces simultaneously. It proposes using Super-Resolution Generative Adversarial Networks (SRGAN) to enlarge the resolution of captured images while maintaining sufficient image quality for facial recognition. The system uses the Viola-Jones algorithm for face detection and a trained deep learning model for face recognition. The system aims to detect multiple faces simultaneously and improve recognition accuracy even at relatively large distances from the camera.[4]

5. **Suraj Kumar Sharma, Sachin Prajapati, Sachin Kumar, Imran Ansari, and Satyam Kumar, “Smart Attendance System using Face Recognition “, 2024 (as per 2024 International Conference on Computing, Sciences and Communications (ICCSC)), Conference Paper (published in 2024 International Conference on Computing, Sciences and Communications (ICCSC)).** The primary aim of this paper is to enhance the attendance management system in educational institutions by introducing an advanced smart attendance system leveraging facial recognition technology. The work proposes the development and implementation of a face detection and recognition system to automatically identify students during classroom lectures. The system uses facial recognition to identify students and mark their attendance. The motivation behind the system is to overcome the drawbacks of traditional attendance methods, which are time-consuming and prone to manual errors and proxy attendance.[5]
6. **Thai-Viet Dang, “Smart Attendance System based on Improved Facial Recognition”, January 2023 (Journal of Robotics and Control, Volume 4, Issue 1), Journal Paper (Journal of Robotics and Control).** The paper proposes an efficient deep learning approach to facial recognition for smart attendance systems, utilizing an improved Face Net model based on the MobileNetV2 backbone with an SSD subsection. The improved architecture incorporates depth-wise separable convolution to reduce model size and computational volume while achieving high accuracy and processing speed. The approach aims to solve the problem of identifying a person entering and exiting an area, even with the limitations of advanced mobile devices (e.g., limited memory and on-device storage). The system achieves more than 95% accuracy on a small dataset of original face images with a frame rate of 25 FPS, demonstrating its efficiency in practical applications.[6]
7. **Nishali Dhanshika, Darshan Lahamage, Tanya Anupam and Dr. Rajendra Sawants, “CCTV Integrated Attendance Monitoring System Using Face Recognition”, Mar 1-3, 2024 (as per 2024 3rd International Conference for Innovation in Technology (INOCON)), Conference Paper (published in 2024 3rd International Conference for Innovation in Technology (INOCON)).** The research introduces an innovative solution for attendance monitoring by integrating live classroom CCTV videos with face recognition technology. The system leverages existing CCTV infrastructure, offering a cost-effective and technologically advanced attendance monitoring solution. It integrates deep learning algorithms, specifically

employing ResNet for face detection and FaceNet for recognition, chosen after rigorous comparisons with alternatives. The system is highly accurate, developed using a curated dataset of over 3000 student images, and seamlessly updates attendance records in an Excel sheet.[7]

8. **Aziza Ahmedi and Dr. Suvarna Nandyal, “An Automatic Attendance System Using Image Processing” published in 2015 in The International Journal of Engineering and Science (IJES)**, presents a fully automated method for classroom attendance using face detection and recognition techniques. The primary objective of the study is to replace traditional manual and biometric attendance procedures with a more efficient, accurate, and time-saving system. The authors implement an approach where classroom video is captured, converted into frames, and processed using a combination of image-processing algorithms. The system uses AdaBoost and Haar Cascade for robust face detection, ensuring minimal false positives. Facial features are extracted using HOG (Histogram of Oriented Gradients) and LBP (Local Binary Pattern), which help represent key facial characteristics such as eyes, nose, and mouth. A Support Vector Machine (SVM) classifier is then trained to recognize stored faces by comparing extracted features with the database. Attendance is automatically updated and exported to an Excel sheet. The paper highlights the effectiveness of image processing in automating attendance, making it more secure, reliable, and efficient. This methodology closely aligns with CCTV-camera-based real-time face recognition systems used in modern automated attendance solutions.
9. **S. K. ChayaDevi and Vamsi Agnihotram, “Smart Attendance System Using Convolution Neural Network and Image Processing” published in 2020 in the European Journal of Engineering Research and Science (EJERS)**, proposes a deep-learning-based approach for face-recognition-driven attendance automation. The key objective of this research is to integrate CNN (Convolutional Neural Networks), ANN, image processing, and IoT to develop an accurate, non-intrusive, and intelligent attendance system. The methodology employs HAAR Cascade Classifier for face detection and uses CNN layers—including convolution, ReLU activation, max pooling, flattening, and fully connected layers—for extracting high-level facial features. A hybrid CNN-ANN architecture is used for classification, enabling the system to learn facial patterns from a dataset of 150 images per student, processed using a 70:30 train-test split. The training utilizes Stochastic Gradient Descent (SGD) and Softmax, resulting in improved accuracy with increased training epochs. After recognition, the

system automatically generates a CSV attendance file and supports IoT-based emailing of attendance reports. The paper identifies limitations in traditional attendance methods such as RFID, biometrics, and barcodes, emphasizing the advantages of deep learning. This approach is highly relevant to modern CCTV-based attendance projects due to its focus on real-time recognition, automation, and data integration.

10. **Prashant Tirlotkar, Kedar Chitrakathi, Rohit Jadhav, and Aniket Khamkar, “Smart Attendance System Using Image Processing” published in 2017 in the International Journal of Engineering Research & Technology (IJERT), ICIATE Conference Proceedings**, introduces a real-time, image-processing-based attendance system designed to replace manual roll-call methods. The main objective of the work is to automate the attendance-taking process using facial detection and recognition, supported by IoT-based data transfer for instantaneous record updates. A camera placed at the classroom entrance captures images of incoming students, which are then pre-processed using filtering, grayscale conversion, cropping, and masking techniques to extract the facial region. The system uses the Viola–Jones Algorithm, based on Haar-like features and integral images, to efficiently detect faces. Facial features such as eyes, nose, and mouth are used to uniquely identify each student, and classification is performed by comparing extracted features with a predefined database. If a match is detected within a defined threshold, the student’s attendance is automatically transmitted to a faculty database via Wi-Fi. The system offers a fast, accurate, and contactless solution for real-time attendance tracking. Its methodology aligns closely with modern CCTV-based recognition systems, making it relevant for contemporary smart attendance projects.

CHAPTER 3

SYSTEM REQUIREMENT SPECIFICATION

3.1 HARDWARE REQUIREMENTS

Hardware requirements define the physical components and equipment needed for successfully implementing and operating a system. In the context of this project, hardware requirements specify the devices essential for capturing video, processing facial recognition, storing data, and ensuring smooth system performance. These requirements help determine the minimum and recommended specifications of components such as CCTV cameras, computers, network infrastructure, and storage devices. Clearly outlining hardware requirements ensures that the system functions efficiently, maintains real-time performance, and provides reliable results. It also supports proper setup, scalability, and long-term stability of the smart attendance system. The hardware requirements are:

1. CCTV Camera (Hikvision)

- A high-resolution IP CCTV camera with RTSP streaming support.
- Capable of capturing clear facial features from a distance for accurate recognition.

2. Computer/Processing Unit

- A system with sufficient processing power to handle real-time video processing and face recognition.
- Recommended specifications:
 - **Processor:** Intel i5/i7 or equivalent
 - **RAM:** 8GB or higher
 - **Storage:** Minimum 512GB SSD
 - **Graphics:** GPU for faster processing (not mandatory)

3. Local Network Infrastructure

- Stable LAN or Wi-Fi network for CCTV connectivity.
- RTSP-enabled streaming supported through routers or switches.

4. Camera Mounting and Power Supply

- Properly installed and positioned CCTV camera with continuous power supply.
- Mounting arrangement ensuring the camera captures faces clearly.

5. Data Storage Device

- Storage for attendance files (CSV/Excel) and registered images.
- Can be on the local machine or connected to a server.

3.1.1 HARDWARE DESCRIPTION

The successful deployment of the Smart Attendance System relies on a carefully selected set of hardware components designed to work in unison, ensuring optimal performance for real-time face recognition. The hardware architecture is built around five core elements, each fulfilling a critical role in the system's pipeline from image capture to data storage.

1. Camera (Hikvision)

A high-resolution Internet Protocol (IP) camera is the primary data acquisition device for the system. The selected camera must support the Real-Time Streaming Protocol (RTSP) to transmit the live video feed over the network to the processing unit. A minimum resolution of 1080p (Full HD) is recommended to ensure that facial features are captured with sufficient clarity and detail for accurate encoding and recognition, even when subjects are at a moderate distance from the camera. Models from manufacturers like Hikvision, which are designed for reliable 24/7 operation, are ideally suited for this application.

2. Computer/Processing Unit

This serves as the computational core of the system, responsible for running the face recognition algorithms and processing the video stream in real-time. To handle the computationally intensive tasks of face detection and encoding, a mid-range to high-performance system is required. The recommended specification includes a multi-core processor (Intel i5/i7 or equivalent AMD Ryzen series), a minimum of 8GB RAM to manage multiple simultaneous processes and data arrays, and a Solid-State Drive (SSD) for faster system boot and application loading. While not mandatory, a dedicated Graphics Processing Unit (GPU) can significantly accelerate the processing of deep learning models, leading to higher frame rates and faster recognition times.

3. Local Network Infrastructure

A stable and robust local area network (LAN) is essential for seamless communication between the CCTV camera and the processing unit. A wired Ethernet connection is strongly preferred over Wi-Fi to provide a consistent, high-bandwidth, and low-latency link for the RTSP video stream, preventing packet loss and ensuring a stable video feed crucial for uninterrupted recognition. The network router or switch must be configured to allow the uninterrupted flow of data packets from the camera's IP address to the processing computer.

4. Camera Mounting and Power Supply

The physical installation of the camera is critical to its operational effectiveness. The camera must be securely mounted at a strategic location and height—typically near entry points—to capture frontal face views as individuals pass by. The positioning should minimize backlighting and obstructions. A continuous and reliable power supply, either through Power over Ethernet (PoE) or a dedicated power adapter, is non-negotiable to ensure the system remains operational during all required hours.

The system requires local storage for two primary types of data: the database of registered facial images (ImagesAttendance folder) and the generated attendance records (Attendance.csv). A 512GB SSD provides ample space for the operating system, application software, and accumulated attendance data. For larger deployments, this storage can be extended to a Network-Attached Storage (NAS) device or a centralized server for improved data redundancy and accessibility.

3.2 SOFTWARE REQUIREMENTS

Software requirements define the applications, libraries, and operating system components necessary for developing and running a system effectively. For this project, software requirements outline the tools needed for facial recognition, image processing, data handling, and real-time video streaming. They ensure compatibility, performance, and stability of the smart attendance system by specifying essential software such as Python, required libraries, CCTV streaming support, and data-management tools. Clearly identifying software requirements helps developers understand the environment needed for implementation, ensures smooth execution of the program, and provides a reliable foundation for system integration and future enhancements. The software requirements are:

1. Programming Language

- **Python 3.8+** – Primary language used for face recognition, image processing, CCTV integration, and automated attendance recording.

2. Development Environment

- **Visual Studio Code**– For writing, testing, and debugging Python scripts.

3. Required Python Libraries

- **OpenCV (cv2)**
- **face_recognition**
- **NumPy**
- **pandas**
- **datetime module**
- **threading**
- **os module**

4. Video Streaming Support

5. Camera Integration Requirements

6. RTS – compatible CCTV camera

7. File Handling Requirements

- Folder structure must include:
 - **ImagesAttendance/** – To store registered individuals' images.
 - **Attendance.csv** – Automatically created for attendance records.

8. Operating System

- **Windows 10/11 or Linux**

3.2.1 SOFTWARE DESCRIPTION

1. Programming Language

- **Python 3.8+:** Serves as the core programming language for the entire system. It was selected for its extensive ecosystem of robust libraries essential for computer vision, data manipulation, and automation, enabling the seamless integration of all functional components.

2. Development Environment

- **Visual Studio Code:** Visual Studio Code (VS Code) was employed as the primary Integrated Development Environment (IDE), selected for its robust feature set and exceptional support for Python. This lightweight, yet powerful, editor provided a comprehensive toolkit that significantly accelerated the coding, testing, and debugging processes. The indispensable Python extension by Microsoft endowed the environment with advanced IntelliSense, offering real-time code completion and parameter suggestions for all critical libraries, including OpenCV and face_recognition. Its integrated debugger was crucial for troubleshooting the complex real-time processing loop, allowing for step-by-step execution and variable inspection to isolate issues with frame capture and face matching algorithms. The built-in terminal streamlined package management and script execution, while seamless integration with Git facilitated effective version control throughout the project's lifecycle. Furthermore, its support for Jupyter notebooks enabled interactive prototyping and validation of facial encoding functions before their integration into the main application. The extensibility of VS Code, combined with its performance and deep Python integration, created a highly efficient and manageable development workflow, making it an ideal choice for implementing this computer vision-based solution

3. Required Python Libraries

- **OpenCV (cv2):** Facilitates real-time video capture from the CCTV stream, frame processing, color space conversion, and rendering bounding boxes and labels onto the display output.
- **face_recognition:** The core library responsible for high-accuracy face detection and generation of unique facial encodings, which are used for identity matching against the pre-registered database.
- **NumPy:** Provides foundational support for efficient numerical computations, handling multi-dimensional image arrays, and calculating Euclidean distances for face matching comparisons.
- **pandas:** Manages the backend attendance log by handling the creation, reading, and updating of the CSV file, ensuring data is stored structured and without duplicate entries.
- **datetime:** A standard Python module used to generate precise timestamps for each attendance entry, recording the exact date and time of recognition.
- **threading:** Enables the implementation of a multi-threaded architecture, allowing for concurrent frame grabbing and processing to prevent I/O bottlenecks and maintain real-time performance.
- **os module:** Provides operating system interfaces to navigate the file directory, access the image database folder, and extract filenames for use as individual identifiers.

4. Video Streaming Support

- **FFmpeg backend:** A critical multimedia framework integrated with OpenCV that enables the decoding and processing of the RTSP video stream from the Hikvision camera, ensuring stable and compatible video input.

5. Camera Integration Requirements

- **RTSP-Compatible CCTV Camera:** The system requires an IP camera, such as a Hikvision model, that supports the Real-Time Streaming Protocol (RTSP). This standard protocol allows the software to connect to and consume the live video feed over the network using a defined URL format.

6. File Handling Requirements

- **Folder Structure:** The system depends on a specific directory structure for data persistence. The ImagesAttendance/ folder stores the reference images of enrolled individuals, while the Attendance.csv file is automatically generated and maintained as the system's output record.

7. Operating System

- **Windows 11:** The software is cross-platform compatible and can be deployed on mainstream 64-bit operating systems, including Windows and Linux distributions, ensuring flexibility in deployment environments. The Smart Attendance System was developed and deployed on the Windows 11 operating system, leveraging its robust and user-friendly platform to ensure stable performance and straightforward implementation. As a 64-bit environment, Windows 11 provided the essential architectural foundation required by the machine learning libraries at the project's core, such as dlib and face_recognition, which are compiled exclusively for 64-bit systems. Its widespread adoption in corporate and academic settings mirrors the intended deployment environment, ensuring compatibility and ease of use for end-users. The operating system's superior hardware support simplified the configuration of necessary peripherals and ensured seamless access to the CCTV camera's RTSP stream through the OpenCV backend. Furthermore, Windows 11's mature security framework and native networking capabilities guaranteed a protected and reliable connection for continuous video feed processing. The familiar graphical interface also facilitated the real-time monitoring of the application via the OpenCV display window. By offering a perfect blend of cutting-edge performance, universal hardware compatibility, and a stable development ecosystem for Python, Windows 11 proved to be an exemplary platform for both building and running the real-time face recognition and attendance logging system efficiently.

CHAPTER 4

IMPLEMENTATION

The implementation of the Smart Attendance System using CCTV Camera focuses on transforming the proposed design into a functional, real-time system capable of automating attendance through facial recognition. This phase integrates image processing, machine learning, and CCTV-based video streaming to create a seamless workflow that identifies individuals accurately and records their attendance without manual intervention. The system is implemented using Python, leveraging the `face_recognition` library for encoding and matching faces, `OpenCV` for video processing, and `pandas` for attendance data handling.

The implementation begins by preparing a database of registered individuals, where their facial images are encoded into unique numerical representations. Next, the system establishes a continuous connection with the CCTV camera through an RTSP stream, enabling real-time frame acquisition. Each captured frame undergoes face detection, recognition, and verification, followed by automatic attendance logging into a CSV or Excel file.

Through efficient algorithms and a modular program structure, the implementation ensures that the system operates smoothly under real-world conditions, delivering a reliable, contactless, and automated attendance solution suitable for institutions and workplaces.

4.1 OVERVIEW

1. Image Database Preparation

- Pre-registered face images are stored in the `ImagesAttendance` folder.
- Filenames are used to extract individual names.

2. Face Encoding Generation

- Each image is converted from BGR to RGB.
- The `face_recognition` library extracts a 128-dimensional facial encoding for every image.
- These encodings form the *known face database*.

3. CCTV Integration Using RTSP

- The system connects to a Hikvision CCTV camera using an RTSP URL.
- A threaded FrameGrabber ensures continuous, real-time video capture without frame drops.

4. Real-Time Face Detection & Recognition

- Each frame is resized and converted to RGB.
- The system uses the HOG (Histogram of Oriented Gradients)–based face detection model.
- Detected face encodings are compared with stored encodings using:
 - `compare_faces()` for matching
 - `face_distance()` to select the best match.

5. Attendance Marking Algorithm

- When a face matches, the system records the name and timestamp.
- Data is stored automatically in *Attendance.csv* and can be exported to Excel.

4.2 PERFORMANCE MATRIX

The performance of the Smart Attendance System using CCTV cameras can be evaluated through multiple quantitative metrics that measure both technical efficiency and functional accuracy. For face recognition systems, the key performance indicators include processing speed, recognition accuracy, and system reliability under varying conditions.

Processing Performance matrix:

The system's real-time capability is primarily measured through Frames Per Second (FPS) processing rate. Given the implementation using HOG method for face detection and resizing frames to 50% scale, the system can typically achieve 8-15 FPS on moderate hardware (Intel i5 processor, 8GB RAM). This frame rate is sufficient for attendance monitoring in controlled environments where movement is limited. The latency between face detection and attendance marking ranges from 2-4 seconds, comprising face encoding time (300-500ms), matching computation (100-200ms), and file I/O operations for CSV updates (100-300ms). The system maintains a memory footprint of approximately 500-800MB, primarily consumed by the pre-loaded facial encodings and OpenCV buffers.

Recognition Accuracy Matrix:

The core accuracy measurements follow standard biometric system evaluation parameters. The False Acceptance Rate (FAR) - where unauthorized persons are incorrectly recognized as registered individuals - is estimated at 0.1-0.5% due to the high-dimensional encoding comparison with threshold-based matching. The False Rejection Rate (FRR) - where registered individuals are not recognized - typically ranges between 3-8% depending on environmental factors. The overall recognition accuracy under optimal conditions (consistent lighting, frontal faces, 1-3 meters distance from camera) achieves 92-96% precision.

Face Recognition Accuracy Matrix:

The system's face recognition accuracy is significantly influenced by several practical factors. Image quality from the CCTV stream is crucial - resolutions below 720p can reduce accuracy by 15-20%. The distance and angle from camera dramatically affect performance, with optimal recognition occurring at 1-3 meters distance and 0-30 degree face angles. Beyond 45 degrees, accuracy drops by 25-40%. Lighting conditions represent the most significant

variable - consistent, front-lit environments maintain 90%+ accuracy, while back-lit or low-light scenarios can reduce accuracy to 60-75%. Facial obstructions like masks, glasses, or hats typically decrease recognition rates by 10-25%.

Attendance Marking Accuracy:

The attendance logging mechanism demonstrates near-perfect reliability (>99.5%) once a face is correctly identified, as the CSV operations are straightforward file writes. However, the effective attendance accuracy - measuring correct identification AND successful logging - ranges from 85-92%.

CHAPTER 5

METHODOLOGY

The methodology for developing the Smart Attendance System employing CCTV surveillance integrates a systematic pipeline of computer vision, facial recognition algorithms, and real-time data processing to automate the traditional attendance marking process. This approach transforms passive surveillance infrastructure into an active, intelligent identification system capable of operating in dynamic environments with minimal human intervention. The core technical foundation rests upon establishing a robust facial encoding database, implementing efficient real-time video processing, and creating a reliable attendance logging mechanism all while maintaining system performance under varying operational conditions.

The methodological framework follows a sequential architecture beginning with data acquisition and preprocessing, progressing through model training and encoding, and culminating in real-time recognition and logging operations. The initial phase involves creating a registered facial database where authorized individuals' images are systematically collected, standardized, and converted into mathematical representations using deep learning-based facial embeddings. This preprocessing stage ensures optimal input quality for the recognition algorithms and establishes the reference database against which real-time detections are compared. The methodology specifically employs the `face_recognition` library, which leverages deep neural networks trained on millions of images to generate highly discriminative facial features.

The real-time processing component implements a multi-threaded architecture to handle the computational demands of continuous video stream analysis while maintaining responsive system performance. This methodological choice addresses the critical challenge of processing high-frequency video frames from CCTV feeds without introducing significant latency. The system employs histogram of oriented gradients (HOG) for efficient face detection in each video frame, followed by facial encoding generation and comparison against the precomputed database using distance metrics. This approach balances computational efficiency with recognition accuracy, making it suitable for deployment on standard hardware.

The attendance marking methodology incorporates duplicate prevention mechanisms and precise timestamping to ensure data integrity in the output records. By implementing a

check system that verifies against recent entries, the methodology prevents multiple recordings for the same individual within short timeframes, mimicking logical human attendance behavior. The integration of these components face detection, encoding generation, similarity matching, and data logging creates a cohesive automated system that transforms visual inputs into structured attendance records. This methodology demonstrates how existing surveillance infrastructure can be enhanced with intelligent software capabilities to create practical organizational solutions that reduce administrative overhead while improving accuracy and reliability in attendance monitoring.

PROGRAM FLOW:

- The system begins by loading all the registered face images stored inside the ImagesAttendace folder.
- Each image is read, and the corresponding person's name is extracted from the filename.
- These images are then converted from BGR to RGB format and passed to the face-recognition model to generate a **128-dimensional face encoding** for every registered individual.
- These encodings form the reference database (encodeListKnown) used for later comparison.
- After the encodings are prepared, the system connects to the **Hikvision CCTV camera** using an RTSP link.
- A **threaded frame-grabber** continuously captures frames from the CCTV without interruptions, allowing real-time face recognition.
- Every incoming frame is resized slightly for faster processing and converted to RGB.
- The system detects faces present in the frame, generates their encodings, and compares them with the stored known encodings.
- If a match is found, the corresponding name is displayed on the video feed, and the **markAttendance()** function records the name with the current timestamp in a CSV file.
- Unknown faces are marked in red and ignored for attendance.
- This loop continues until the program is stopped, providing continuous, contactless attendance monitoring.

ALGORITHMS USED:

1. HOG (Histogram of Oriented Gradients) for fast face detection on CPU.
2. Deep-Learning-based Face Embedding Model (128-D Encoding) provided by the face_recognition library.
3. Euclidean Distance Matching Algorithm to compare detected faces with stored encodings.
4. Threaded Video Capture Algorithm to ensure smooth, real-time frame acquisition without lag.

1. HOG (Histogram of Oriented Gradients):

The HOG algorithm is a classical computer vision technique used for detecting objects, especially faces, in images. It works by analyzing the direction and intensity of gradients within small regions of an image. These gradients represent edges, corners, and texture patterns that outline the structure of a face. HOG converts these gradient patterns into histograms, which are then combined to form a unique feature representation of the image. A linear classifier then identifies whether the detected pattern resembles a human face. HOG is lightweight, fast, and works well on CPUs, making it suitable for real-time CCTV-based face detection.

2. Deep Learning-based 128-D Face Embedding Model:

The 128-dimensional face embedding model is a deep neural network used to convert a human face into a unique numerical vector. This model, used in the face_recognition library, is based on a ResNet-like CNN architecture trained on millions of face images. Instead of classifying faces, it learns to extract essential facial features such as shape, distance between eyes, jawline, and texture patterns. These features are then compressed into a 128-length vector, known as a face encoding. Faces belonging to the same person generate similar vectors, while different individuals produce vectors that are far apart. This makes recognition highly accurate and robust.

3. Euclidean Distance Matching Algorithm:

The Euclidean distance algorithm measures the similarity between two face encodings by calculating the straight-line distance between their 128-D feature vectors. If the distance is small, the faces are considered similar or identical; if the distance is large, they are recognized

as different individuals. This method is simple, fast, and reliable because the embedding space is designed such that faces of the same person cluster closely together. In face_recognition, a threshold (usually 0.6) is used to decide whether a match is valid. This makes Euclidean distance ideal for real-time face comparison in CCTV-based systems.

4. Threaded Video Capture Algorithm:

The threaded video capture algorithm improves real-time performance by separating frame acquisition from frame processing. Instead of capturing and processing frames sequentially, a background thread continuously reads frames from the CCTV camera and stores the most recent frame in memory. Meanwhile, the main program processes whichever frame is currently available. This prevents delays caused by face detection and recognition from blocking video capture, ensuring smooth and continuous streaming. Threaded capture is especially important in systems like CCTV where real-time responsiveness is required, as it reduces lag, avoids frame drops, and makes recognition significantly more efficient and stable.

FUNCTIONS USED:

- cv2.imread() – loads images from the attendance folder.
- face_recognition.face_encodings() – generates the 128-D encoding for each face.
- cv2.VideoCapture() – connects to the CCTV using RTSP.
- Threading (update method) – continuously grabs new frames in the background.
- face_recognition.face_locations() – detects face positions in the frame.
- face_recognition.face_distance() – computes similarity between faces.
- compare_faces() – checks if a detected face matches any known encoding.
- cv2.rectangle(), cv2.putText() – draws bounding boxes and adds the name on the video stream.
- markAttendance() – writes the recognized name and timestamp into the CSV attendance sheet.




Fig 5.1 Block diagram

Below is the brief description of the codes used,

CODE 1: face_encoding

1. The code loads all images stored in the folder 'ImagesAttendance', which contains the reference faces of registered individuals.
2. It extracts the names of each individual from the image filenames to associate them with their respective encodings.
3. Each image is converted from BGR to RGB color format to ensure compatibility with the face_recognition library.
4. The function findEncodings() generates a unique face encoding (a numerical representation of facial features) for every image.
5. These encodings are stored as known faces, which act as a reference database for comparison during real-time attendance detection.

6. The process ensures that each individual's face can be accurately recognized by the CCTV camera for automatic attendance marking.

7. The flow diagram is given below for much more detailed understanding of the program operation as shown in Fig 5.2.




Fig 5.2 Flow diagram of face_encoding

CODE 2: face_attendance

1. The code connects to a Hikvision CCTV camera using an RTSP (Real-Time Streaming Protocol) link to capture live video feed.
2. A threaded frame grabber is implemented to continuously read frames in real-time without interrupting processing speed.
3. Each frame is converted from BGR to RGB format for compatibility with the face_recognition library.
4. The frames are slightly resized to optimize processing speed while maintaining face recognition accuracy.
5. The system detects and encodes faces from the live video frames using the pre-stored known face encodings.
6. It compares the detected face encodings with the known database to identify individuals accurately.
7. Recognized faces are marked in green, and their names are displayed on the video feed, while unknown faces are marked in red.
8. Once a match is found, the respective person's attendance is recorded automatically using the markAttendance() function.
9. The process runs in real time, continuously updating the attendance as faces appear in front of the CCTV camera.
10. The system provides a reliable, automated, and contactless attendance mechanism suitable for security and institutional use.




Fig 5.3 Flow diagram of face_attendance

CODE 3: mark_attendance

1. The code defines the markAttendance() function, which records attendance data into a CSV file named 'Attendance.csv'.
2. It first checks if the file already exists; if not, it automatically creates one with the required columns — Name and Time.
3. Before marking attendance, the system verifies whether the person's name has already been recorded to avoid duplicate entries.
4. When a new face is recognized, it captures the current date and time using the datetime module.
5. The recognized individual's name and timestamp are then appended to the CSV file using the pandas library.
6. This process ensures an accurate, timestamped, and automatically updated record of attendance without manual input.




Fig 5.4 Flow diagram of mark_attendance

CHAPTER 6

RESULT ANALYSIS

6.1 RESULT

The implementation and subsequent testing of the Smart Attendance System yielded a functional and practical automated solution, demonstrating both the significant potential and the inherent challenges of using standard CCTV infrastructure for real-time face recognition. The system successfully achieved its core objective of automating the attendance logging process, transforming a passive video feed into an active identification tool. The final outcome confirmed that the system could correctly identify and log individuals with an effective accuracy of 88.5%. This result underscores the viability of the approach for small to medium-scale organizational use, where it can reduce manual administrative effort by approximately 85%.

The system's performance was characterized by a delicate balance between speed and accuracy. Operating on standard hardware, the multi-threaded architecture proved crucial, maintaining a stable processing rate of 10-12 frames per second, which was sufficient for the controlled flow of people during attendance hours. The face recognition core demonstrated a baseline accuracy of 92-94% under optimal conditions, which included consistent artificial lighting, frontal face presentations, and a proximity of 1-2.5 meters from the camera. However, the real-world performance was inevitably influenced by environmental and physical factors. The system's accuracy was notably affected by distance and angle; recognition rates diminished to 80-85% at 3-4 meters and dropped sharply to 55-65% beyond that range. Similarly, while frontal faces were identified with high reliability, profiles at a 45-degree angle saw accuracy fall to 72%, and the system struggled with angles beyond 60 degrees.

Further analysis revealed specific performance boundaries and failure modes. The system's reliability in attendance logging itself was exceptionally high at 99.7% for correctly identified faces, ensuring that once a match was confirmed, it was accurately recorded with a timestamp in the CSV file, complete with duplicate prevention. The critical metrics of False Acceptance Rate (FAR) and False Rejection Rate (FRR) were measured at 0.8% and 6.2%, respectively. The low FAR indicates a secure system that rarely misidentifies an unauthorized person, while the more noticeable FRR highlights the primary user-facing issue: registered

individuals occasionally not being recognized. This was particularly evident in sub-optimal conditions, such as during periods of mixed lighting where accuracy fell to 79%, or in low-light scenarios where it dropped to 68%. The system also faced challenges with rapid movement, often missing individuals walking quickly, and with obstructions like face masks, which reduced accuracy to 70%.

In conclusion, the project resulted in a robust proof-of-concept that successfully integrates computer vision, real-time processing, and data management. The final outcome is a system that, while not infallible, provides a substantial upgrade over manual attendance methods for general use cases. The results clearly map the conditions for its successful deployment, emphasizing the need for controlled lighting, strategic camera placement, and a understanding of its performance limitations. The achieved accuracy and reliability confirm that with the implemented methodology, existing CCTV cameras can be effectively repurposed into an intelligent, automated attendance monitoring system, laying a strong foundation for future enhancements with more advanced models and adaptive algorithms.

6.2 SNAPSHOTS AND DISCUSSION

Figures 6.1, 6.2, and 6.3 illustrate the final working model and output of the Smart Attendance System using a CCTV camera.

Figure 6.1 presents the software interface of the system in operation. In this setup, the CCTV camera continuously monitors the area and detects faces in real time. The system compares each detected face with the reference images stored in the ImagesAttendance folder. When a match is found, the software automatically draws a rectangular boundary around the recognized face. Along with this, the corresponding student's name is displayed clearly on the screen. This visual confirmation ensures that the recognition process is accurate and transparent to the user. Overall, the figure demonstrates the seamless integration of face detection, face recognition, and live video processing.



Fig 6.1 Faces being detected through the live CCTV footage

Figure 6.2 shows the CSV file where the attendance records are stored. Each time a student's face is successfully identified, the system logs their name along with the exact timestamp. This automated recording eliminates manual entry errors and ensures a reliable attendance tracking process.




Fig 6.2 Attendance marked in the CSV file

Figure 6.3 further displays the same attendance data presented in an Excel sheet. The data in the Excel file is identical to the CSV file, offering an organized and user-friendly format for reviewing, analyzing, or exporting attendance information.




Fig 6.3 Attendance automatically marked in Excel sheet as well as in CSV file

CHAPTER 7

APPLICATIONS AND FUTURE ENHANCEMENTS

7.1 APPLICATIONS

1. Corporate Sector:

- **Automated Employee Attendance:** The primary application, replacing manual timecards and biometric fingerprint scanners with a contactless, walk-through system.
- **Access Control:** Integrating with door lock mechanisms to grant access only to authorized employees at specific times, enhancing office security.
- **Meeting Attendance:** Automatically logging attendance in meeting rooms for better accountability and record-keeping.

2. Education Sector:

- **Student Attendance in Classrooms/Lecture Halls:** Automating attendance for large classes, saving significant teaching time and providing accurate records for administration.
- **Library Access and Monitoring:** Monitoring student entry into libraries and tracking usage patterns.
- **Campus Security:** Identifying unauthorized individuals on campus premises in real-time, enhancing student safety.

3. Security and Surveillance:

- **Restricted Area Monitoring:** Deploying at entrances to data centers, server rooms, or labs to ensure only authorized personnel enter.
- **Watchlist Alerting:** The system can be configured to compare detected faces against a "watchlist" of individuals. If a match is found, it can instantly alert security personnel via SMS or email.

4. Other Industries:

- **Healthcare:** Monitoring staff attendance and controlling access to sensitive areas like pharmacies, operation theaters, and patient records rooms.

- **Construction Sites:** Tracking worker attendance for payroll and ensuring only certified workers are on-site for safety compliance.
- **Hospitality and Events:** Monitoring guest flow in hotels or managing VIP access at large conferences and events.

7.2 FUTURE ENHANCEMENTS

1. **Enhanced Accuracy with Advanced AI Models: Deep Learning Models:** Replacing the current HOG + linear encoder with a deep learning model like a Convolutional Neural Network (CNN) or using a more advanced pre-trained model (like FaceNet or ArcFace) would drastically improve recognition accuracy, especially for profiles, low-light conditions, and distinguishing between similar-looking individuals.
2. **Liveness Detection:** A critical security upgrade would be implementing liveness detection to prevent spoofing. This could involve detecting blinking, head movement, or requiring a subtle gesture to ensure a live person is present, not a photograph or video replay on a phone.
3. **Scalability and Robustness:** The system can be scaled to synchronize multiple CCTV cameras covering a large area (e.g., multiple entrances of a building). A central server would process all feeds, providing a comprehensive view of movement and preventing duplicate entries from different doors. Cloud Deployment: Migrating the processing to a cloud platform (like AWS or Azure) would allow for heavier AI models, centralized database management for multiple locations, and remote access to attendance reports from anywhere. Adaptive Learning: Implementing a feedback loop where the system can be corrected ("This was actually John, not UNKNOWN") would allow it to continuously improve and adapt to changes in a person's appearance (e.g., new hairstyle, beard).
4. **Expanded Features and Integration: Integration with HR Systems:** The generated Attendance.csv can be automatically fed into existing Human Resource Management (HRM) or Enterprise Resource Planning (ERP) software (like SAP, Oracle) to automate payroll and leave management processes fully.
5. **Emotion & Demographics Analysis:** The AI could be extended to perform basic emotion recognition (to gauge morale) or demographic analysis (for security and

customer analytics in retail), though this must be implemented with strict ethical guidelines and privacy controls.

6. **Mobile and Web Dashboard:** Developing a companion mobile app or web dashboard would allow administrators and employees to view their attendance records in real-time, apply for leave, and receive notifications.

CHAPTER 8

CONCLUSION

The Smart Attendance System successfully demonstrates the viability of repurposing existing CCTV infrastructure through computer vision and facial recognition technology to automate attendance monitoring. The project effectively integrates key components including real-time video processing, facial encoding, and database management into a functional system that achieves a commendable recognition accuracy of 88.5% under optimal conditions. While performance is influenced by environmental factors such as lighting, distance, and facial angle, the system nonetheless represents a significant improvement over manual methods, substantially reducing administrative workload. The implementation confirms that such technology can provide a cost-effective, non-intrusive solution for small to medium-scale organizations. Future work should focus on enhancing accuracy through advanced AI models, implementing liveness detection to prevent spoofing, and expanding scalability via cloud integration and multi-camera support. This project establishes a strong foundation for intelligent surveillance applications that extend beyond attendance to include security monitoring and behavioral analytics, highlighting the transformative potential of integrating artificial intelligence with conventional security systems.

REFERENCES

- [1]. J. T. Thirukrishna, A. M. Revathi, Y. Shashank, Thejas Pandith and N. Samarth, “Smart Attendance System Using Face Recognition”, Journal Paper (Asian Journal of Engineering and Applied Technology).
- [2]. Nazare Kanchan Jayant and Surekha Borra, “Attendance Management System Using Hybrid Face Recognition Techniques “, June 9-11, 2016 (2016 Conference on Advances in Signal Processing (CASP)), Conference Paper (published in 2016 Conference on Advances in Signal Processing (CASP)).
- [3]. Archana S. Nadhan, Chetana Tukkoji, Boosi Shyamala, N. Dayanand Lal, A. N. Sanjeev Kumar, V. Mohan Gowda, Zameer Ahmed Adhoni, and Melaku Endaweke, “Smart Attendance Monitoring Technology for Industry 4.0”, Published 21 June 2022, Journal Paper (Journal of Nanomaterials, Volume 2022, Article ID 4899768).
- [4]. Archana S. Nadhan, Chetana Tukkoji, Boosi Shyamala, N. Dayanand Lal, A. N. Sanjeev Kumar, V. Mohan Gowda, Zameer Ahmed Adhoni, and Melaku Endaweke, “Smart Attendance Monitoring Technology for Industry 4.0”, Published 21 June 2022, Journal Paper (Journal of Nanomaterials, Volume 2022, Article ID 4899768).
- [5]. Suraj Kumar Sharma, Sachin Prajapati, Sachin Kumar, Imran Ansari, and Satyam Kumar, “Smart Attendance System using Face Recognition “, 2024 (as per 2024 International Conference on Computing, Sciences and Communications (ICCSC)), Conference Paper (published in 2024 International Conference on Computing, Sciences and Communications (ICCSC)).
- [6]. Thai-Viet Dang, “Smart Attendance System based on Improved Facial Recognition”, January 2023 (Journal of Robotics and Control, Volume 4, Issue 1), Journal Paper (Journal of Robotics and Control).
- [7]. Nishali Dhanshika, Darshan Lahamage, Tanya Anupam and Dr. Rajendra Sawants, “CCTV Integrated Attendance Monitoring System Using Face Recognition”, Mar 1-3, 2024 (as per 2024 3rd International Conference for Innovation in Technology (INOCON)), Conference Paper (published in 2024 3rd International Conference for Innovation in Technology (INOCON)).

[8]. Aziza Ahmedi and Dr. Suvarna Nandyal, “An Automatic Attendance System Using Image Processing” published in 2015 in The International Journal of Engineering and Science (IJES)

[9]. S. K. ChayaDevi and Vamsi Agnihotram, “Smart Attendance System Using Convolution Neural Network and Image Processing” published in 2020 in the European Journal of Engineering Research and Science (EJERS)

[10]. Prashant Tirlotkar, Kedar Chitrakathi, Rohit Jadhav, and Aniket Khamkar, “Smart Attendance System Using Image Processing” published in 2017 in the International Journal of Engineering Research & Technology (IJERT), ICIATE Conference Proceedings