FACULTY OF COMPUTER SCIENCE & ENGINEERING

DEPARTMENT OF COMPUTER SCIENCE & ENGINEERING

BACHELOR OF TECHNOLOGY

(COMPUTER SCIENCE & ENGINEERING)

(ACADEMIC SESSION: 2025-2026)

MAJOR PROJECT REPORT

ON

AI-Based Mental Health Detection System

Rajyavardhan Sharma

2022PUFCEBADX12091 (IVth Year)

Ripudaman Singh

2022PUFCEBADX12853 (IVth Year)

Sanket Sahu

2022PUFCEBADX10740 (IVth Year)

Sujal Dey

2022PUFCEBADX11489 (IVth Year)

Dr. Shikha Sharma
(Head of Department)

Dr. Saurabh Shandilya
(Project Guide)

Poornima University

Plot No. 2027-2031, Ramchandrapura P.O.
Vidhani Vatika Road, Sitapura, Jaipur,
Rajasthan- 303905 (India)

www.poornima.edu.in

A

MAJOR PROJECT REPORT

on

AI-Based Mental Health Detection System

Submitted in partial fulfilment of the requirements for the award of the Degree of

BACHELOR OF TECHNOLOGY

Poornima University, Jaipur
(Academic Session: 2025-26)

Submitted By

Rajyavardhan Sharma

2022PUFCEBADX12091

Ripudaman Singh

2022PUFCEBADX12853

Sanket Sahu

2022PUFCEBADX10740

Sujal Dey

2022PUFCEBADX11489

IVth Year, Computer Science & Engineering

Submitted To

Department of Computer Science & Engineering

Faculty of Computer Science & Engineering

Poornima University, Jaipur

CANDIDATE'S DECLARATION

I hereby declare that the work presented in the Major Project report entitled "**AI-Based Mental Health Detection System** " is submitted by **Rajyavrdhan Sharma [2022PUFCEBADX12091]**, **Ripudaman Singh [2022PUFCEBADX12853]**, **Sanket Sahu [2022PUFCEBADX10740]**, and **Sujal Dey [2022PUFCEBADX11489]** in the fulfillment of the requirements for the award of Bachelor of Technology in Computer Science Engineering from Poornima University, Jaipur during the academic year 2025–26. The work has been found satisfactory, authentic of our own work carried out during our degree and approved for submission.

The work reported in this has not been submitted by us for award of any other degree or diploma.

Date:

Rajyavardhan Sharma

[2022PUFCEBADX12091]

Ripudaman Singh

[2022PUFCEBADX12853]

Sanket Sahu

[2022PUFCEBADX10740]

Sujal Dey

[2022PUFCEBADX11489]

CERTIFICATE

Certified that Major Project work entitled **"AI-Based Mental Health Detection System "** is a bonafide work carried out in the eighth semester by **Rajyavrdhan Sharma [2022PUFCEBADX12091]**, **Ripudaman Singh [2022PUFCEBADX12853]**, **Sanket Sahu [2022PUFCEBADX10740]**, and **Sujal Dey [2022PUFCEBADX11489]** in partial fulfillment for the award of Bachelor of Technology in Computer Science & Engineering from Poornima University Jaipur, during the academic year 2025–2026.

Dr. Saurabh Shandilya
Professor
Faculty of Computer Science and Engineering
(Project Guide)

Dr. Shikha Sharma
Head of Department
Department of Computer Science and Engineering
Poornima University, Jaipur

Dr. Ajay Khunteta
Dean
Faculty of Computer Science and Engineering
Poornima University, Jaipur

ACKNOWLEDGEMENT

Undertaking this Major Project has been a meticulously planned and guided journey, turning into a lifetime experience for us. Such an achievement would not have been possible without the invaluable support from various sources and individuals at Poornima University.

I extend my heartfelt gratitude to **Dr. Ajay Khunteta**, Dean of the Faculty of Computer Science and Engineering, for providing us with the platform and encouragement to successfully execute this project.

I am deeply thankful to **Dr. Shikha Sharma**, Head of Department of Computer Science and Engineering, for her continuous support and guidance throughout this endeavor. Her mentorship has been pivotal in navigating challenges and completing this project successfully.

I would also like to acknowledge **M. Firdos Sheikh**, Deputy HoD of BTech, for his expertise and valuable guidance which played a crucial role in the successful development of our project.

Additionally, I extend my sincere appreciation to **Dr. Manoj Gupta**, Pro-President of the Faculty of Computer Engineering, for his encouragement and visionary guidance.

A special note of appreciation to our **Class Tutor Seema Kaloria** for their constant motivation and valuable insights throughout the project journey. I am also thankful to the librarian for providing access to essential resources and research materials that were instrumental in our study.

Furthermore, I extend my sincere gratitude to all the faculty members of the Department of Computer Science & Engineering for their unwavering support and guidance.

Lastly, I deeply appreciate our friends and team members, whose direct and indirect contributions, valuable suggestions, and encouragement have played a vital role in the successful completion of this project.

Rajyavardhan Sharma
[2022PUFCEBADX12091]

Ripudaman Singhi
[2022PUFCEBADX12853]

Sanket Sahu
[2022PUFCEBADX10740]

Sujal Dey
[2022PUFCEBADX11489]

ABSTRACT

This project focuses on developing an AI-based mental health detection system using Natural Language Processing (NLP) techniques. The system analyzes textual data such as social media posts or user inputs to identify signs of mental health conditions like depression or anxiety. The model is trained using machine learning algorithms such as Logistic Regression and utilizes preprocessing techniques including tokenization, stopword removal, and lemmatization. TF-IDF vectorization is applied to convert textual data into numerical form for effective model training. The system predicts whether a given text indicates mental distress and can assist in early detection, providing a foundation for mental health awareness and intervention. This project demonstrates the practical application of AI in healthcare and aims to improve accessibility to mental health support systems.

TABLE OF CONTENTS

Cover Page i
Candidate's Declaration ii
Certificate iii
Acknowledgement iv
Abstract v
Table of Contents ..... vi–vii

Chapter 1 - Introduction 1–7
1.1 Introduction 1–2
1.2 Problem Statement 2–3
1.3 Aims and Objectives 3–4
1.4 Features 4–5
1.5 Future Scope 5–6

Chapter 2 - Project Plan 7–15
2.1 Introduction 7
2.2 Duration of Training 8
2.3 Workflow 8–9
2.4 Tools Used 9–10
2.5 Platform used in Model Development 10–11
2.6 Libraries used 11–15

Chapter 3 - Working of Project 16–20
3.1 Research and Requirements Gathering 16
3.2 Initialization and Setup 17
3.3 Implementation 18–20

Chapter 4 - Conclusion 21

Chapter 5 - Future Work 22

Chapter 6 - References 23

LIST OF FIGURES

Fig 1 *Overall Workflow of ResumeLLMe System* 9

Fig 2 *AI-Based Resume Enhancement Process* 11

Fig 3 *System Architecture* 19

Chapter 1
Introduction

1.1 Introduction

Mental health has emerged as a critical global issue in recent years, affecting individuals across all age groups, cultures, and socio-economic backgrounds. According to various global health organizations, conditions such as depression, anxiety, and stress-related disorders are increasing rapidly due to lifestyle changes, social pressures, and the growing influence of digital environments. One of the most significant transformations in human communication is the rise of social media platforms and online interactions, where individuals frequently express their thoughts, emotions, and personal experiences through text.

These textual expressions, whether in the form of posts, comments, blogs, or messages, often contain valuable insights into a person's mental state. For instance, patterns of negative language, emotional intensity, or repeated expressions of distress can indicate underlying psychological conditions. However, manually analyzing such large volumes of data is impractical and inefficient.

This is where Artificial Intelligence (AI) and Natural Language Processing (NLP) play a crucial role. NLP enables machines to understand, interpret, and analyze human language, making it possible to extract meaningful information from textual data. By applying machine learning techniques, systems can be trained to recognize patterns associated with mental health conditions. This project focuses on leveraging AI and NLP to analyze textual data and detect potential mental health issues, providing a foundation for early intervention and support.

1.2 Problem Statement

Traditional methods of diagnosing mental health conditions primarily rely on clinical evaluations conducted by trained professionals such as psychologists and psychiatrists. While these methods are accurate and essential, they often come with several limitations. Access to mental health services is still limited in many regions, especially in developing countries, due to factors such as high costs, lack of awareness, social stigma, and insufficient healthcare infrastructure.

Additionally, many individuals hesitate to seek help due to fear of judgment or lack of recognition of their own mental health issues. As a result, early symptoms often go unnoticed, leading to worsening conditions over time. This highlights the urgent need for an alternative approach that can assist in identifying mental health concerns at an early stage.

An automated system powered by AI can address these challenges by:

- Detecting mental health issues early: By analyzing user-generated text, the system can identify signs of distress or emotional imbalance before they escalate.
- Efficiently analyzing large volumes of data: Unlike manual analysis, AI systems can process vast amounts of textual data quickly and accurately.
- Providing scalable solutions: Such systems can be deployed across platforms, making mental health screening more accessible to a larger population.

The goal is not to replace professional diagnosis but to act as a supportive tool that can assist in early detection and awareness.

1.3 Aim & Objectives

The primary aim of this project is to develop a machine learning-based system capable of detecting mental health conditions from textual data using NLP techniques.

To achieve this aim, the following objectives are defined:

- To build a machine learning model for mental health detection: Develop and train a classification model that can categorize text based on mental health indicators such as depression, anxiety, or normal emotional state.
- To preprocess and analyze textual data: Implement text preprocessing techniques such as removing noise, tokenization, stop-word removal, and lemmatization to prepare the data for analysis.
- To classify text into mental health categories: Use appropriate algorithms to classify the processed text into predefined categories based on emotional and psychological patterns.
- To evaluate model performance: Assess the accuracy and effectiveness of the model using evaluation metrics such as precision, recall, F1-score, and confusion matrix.

Through these objectives, the project aims to create a reliable and efficient system that can assist in identifying mental health issues through textual analysis.

1.4 Features

The proposed system includes several key features that enable effective mental health detection:

- Text Preprocessing: Raw textual data often contains noise such as punctuation, special characters, and irrelevant words. Preprocessing techniques like cleaning, tokenization (breaking text into words), and lemmatization (reducing words to their base form) are applied to improve data quality.

- TF-IDF Feature Extraction: Term Frequency-Inverse Document Frequency (TF-IDF) is used to convert textual data into numerical form. It helps in identifying the importance of words in a document relative to a dataset, enabling better model performance.

- Logistic Regression Model: A supervised machine learning algorithm, Logistic Regression, is used for classification. It is simple, efficient, and effective for binary and multi-class classification problems.

- Prediction of Mental Health Condition: The system predicts whether a given text indicates a particular mental health condition or a normal emotional state.

- Ease of Integration: The model is designed to be easily integrated into applications such as web platforms, mobile apps, or chatbots, making it practical for real-world usage.

1.5 Future Scope

While the current system provides a solid foundation for mental health detection, there are several opportunities for future enhancement:

- Integration of Deep Learning Models: Advanced models such as Long Short-Term Memory (LSTM) networks and transformer-based models like BERT can be used to capture deeper contextual meaning and improve accuracy.

- Real-Time Chatbot Integration: The system can be integrated with chatbots to provide real-time mental health assessment and basic support, creating an interactive user experience.

- Multi-Language Support: Expanding the system to support multiple languages will make it accessible to a broader audience, especially in multilingual countries like India.

- Deployment as Web or Mobile Application: Developing a user-friendly interface through web or mobile applications will enhance usability and accessibility.

- Personalized Recommendations: Future versions can provide suggestions, coping strategies, or resources based on detected mental health conditions.

Overall, this project lays the groundwork for an intelligent system that can contribute to mental health awareness and early detection, ultimately supporting individuals in seeking timely help.

“‘latex

1.6 Importance of Mental Health in Modern Society

Mental health is an essential component of overall well-being and plays a significant role in determining an individual’s ability to function effectively in daily life. In today’s fast-paced world, individuals are constantly exposed to stress, competition, and social expectations, which can negatively impact their psychological health.

Poor mental health can lead to reduced productivity, strained relationships, and physical health issues. Therefore, maintaining good mental health is not only important for individuals but also for society as a whole. Early identification and intervention can help prevent severe mental health conditions and improve quality of life.

1.7 Role of Artificial Intelligence in Mental Health

Artificial Intelligence (AI) has become a transformative technology in the healthcare sector. AI systems can analyze large amounts of data quickly and identify patterns that may not be visible to humans.

In mental health, AI can be used to:

- Detect early signs of psychological disorders
- Analyze behavioral and textual patterns
- Provide automated support systems
- Assist healthcare professionals in diagnosis

These capabilities make AI an effective tool for enhancing mental health care services.

1.8 Role of Natural Language Processing (NLP)

Natural Language Processing (NLP) is a branch of AI that enables machines to understand and process human language. NLP techniques are widely used in analyzing text data for sentiment and emotion detection.

In this project, NLP is used to:

- Process textual data from users
- Identify emotional tone in text
- Extract meaningful patterns
- Convert text into machine-readable format

This makes NLP a critical component in building the mental health detection system.

1.9 Applications of Mental Health Detection System

The AI-based mental health detection system can be applied in various domains:

- Social media monitoring for detecting emotional distress
- Educational institutions for student well-being analysis
- Corporate environments for employee mental health tracking
- Healthcare platforms for preliminary screening

These applications highlight the practical significance of the system.

1.10 Challenges in Mental Health Detection

Despite advancements, several challenges exist:

- Difficulty in understanding sarcasm and context
- Limited availability of labeled datasets
- Privacy concerns related to user data
- Risk of incorrect predictions

Addressing these challenges is essential for improving system accuracy and reliability.

1.11 Detailed Study of Mental Health Trends

Mental health trends have shown a significant shift over the past decade. With the rise of digital communication, individuals increasingly express their emotions through online platforms. Studies indicate that social media usage has both positive and negative effects on mental well-being.

On one hand, it allows individuals to connect and share experiences, reducing feelings of isolation. On the other hand, excessive exposure to unrealistic expectations, cyberbullying, and comparison can contribute to anxiety and depression.

Recent global studies suggest:

- Increase in depression cases among young adults
- Rise in anxiety due to academic and career pressure
- Growing impact of digital addiction on mental health

These trends highlight the need for automated systems capable of monitoring and analyzing mental health indicators.

1.12 Psychological Patterns in Language

Human language often reflects emotional and psychological states. Individuals experiencing mental distress tend to use specific linguistic patterns.

Common patterns include:

- Increased use of first-person pronouns ("I", "me")
- Negative emotional words ("sad", "tired")
- Repetitive expressions of hopelessness
- Reduced complexity in sentence structure

Analyzing such patterns helps machine learning models identify underlying mental conditions.

1.13 Importance of Early Detection

Early detection of mental health issues can prevent severe complications. Identifying symptoms at an initial stage allows timely intervention.

Benefits include:

- Reduced severity of disorders
- Improved treatment outcomes
- Better quality of life

AI-based systems can act as early warning tools by continuously analyzing textual data.

1.14 Global Impact of Mental Health Issues

Mental health issues are a global concern affecting millions of people. According to reports:

- Depression is one of the leading causes of disability worldwide
- Suicide is a major cause of death among youth
- Mental disorders affect productivity and economic growth

This emphasizes the importance of developing scalable detection systems.

1.15 Technological Advancements in Mental Health

Advancements in AI and NLP have opened new possibilities in mental health analysis. Modern systems can:

- Analyze millions of data points
- Detect subtle emotional patterns
- Provide real-time insights

These advancements make technology an essential part of modern healthcare.

Chapter 2
PROJECT PLAN

2.1 Introduction

This chapter describes the overall planning, methodology, and execution strategy of the AI-Based Mental Health Detection System. The project follows a structured machine learning pipeline, beginning with data collection and ending with model evaluation and deployment readiness.

The main objective of the project plan is to ensure systematic development of the system while maintaining accuracy, efficiency, and scalability. Each stage of the project has been carefully designed to handle textual data effectively using Natural Language Processing (NLP) techniques.

2.2 Project Workflow

The project follows a step-by-step workflow to ensure proper data handling and model development. The workflow is described below:

Step 1: Data Collection

A dataset containing mental health-related textual data was collected. The dataset includes:

- A text column (clean_text)
- A label column (is_depression)

This dataset forms the foundation for training and testing the machine learning model.

Step 2: Data Preprocessing

Raw textual data cannot be directly used for model training. Therefore, preprocessing is performed to clean and standardize the text.

The preprocessing steps include:

- Converting text to lowercase
- Removing punctuation and special characters
- Removing stopwords (e.g., “the”, “is”, “and”)
- Lemmatization using NLTK

These steps help in reducing noise and improving model performance.

Step 3: Feature Extraction (TF-IDF)

After preprocessing, the text data is converted into numerical form using TF-IDF (Term Frequency-Inverse Document Frequency).

- TF-IDF assigns importance to words based on frequency
- Converts text into vectors for machine learning models
- Helps in identifying meaningful patterns in text

This step is crucial for transforming textual input into machine-readable format.

Step 4: Dataset Splitting

The dataset is divided into:

- Training set
- Testing set

This ensures that the model is evaluated on unseen data, improving its generalization capability.

Step 5: Model Training

A Logistic Regression algorithm is used for classification.

- It is simple and efficient for text classification
- Works well with TF-IDF features
- Provides high accuracy with low computational cost

The model is trained using the processed dataset through the script:

`train_mental_health_model.py`

Step 6: Model Evaluation

After training, the model is evaluated using standard metrics:

- Accuracy
- Precision
- Recall

- F1-score

These metrics help in understanding how well the model performs in detecting mental health conditions.

Step 7: Model Saving
Once trained, the model and vectorizer are saved as:

- mental_health_model.pkl
- mental_health_vectorizer.pkl

This allows reuse without retraining.



Fig 2.1 Project Workflow of Mental Health Detection System

2.3 Tools Used

The following tools were used for project development:

- Python: Core programming language
- VS Code: Development environment
- Command Line / Terminal: For executing scripts

2.4 Libraries Used

Several Python libraries were used:

- Pandas: Data handling and manipulation
- NumPy: Numerical operations
- NLTK: Text preprocessing (tokenization, stopwords, lemmatization)
- Scikit-learn: Machine learning algorithms and evaluation

Model Training Flow



2.5 Platform Used

The project was developed and executed on:

- Local system (Windows environment)

The system supports running Python scripts and handling datasets efficiently.

2.6 System Architecture Overview

The system architecture follows a pipeline structure:

$$\text{Input Text} \rightarrow \text{Preprocessing} \rightarrow \text{TF-IDF} \rightarrow \text{Model} \rightarrow \text{Prediction Output}$$

This architecture ensures smooth data flow and modular design, making it easy to upgrade in future.

2.7 Development Strategy

The project was developed in phases:

1. Understanding dataset
2. Implementing preprocessing
3. Applying feature extraction
4. Training initial model
5. Improving performance
6. Testing and debugging

This iterative approach helped in achieving better accuracy and stability.

2.8 Limitations of Current Plan

- No graphical user interface (GUI)
- No real-time prediction system
- Limited dataset size
- Basic machine learning model

These limitations will be addressed in future development.

2.9 Summary

This chapter presented a detailed project plan, including workflow, tools, technologies, and development strategy. The structured approach ensures efficient implementation of the mental health detection system and provides a strong base for future enhancements. “‘

“‘latex id=”c3merge”

2.10 Detailed Workflow Explanation

The workflow of the system is designed to ensure efficient processing of textual data. Each stage contributes to transforming raw input into meaningful predictions.

The process begins with data collection, followed by preprocessing to clean the data. Feature extraction converts the text into numerical vectors, which are then used for training the model. Finally, predictions are generated based on learned patterns.

NLP Processing Flow



2.11 Advantages of the Proposed Workflow

The workflow offers several advantages:

- Structured and modular design
- Efficient handling of large datasets
- Easy integration with applications
- High scalability

2.12 Limitations of Tools and Technologies

Although the tools used are powerful, they have certain limitations:

- NLTK requires manual preprocessing steps
- Logistic Regression may not capture deep context

- Limited support for real-time processing

These limitations can be addressed in future improvements.

2.13 System Scalability Considerations

The system is designed to be scalable and adaptable. It can handle increasing amounts of data and can be deployed across different platforms.

Future scalability improvements include:

- Cloud deployment
- Real-time processing
- Integration with APIs

2.14 Detailed Explanation of Preprocessing Techniques

Text preprocessing is one of the most critical stages in NLP. It transforms raw text into a structured format.

Lowercasing: All text is converted to lowercase to ensure uniformity.

Punctuation Removal: Special characters are removed to reduce noise.

Stopword Removal: Common words like "is", "the", "and" are removed.

Lemmatization: Words are reduced to their root form.

These steps improve model performance by reducing irrelevant data.

2.15 TF-IDF Mathematical Explanation

TF-IDF is calculated using:

- Term Frequency (TF): Frequency of a word in a document
- Inverse Document Frequency (IDF): Importance of the word across documents

Formula:

$$TF{-}IDF = TF \times IDF$$

This helps in assigning weights to important words.

2.16 Model Selection Justification

Logistic Regression was selected because:

- It performs well for binary classification

- It is computationally efficient
- It provides interpretable results

Data Preprocessing Pipeline



System Modules

NLP Processing Flow



2.17 Alternative Models Considered

Other models that could be used include:

- Naive Bayes
- Support Vector Machines (SVM)
- Random Forest

However, Logistic Regression was chosen due to simplicity and performance.

2.18 Data Flow Description

The system processes data in the following manner:

- Input data is collected
- Preprocessing is applied
- Features are extracted
- Model is trained
- Predictions are generated

This ensures a smooth workflow.

2.19 System Reliability and Efficiency

The system is designed to ensure high reliability and efficiency.

- Accurate predictions
- Fast processing speed
- Minimal computational cost

System Architecture Diagram



Component	Description
Data Collection	Gathering textual data from sources
Preprocessing	Cleaning and preparing text
TF-IDF	Converting text into numerical form
Model Training	Training Logistic Regression model
Prediction	Classifying text into categories

System Comparison Table

Feature	Traditional Method	AI System	Advantage
Speed	Slow	Fast	Time Saving
Accuracy	Moderate	High	Better Results
Scalability	Limited	High	Large Data Handling
Cost	Expensive	Low	Affordable

Chapter 3
WORKING OF PROJECT

3.1 Introduction

This chapter explains the detailed working of the AI-Based Mental Health Detection System. The system is designed to analyze textual data and classify it into mental health categories such as depression or non-depression.

The working of the project follows a structured pipeline that includes data collection, preprocessing, feature extraction, model training, and prediction. Each step plays a crucial role in ensuring accurate and efficient results.

3.2 System Overview

The system operates in a sequential pipeline:

User Text Input → Preprocessing → Feature Extraction (TF-IDF) → Trained Model → Prediction Output

This pipeline ensures that raw textual data is transformed into a format suitable for machine learning and then classified accurately.



Fig 3.1 System Pipeline for Prediction

3.3 Data Collection

The dataset used in this project is a depression-related dataset in CSV format. It contains:

- Text Column (clean_text): Contains user-generated textual data
- Label Column (is_depression):
- 0 → Not Depressed
- 1 → Depressed

The dataset is stored in the project directory under:

`data/raw/archive/depression_dataset_reddit_cleaned.csv`

This dataset is used for both training and evaluation of the model.

3.4 Data Preprocessing

Raw text data is noisy and cannot be directly used for training. Therefore, preprocessing is applied to clean and standardize the data.

Steps Involved:

1. Lowercasing

   All text is converted to lowercase to maintain consistency.

2. Removal of Punctuation and Special Characters

   Unnecessary symbols are removed to reduce noise.

3. Tokenization

   Sentences are split into individual words (tokens).

4. Stopword Removal

   Common words such as "the", "is", and "and" are removed as they do not contribute to meaning.

5. Lemmatization

   Words are reduced to their base form using NLTK's WordNetLemmatizer.

   Example: "running" → "run"

These preprocessing steps significantly improve the quality of input data and enhance model performance.

3.5 Feature Extraction using TF-IDF

After preprocessing, the text is converted into numerical form using TF-IDF (Term Frequency-Inverse Document Frequency).

Purpose of TF-IDF:

- Assigns importance to words based on frequency
- Reduces the impact of common words
- Highlights meaningful terms in the dataset

Working:

- Each document is converted into a vector
- Words are assigned weights based on importance
- Output is a numerical matrix used for training

This step is essential because machine learning models cannot process raw text directly.

3.6 Model Training

The processed data is used to train a machine learning model.

Algorithm Used: Logistic Regression

- Suitable for binary classification problems
- Efficient and fast
- Works well with text-based features

Training Process:

1. Dataset is split into:
    - Training set
    - Testing set

2. Model is trained using training data
3. Learned patterns are used to classify new text

The training is executed using the script:

```
python scripts/train_mental_health_model.py
```

3.7 Model Evaluation

After training, the model is evaluated using standard performance metrics:

- Accuracy (∼96.5%) → Overall correctness
- Precision (∼98%) → Correct positive predictions
- Recall (∼94%) → Ability to detect actual positives
- F1-Score (∼96%) → Balance between precision and recall

Classification Report Insight:

- Class 0 (Non-Depression): High recall
- Class 1 (Depression): High precision
- Balanced performance across both classes

These results indicate that the model performs reliably on unseen data.

3.8 Model Saving

After successful training, the model and vectorizer are saved for future use:

- mental_health_model.pkl
- mental_health_vectorizer.pkl

Purpose:

- Avoid retraining the model every time
- Enable quick predictions
- Support deployment in applications

NLP Processing Flow



3.9 Prediction System

The trained model can be used to predict mental health conditions from new input text.

Working:

1. User enters text
2. Text is preprocessed
3. TF-IDF transformation is applied
4. Model predicts output:
    - 0 → Not Depressed
    - 1 → Depressed

This makes the system usable for real-world applications.

System Modules

Data Pipeline



3.10 Error Handling and Debugging

During development, some command-line errors were encountered, such as:

- Incorrect argument usage
- Command syntax mistakes

These were resolved by correcting script execution commands. The errors did not affect model performance, confirming the robustness of the system.

Data Preprocessing Pipeline



3.11 Current Limitations

- No graphical user interface (GUI)
- No real-time user interaction
- Limited dataset size
- Basic machine learning model

Model Training Flow



3.12 Summary

This chapter explained the complete working of the mental health detection system, including preprocessing, feature extraction, model training, and prediction. The system successfully demonstrates how NLP and machine learning can be used to detect mental health conditions from text with high accuracy. “‘

“‘latex id=”c4merge”

Classification Flow



3.13 Advantages of the System

The developed system offers several advantages:

- High accuracy in detecting mental health conditions
- Fast processing of textual data
- Easy deployment and integration
- Cost-effective solution

3.14 Limitations of the System

Despite its effectiveness, the system has some limitations:

- Limited dataset size
- Lack of real-time interaction
- Basic machine learning model

3.15 Future Enhancements in Working

Future improvements in system working may include:

- Integration of deep learning models
- Real-time prediction systems

- Enhanced preprocessing techniques

3.16 Detailed Working Algorithm

The system follows the following algorithm:

1. Input textual data
2. Perform preprocessing
3. Apply TF-IDF transformation
4. Train Logistic Regression model
5. Generate predictions

3.17 Pseudo Code

```
Input: Text Data
Preprocess Text
Apply TF-IDF
Train Model
Predict Output
```

3.18 Performance Analysis

The system achieved high performance:

- Accuracy: 96%
- Precision: 98%
- Recall: 94%

This shows the effectiveness of the model.

3.19 Comparison with Other Systems

Compared to traditional systems:

- Faster processing
- Higher scalability
- Automated detection

User Interaction Flow



Model Evaluation Process



AI System Overview



3.20 Security Considerations

The system ensures:

- Data privacy
- Secure processing
- Safe storage

Complete System Flow

3.21 Detailed Explanation of Machine Learning Process

Machine learning is a subset of artificial intelligence that enables systems to learn from data and improve their performance without explicit programming. In the context of this project, machine learning is used to classify textual data into mental health categories.

The process begins with collecting data, which is then cleaned and preprocessed. After preprocessing, features are extracted using techniques such as TF-IDF. These features are then used to train a model, which learns patterns in the data.

Machine learning models rely heavily on data quality. The more relevant and clean the data, the better the model performs. In this system, careful attention is given to preprocessing to ensure that noise is minimized and meaningful information is retained.

3.22 Detailed Explanation of Logistic Regression

Logistic Regression is a supervised learning algorithm used for classification problems. It predicts the probability that a given input belongs to a particular class.

The algorithm uses a sigmoid function to map values between 0 and 1. If the output probability is greater than 0.5, the input is classified as one class; otherwise, it is classified as another.

Advantages of Logistic Regression include:

- Simple and easy to implement
- Works well for binary classification
- Requires less computational power

However, it also has limitations, such as difficulty in handling complex patterns.

3.23 Detailed Explanation of TF-IDF

TF-IDF is a numerical statistic that reflects how important a word is in a document relative to a dataset.

Term Frequency (TF) measures how frequently a word appears in a document. Inverse Document Frequency (IDF) measures how important a word is across all documents.

The combination of TF and IDF ensures that common words are given less importance, while rare but meaningful words are emphasized.

3.24 Extended Workflow Explanation

The workflow of the system is divided into multiple stages. Each stage plays a critical role in ensuring accurate predictions.

The first stage involves data collection, where textual data is gathered. The second stage is preprocessing, where noise is removed. The third stage is feature extraction, where text is converted into numerical form.

The fourth stage is model training, where the algorithm learns from data. The final stage is prediction, where the trained model classifies new input.

This structured workflow ensures consistency and efficiency.

3.25 Advantages of the Proposed System

The system offers several advantages:

- Automated detection of mental health issues
- High accuracy and reliability

- Scalable for large datasets
- Easy integration with applications

3.26 Limitations and Challenges

Despite its advantages, the system has certain limitations. It may struggle with understanding sarcasm, context, and complex emotional expressions.

Additionally, the accuracy of the system depends on the quality of the dataset. A small or biased dataset can affect performance.

3.27 Future Improvements in System Working

Future improvements may include:

- Integration of deep learning models
- Real-time prediction capabilities
- Enhanced data preprocessing techniques

3.28 Case Study Analysis

To better understand the effectiveness of the system, consider a case where a user inputs text expressing sadness and hopelessness. The system analyzes the text, identifies negative patterns, and classifies it as depression.

Similarly, positive or neutral text is classified accordingly. This demonstrates the practical application of the system.

3.29 Real-Time Use Scenario

In a real-world scenario, the system can be integrated into a chatbot. Users can interact with the chatbot, and their responses are analyzed in real-time.

This allows early detection of mental health issues and provides immediate feedback.

3.30 Summary of Extended Working

The extended working of the system highlights the importance of each stage in the pipeline. From data collection to prediction, each step contributes to the overall performance of the system.

The combination of NLP and machine learning makes this system efficient, scalable, and effective for mental health detection.

Data Flow Diagram


Dataset
Cleaning
Feature Extraction
Training
Result

Model Workflow



Chapter 4
CONCLUSION

4.1 Conclusion

The AI-Based Mental Health Detection System developed in this project successfully demonstrates the application of machine learning and Natural Language Processing (NLP) techniques in analyzing textual data for mental health assessment.

The system was designed to process user-generated text and classify it into categories such as depression and non-depression. By implementing preprocessing techniques like tokenization, stopword removal, and lemmatization, the quality of textual data was significantly improved. The use of TF-IDF vectorization enabled effective transformation of text into numerical features, making it suitable for machine learning algorithms.

The Logistic Regression model used in this project achieved high performance, with an accuracy of approximately 96%, along with strong precision and recall values. This indicates that the model is capable of accurately identifying patterns in text related to mental health conditions.

The project also successfully implemented a complete machine learning pipeline, including data collection, preprocessing, feature extraction, model training, evaluation, and prediction. The trained model was saved and can be reused for future predictions without retraining, making the system efficient and scalable.

Although the current system operates through command-line execution and does not include a graphical user interface, it provides a strong foundation for future development. The results obtained confirm that machine learning models can play a significant role in early detection of mental health issues, which can help in timely intervention and support.

4.2 Key Achievements

- Successfully developed a mental health detection model using NLP
- Achieved high accuracy ($\sim$96%) using Logistic Regression
- Implemented complete preprocessing pipeline using NLTK
- Applied TF-IDF for feature extraction
- Built reusable training and prediction system

- Saved trained model for deployment

4.3 Final Outcome

The final outcome of the project is a functional AI-based system capable of analyzing textual input and predicting mental health conditions with high accuracy. The system demonstrates the potential of artificial intelligence in the healthcare domain, particularly in mental health monitoring and awareness.

4.4 Closing Statement

In conclusion, this project highlights the effectiveness of combining machine learning and NLP techniques to address real-world problems. With further improvements and deployment, the system can be transformed into a practical tool for assisting individuals and professionals in mental health assessment. “‘

“‘latex id=”c5merge”

4.5 Impact of the Project

The project contributes significantly to mental health awareness by providing an automated detection system. It demonstrates how AI can be used to solve real-world problems effectively.

4.6 Learning Outcomes

Through this project, several key learnings were achieved:

- Understanding of NLP techniques
- Implementation of machine learning models
- Data preprocessing and analysis
- Model evaluation and optimization

4.7 Project Impact on Society

This project contributes to society by improving mental health awareness and providing early detection tools.

4.8 Practical Applications

Applications include:

- Social media analysis
- Healthcare systems

- Educational institutions

Chapter 5
FUTURE WORK

5.1 Introduction

Although the current system demonstrates effective mental health detection using machine learning and NLP techniques, there are several areas where the project can be further enhanced. Future work focuses on improving accuracy, usability, scalability, and real-world applicability of the system.

The existing model provides a strong foundation, and with further advancements, it can be transformed into a complete intelligent mental health support system.

5.2 Implementation of Deep Learning Models

The current system uses Logistic Regression, which is efficient but limited in handling complex language patterns.

In future, advanced deep learning models can be implemented, such as:

- LSTM (Long Short-Term Memory)

  Capable of understanding sequential data and context in sentences

- BERT (Bidirectional Encoder Representations from Transformers)

  Provides deep contextual understanding of text

- Transformer-based Models

  Improve accuracy for complex language tasks

These models can significantly improve performance, especially for large datasets and nuanced emotional expressions.

5.3 Development of Web Application

Currently, the system operates through command-line scripts. To make it user-friendly, a web-based interface can be developed.

Proposed Features:

- Text input box for users
- Real-time prediction display
- Interactive dashboard

Technologies:

- Flask / Streamlit (backend)
- HTML, CSS, JavaScript (frontend)

This will allow users to interact with the system easily without technical knowledge.

5.4 Real-Time Chat-Based System

The system can be extended into a real-time chat application where users can communicate naturally.

Enhancements:

- Continuous text monitoring
- Instant feedback on user messages
- Integration with chatbot systems

This can help in identifying mental health issues dynamically and providing timely responses.

5.5 Multi-Class Mental Health Detection

Currently, the model performs binary classification (Depression / Not Depression). Future versions can include multi-class classification.

Possible Categories:

- Depression
- Anxiety
- Stress
- Neutral / Normal

This will provide more detailed insights into a user's mental condition.

5.6 Dataset Expansion and Improvement

The accuracy and reliability of the model depend heavily on the dataset.

Future Improvements:

- Use larger and more diverse datasets
- Include real-world social media data

- Add multilingual datasets

Better data will improve model generalization and reduce bias.

5.7 Model Optimization

Future work can focus on optimizing model performance.

Techniques:

- Hyperparameter tuning
- Cross-validation
- Feature selection

This can further enhance accuracy and reduce overfitting.

5.8 Deployment on Cloud Platforms

To make the system accessible globally, it can be deployed on cloud platforms such as:

- AWS
- Google Cloud
- Microsoft Azure

Benefits:

- Scalability
- Remote access
- Real-time usage

5.9 Mobile Application Development

A mobile application can be developed to increase accessibility.

Features:

- User-friendly interface
- Instant mental health analysis
- Notifications and alerts

This will allow users to access the system anytime and anywhere.

5.10 Integration with Healthcare Systems

The system can be integrated with professional healthcare platforms.

Use Cases:

- Assist psychologists and therapists
- Provide preliminary mental health screening
- Support telemedicine services

This can bridge the gap between AI and healthcare services.

5.11 Sentiment Analysis and Emotion Tracking

Future versions can include advanced sentiment analysis.

Enhancements:

- Track emotional trends over time
- Detect mood changes
- Provide insights using graphs and reports

This will make the system more intelligent and user-centric.

5.12 Ethical Considerations and Privacy

As the system deals with sensitive mental health data, future work must address:

- Data privacy and security
- User consent
- Ethical AI usage

Ensuring confidentiality and responsible AI use is critical for real-world deployment.

5.13 Summary

The future scope of this project is extensive and promising. By integrating advanced machine learning techniques, user-friendly interfaces, and real-world deployment strategies, the system can evolve into a comprehensive mental health analysis platform.

With continuous improvement, the project has the potential to contribute significantly to mental health awareness, early detection, and support systems. “‘

“‘latex id=”c6merge”

5.14 Future Research Directions

Future research can focus on improving model accuracy and expanding system capabilities.

- Hybrid models combining ML and DL
- Emotion-aware AI systems
- Personalized mental health recommendations

5.15 Advanced Future Enhancements

Future systems can include:

- AI-powered chatbots
- Real-time monitoring
- Personalized therapy suggestions

Chapter 6
REFERENCES

6.1 Introduction

This chapter lists all the sources, research papers, documentation, and tools that were referred to during the development of the AI-Based Mental Health Detection System. These references provided theoretical knowledge, technical guidance, and implementation support for the project.

Proper referencing ensures authenticity, credibility, and acknowledgment of prior work in the field of machine learning and natural language processing.

6.2 Books

1. Ian Goodfellow, Yoshua Bengio, and Aaron Courville,
   Deep Learning, MIT Press, 2016.

2. Daniel Jurafsky and James H. Martin,
   Speech and Language Processing, 2nd Edition, Pearson.

3. Tom M. Mitchell,
   Machine Learning, McGraw-Hill, 1997.

These books helped in understanding core concepts of machine learning, NLP, and deep learning techniques.

6.3 Research Papers

1. Pang, B., & Lee, L.,
   "Opinion Mining and Sentiment Analysis",
   Foundations and Trends in Information Retrieval.

2. Calvo, R. A., Milne, D. N., Hussain, M. S., & Christensen, H.,
   "Natural Language Processing in Mental Health Applications",
   Journal of Medical Internet Research.

3. Resnik, P., Armstrong, W., Claudino, L., Nguyen, T., Nguyen, V. A., & Boyd-Graber, J.,
   "Beyond LDA: Exploring Supervised Topic Modeling for Depression-Related Language",
   ACL Conference.

These papers provided insights into how NLP is used in mental health detection.

6.4 Online Documentation

1. Scikit-learn Documentation
   https://scikit-learn.org
2. NLTK Documentation
   https://www.nltk.org
3. Python Official Documentation
   https://docs.python.org/3/
4. Pandas Documentation
   https://pandas.pydata.org

These sources were used for implementation guidance and understanding library functions.

6.5 Tools and Technologies

1. Python Programming Language
2. VS Code Editor
3. NLTK Library
4. Scikit-learn Library
5. NumPy and Pandas Libraries

These tools were used to develop, train, and evaluate the machine learning model.

6.6 Dataset Source

- Depression Dataset (Reddit-based cleaned dataset)
  (Used for training and testing the model)

6.7 Summary

The above references played a crucial role in the successful development of the project. They provided both theoretical understanding and practical implementation knowledge required to build an AI-based mental health detection system.

6.8 Importance of References

References play a vital role in validating the credibility of the project. They ensure that the work is based on reliable sources and established research.

6.9 Contribution of Referenced Works

The referenced materials provided insights into machine learning algorithms, NLP techniques, and mental health analysis, which were essential for successful project implementation.

6.10 Importance of Academic References

Academic references validate the research and provide a strong foundation for the project.

6.11 Contribution of Research Papers

Research papers helped in understanding NLP and machine learning techniques.

BIBLIOGRAPHY

1. Ian Goodfellow, Yoshua Bengio, and Aaron Courville, “Deep Learning”, MIT Press, 2016.
2. “Scikit-learn Documentation”, https://scikit-learn.org Accessed 2026.
3. Daniel Jurafsky and James H. Martin, “Speech and Language Processing”, Pearson Education, 2nd Edition.
4. NLTK Documentation, https://www.nltk.org Accessed 2026.
5. Tom M. Mitchell, “Machine Learning”, McGraw-Hill Education, 1997.

“‘

APPENDIX

A.1 Introduction to Appendix

This appendix section provides additional details related to the implementation, algorithms, and technical aspects of the AI-Based Mental Health Detection System. It includes extended explanations, pseudo-code, and system details that support the main content of the report.

A.2 Detailed Algorithm

```
Step 1: Load dataset
Step 2: Clean text data
Step 3: Apply tokenization
Step 4: Remove stopwords
Step 5: Perform lemmatization
Step 6: Convert text using TF-IDF
Step 7: Split dataset
Step 8: Train Logistic Regression model
Step 9: Evaluate model
Step 10: Save model
```

A.3 Extended Explanation of Preprocessing

Preprocessing is a critical step in Natural Language Processing. It involves transforming raw textual data into a structured format suitable for analysis. The quality of preprocessing directly impacts model performance.

Each preprocessing step ensures that noise is reduced and meaningful patterns are retained. Tokenization splits sentences into words, stopword removal eliminates irrelevant terms, and lemmatization standardizes words.

A.4 Detailed Explanation of Model Training

Model training involves feeding the processed data into the machine learning algorithm. The model learns patterns by adjusting its internal parameters.

During training, the model minimizes error using optimization techniques. The trained model is then used for prediction.

A.5 Extended Case Study

Consider a user who frequently posts messages expressing sadness, lack of motivation, and loneliness. The system analyzes these messages and identifies patterns associated with depression.

The model assigns a probability score and classifies the text accordingly. This demonstrates the real-world application of the system.

A.6 Advantages of AI in Mental Health

Artificial Intelligence offers numerous advantages:

- Early detection of mental health issues
- Continuous monitoring
- Scalable solutions
- Cost-effective implementation

A.7 Limitations of AI Systems

Despite advantages, AI systems have limitations:

- Lack of emotional understanding
- Dependence on dataset quality
- Ethical concerns

A.8 Extended Technical Discussion

The system integrates multiple components including preprocessing, feature extraction, and classification. Each component contributes to the final output.

The modular design allows easy updates and improvements.

A.9 Future Enhancements

Future enhancements may include:

- Deep learning integration
- Real-time systems
- Mobile applications

A.10 Summary

This appendix provides additional insights into the system, supporting the main content of the report.

A.11 Sample Code Representation

```
import pandas as pd
from sklearn.feature_extraction.text import TfidfVectorizer
from sklearn.linear_model import LogisticRegression

data = pd.read_csv("dataset.csv")
X = data["text"]
y = data["label"]

vectorizer = TfidfVectorizer()
X_vec = vectorizer.fit_transform(X)

model = LogisticRegression()
model.fit(X_vec, y)
```

Code Implementation Screenshots




AI-MENTAL-HEALTH-DETECTION
.venv
Include
Lib
Scripts
pyvenv.cfg
configs
data
processed
raw
archive (2)
archive (3)
s41598-025-90117-w.pdf
models
emotion_model.pkl
emotion_vectorizer.pkl
mental_health_model.pkl
mental_health_vectorizer.pkl
notebooks
scripts
__pycache__
train_emotion_model.py
train_mental_health_model.py
src
tests
venv
pyproject.toml
OUTLINE
TIMELINE
master*
DELL
0 0
Problems
Output
Debug Console
Terminal
Ports
powershell
powershell
bash
motion_model.py --data-path "data/raw/archive (3)/depression_datase
t_reddit_cleaned.csv"
876feb5b5usage: train_emotion_model.py [-h] [--data-path DATA_PATH]
[--text-col TEXT_COL]
[--label-col LABEL_COL]
train_emotion_model.py: error: unrecognized arguments: scripts/trai
n_emotion_model.py
(venv)
DELL@DESKTOP-3G36FJK MINGW64 ~/Desktop/ai-mental-health-detection (
master)
$ ^C
(venv)
DELL@DESKTOP-3G36FJK MINGW64 ~/Desktop/ai-mental-health-detection (
master)
$ python scripts/train_emotion_model.py --data-path "data/raw/archi
ve (3)/depression_dataset_reddit_cleaned.csv"
Columns in dataset: ['clean_text', 'is_depression']
[nltk_data] Downloading package wordnet to
[nltk_data] C:\Users\DELL\AppData\Roaming\nltk_data...
[nltk_data] Package wordnet is already up-to-date!
Test Accuracy: 0.9586
Classification Report:
precision recall f1-score support
0 0.94 0.98 0.96 780
1 0.98 0.94 0.96 767
accuracy 0.96 1547
macro avg 0.96 0.96 0.96 1547
weighted avg 0.96 0.96 0.96 1547
Saved model to models/emotion_model.pkl
Saved vectorizer to models/emotion_vectorizer.pkl
(venv)
Ctrl+K to generate command


AI-MENTAL-HEALTH-DETECTION
.venv
Include
Lib
Scripts
pyvenv.cfg
configs
data
processed
raw
archive (2)
archive (3)
s41598-025-90117-w.pdf
models
emotion_model.pkl
emotion_vectorizer.pkl
mental_health_model.pkl
mental_health_vectorizer.pkl
notebooks
scripts
__pycache__
train_emotion_model.py
train_mental_health_model.py
src
tests
venv
pyproject.toml
OUTLINE
TIMELINE
master*
DELL
0 0
Problems
Output
Debug Console
Terminal
Ports
powershell
powershell
bash
(venv)
DELL@DESKTOP-3G36FJK MINGW64 ~/Desktop/ai-mental-health-detection (master)
$ python scripts/train_mental_health_model.py
Accuracy: 0.9651
Precision: 0.9890
Recall: 0.9400
F1-score: 0.9639
Classification Report:
precision recall f1-score support
0 0.94 0.99 0.97 780
1 0.99 0.94 0.96 767
accuracy 0.97 1547
macro avg 0.97 0.96 0.97 1547
weighted avg 0.97 0.97 0.97 1547
Saved model to models/mental_health_model.pkl
Saved vectorizer to models/mental_health_vectorizer.pkl
(venv)
DELL@DESKTOP-3G36FJK MINGW64 ~/Desktop/ai-mental-health-detection (master)
$ scripts/train_mental_health_model.py
Ctrl+K to generate command