



26190



SPANISH FORK, UT

SPANISH FORK MUNI/WOODHOUSE FLD (SPK)

TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES

ORIG 03JAN19 (21112) (FAA)

DEPARTURE PROCEDURE:

Use SPANISH FORK DEPARTURE.

TAKEOFF OBSTACLE NOTES:

Rwy 12, lighting 10' from DER, 29' left of centerline, 2' AGL/4530' MSL.

Fence 60' from DER, 481' right of centerline, 4535' MSL.

Building 198' from DER, 449' right of centerline, 12' AGL/4541' MSL.

Sign, building beginning 297' from DER, 461' right of centerline, up to 4552' MSL.

Building 1023' from DER, 600' right of centerline, 4555' MSL.

Tree 1031' from DER, 651' left of centerline, 4563' MSL.

Tree, building beginning 1140' from DER, 503' left of centerline, up to 4565' MSL.

Building 1173' from DER, 560' right of centerline, 4559' MSL.

Building 1434' from DER, 855' right of centerline, 4572' MSL.

Tree 1514' from DER, 742' left of centerline, 4568' MSL.

Pole 1818' from DER, 352' right of centerline, 4576' MSL.

Pole beginning 3232' from DER, 1134' right of centerline, up to 4621' MSL.

Pole, sign beginning 3499' from DER, 801' left of centerline, up to 106' AGL/4673' MSL.

Electrical system 3922' from DER, 628' right of centerline, 4637' MSL.

Pole 4450' from DER, 893' right of centerline, 4649' MSL.

Pole 4709' from DER, 1365' right of centerline, 4662' MSL.

Pole 5162' from DER, 1194' right of centerline, 4664' MSL.

Pole 2 NM from DER, 3639' left of centerline, 4853' MSL.

Rwy 30, lighting 9' from DER, 29' right of centerline, 2' AGL/4525' MSL.

Vegetation 36' from DER, 145' right of centerline, 9' AGL/4527' MSL.

Tree 750' from DER, 557' left of centerline, 4546' MSL.

Pole 1182' from DER, 595' left of centerline, 50' AGL/4570' MSL.

Pole beginning 1479' from DER, 268' left of centerline, up to 60' AGL/4579' MSL.

Tree 1505' from DER, 550' right of centerline, 49' AGL/4565' MSL.

SPRINGERVILLE, AZ

SPRINGERVILLE MUNI (JTC)

TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES

ORIG-A 02DEC21 (21336) (FAA)

TAKEOFF MINIMUMS:

Rwy 3, std. w/min. climb of 240' per NM to 7800 or 3300-5 for VCOA.

Rwy 11, std. w/min. climb of 440' per NM to 8200 or 3300-5 for VCOA.

Rwy 21, std. w/min. climb of 365' per NM to 8600 or 3300-5 for VCOA.

Rwy 29, 400-2½ or std. w/min. climb of 280' per NM to 7300.

DEPARTURE PROCEDURE:

Rwy 3, climbing left turn to 9100 on heading 360° before proceeding on course.

Rwy 11, climbing left turn to 10500 on heading 360° before proceeding on course.

Rwy 21, climbing right turn to 10300 on heading 360° before proceeding on course.

Rwy 29, climbing right turn to 9100 on heading 360° before proceeding on course.

VCOA:

Rwys 3, 11, 21, obtain ATC approval for VCOA when requesting IFR clearance. Climb in visual conditions to cross Springerville Muni airport at or above 10400 before proceeding on course.

TAKEOFF OBSTACLE NOTES:

Rwy 11, trees beginning 9' from DER, 12' left of centerline, up to 100' AGL/7121' MSL.

Trees beginning 162' from DER, 8' right of centerline, up to 100' AGL/7125' MSL.

Trees beginning 3240' from DER, 48' right of centerline, up to 100' AGL/7135' MSL.

Trees beginning 3440' from DER, 289' right of centerline, up to 100' AGL/7138' MSL.

Trees beginning 3625' from DER, 135' right of centerline, up to 100' AGL/7148' MSL.

Trees beginning 3825' from DER, 376' right of centerline, up to 100' AGL/7151' MSL.

Trees beginning 4010' from DER, 222' right of centerline, up to 100' AGL/7158' MSL.

Trees beginning 4210' from DER, 463' right of centerline, up to 100' AGL/7161' MSL.

Trees beginning 4395' from DER, 703' right of centerline, up to 100' AGL/7167' MSL.

Trees beginning 4779' from DER, 790' right of centerline, up to 100' AGL/7174' MSL.

Trees beginning 4964' from DER, 1031' right of centerline, up to 100' AGL/7177' MSL.

Trees beginning 5349' from DER, 1512' right of centerline, up to 100' AGL/7184' MSL.

Tree 5734' from DER, 1993' right of centerline, 100' AGL/190' MSL.

Rwy 21, fence beginning 163' from DER, 300' left of centerline, up to 7065' MSL.

Terrain beginning 211' from DER, 391' left of centerline, up to 7066' MSL.

Tree 4771' from DER, 1744' right of centerline, 100' AGL/7184' MSL.

Trees beginning 4776' from DER, 1755' left of centerline, up to 100' AGL/7190' MSL.

Tree 5339' from DER, 1899' right of centerline, 100' AGL/7194' MSL.

Tree 5732' from DER, 1871' right of centerline, 100' AGL/7204' MSL.

Rwy 29, trees beginning 52' from DER, 1' right of centerline, up to 100' AGL/7121' MSL.

Tree 67' from DER, 39' left of centerline, 100' AGL/7121' MSL.

Trees beginning 82' from DER, 18' left of centerline, up to 100' AGL/7125' MSL.

Tree 2822' from DER, 1006' left of centerline, 100' AGL/7128' MSL.

Trees beginning 2942' from DER, 130' left of centerline, up to 7139' MSL.

CON'T



26190





26190



SPRINGVILLE, AZ (CON'T)

SPRINGVILLE MUNI (JTC) (CON'T)

Rwy 29 (CON'T), tree 4191' from DER, 1292' left of centerline, 100' AGL/7141' MSL.
 Trees beginning 4299' from DER, 524' right of centerline, up to 100' AGL/7141' MSL.
 Tree 4376' from DER, 1052' left of centerline, 100' AGL/7154' MSL.
 Trees beginning 4391' from DER, 23' left of centerline, up to 100' AGL/7158' MSL.
 Trees beginning 4499' from DER, 370' right of centerline, up to 100' AGL/7151' MSL.
 Tree 4560' from DER, 811' left of centerline, 100' AGL/7164' MSL.
 Trees beginning 4576' from DER, 176' left of centerline, up to 100' AGL/7181' MSL.
 Tree 4683' from DER, 1005' right of centerline, 100' AGL/7158' MSL.
 Trees beginning 4699' from DER, 217' right of centerline, up to 100' AGL/7167' MSL.
 Tree 4883' from DER, 852' right of centerline, 100' AGL/7181' MSL.
 Trees beginning 4899' from DER, 63' right of centerline, up to 100' AGL/7187' MSL.
 Trees beginning 5299' from DER, 151' right of centerline, up to 100' AGL/7190' MSL.
 Trees beginning 5361' from DER, 2' left of centerline, up to 100' AGL/7200' MSL.
 Trees beginning 5561' from DER, 156' left of centerline, up to 100' AGL/7204' MSL.
 Trees beginning 5684' from DER, 238' right of centerline, up to 100' AGL/7194' MSL.
 Tree 5884' from DER, 84' right of centerline, 100' AGL/7197' MSL.
 Trees beginning 5918' from DER, 325' right of centerline, up to 7199' MSL.
 Trees beginning 5930' from DER, 68' left of centerline, up to 100' AGL/7207' MSL.
 Trees beginning 1 NM from DER, 222' left of centerline, up to 100' AGL/7210' MSL.
 Trees beginning 1 NM from DER, 171' right of centerline, up to 100' AGL/7200' MSL.
 Trees beginning 1 NM from DER, 375' left of centerline, up to 100' AGL/7213' MSL.
 Trees beginning 1 NM from DER, 18' right of centerline, up to 100' AGL/7204' MSL.
 Trees beginning 1 NM from DER, 135' left of centerline, up to 100' AGL/7217' MSL.
 Trees beginning 1.1 NM from DER, 288' left of centerline, up to 100' AGL/7220' MSL.
 Trees beginning 1.1 NM from DER, 442' left of centerline, up to 100' AGL/7223' MSL.
 Trees beginning 1.1 NM from DER, 989' left of centerline, up to 100' AGL/7230' MSL.
 Tree 1.2 NM from DER, 2479' left of centerline, 100' AGL/7233' MSL.
 Tree 2 NM from DER, 1412' right of centerline, 100' AGL/7361' MSL.

TAYLOR, AZ

TAYLOR (TYL)

TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES

AMDT 2 02DEC21 (21336) (FAA)

TAKEOFF MINIMUMS:

Rwy 21, 300-1 or std. w/min. climb of 260' per NM to 6100, or alternatively, with standard takeoff minimums and a normal 200' per NM climb gradient, takeoff must occur no later than 2100' prior to DER.

TAKEOFF OBSTACLE NOTES:

Rwy 3, buildings beginning 42' from DER, 339' right of centerline, up to 14' AGL/5728' MSL.

Tree 44' from DER, 113' left of centerline, 5723' MSL.

Building 745' from DER, 694' left of centerline, 23' AGL/5739' MSL.

Pole 852' from DER, 705' left of centerline, 24' AGL/5741' MSL.

Power lines crossing departure course 1000' from DER, pole 1309' from DER, 465' left of centerline, 15' AGL/5758' MSL.

Pole 1460' from DER, 597' left of centerline, 42' AGL/5764' MSL.

Rwy 21, utility lights, fence beginning 40' from DER, 113' right of centerline, up to 5' AGL/5828' MSL.

Trees beginning 86' from DER, 316' right of centerline, up to 5835' MSL.

Trees beginning 247' from DER, 268' right of centerline, up to 5836' MSL.

Tree 447' from DER, 248' right of centerline, 5838' MSL.

Trees beginning 552' from DER, 269' right of centerline, up to 5839' MSL.

Pole 1055' from DER, 659' left of centerline, 58' AGL/5874' MSL.

Pole 1170' from DER, 602' right of centerline, 31' AGL/5860' MSL.

Pole 1388' from DER, 479' right of centerline, 31' AGL/5873' MSL.

Pole, trees beginning 1468' from DER, 239' right of centerline, up to 43' AGL/5885' MSL.

Pole 1479' from DER, 544' left of centerline, 55' AGL/5883' MSL.

Poles beginning 1633' from DER, 228' left of centerline, up to 51' AGL/5884' MSL.

Tree 2369' from DER, 974' right of centerline, 5886' MSL.

Trees beginning 2400' from DER, 903' right of centerline, up to 5888' MSL.

Tree 2606' from DER, 1009' right of centerline, 5892' MSL.

Tree 2702' from DER, 983' right of centerline, 5893' MSL.

Terrain, tree beginning 2827' from DER, 1025' right of centerline, up to 5897' MSL.

Trees beginning 3013' from DER, 1028' right of centerline, up to 5904' MSL.

Tree 3120' from DER, 1254' left of centerline, 5910' MSL.

Terrain 3131' from DER, 1291' right of centerline, 5906' MSL.

Vehicles on road, tree beginning 3235' from DER, 607' right of centerline, up to 5923' MSL.

Trees beginning 3653' from DER, 672' right of centerline, up to 5924' MSL.

Tree 3795' from DER, 1387' left of centerline, 5923' MSL.

Vehicles on road, tree, terrain beginning 3820' from DER, 972' right of centerline, up to 5941' MSL.

Trees beginning 3894' from DER, 1148' left of centerline, up to 5928' MSL.

Vehicles on road, trees, terrain beginning 3901' from DER, 621' right of centerline, up to 5945' MSL.

Trees beginning 4009' from DER, 1161' left of centerline, up to 5929' MSL.

Vehicles on road, tree beginning 4039' from DER, 516' right of centerline, up to 5952' MSL.

Trees, terrain beginning 4124' from DER, 1262' left of centerline, up to 5934' MSL.

Vehicles on road, trees, terrain beginning 4126' from DER, 678' right of centerline, up to 5956' MSL.

CON'T



26190





26190

TAYLOR, AZ (CON'T)**TAYLOR (TYL) (CON'T)**

Rwy 21 (CON'T), vehicles on road, terrain, trees beginning 4222' from DER, 635' right of centerline, up to 5959' MSL.
 Trees beginning 4358' from DER, 1396' left of centerline, up to 5942' MSL.
 Vehicles on road 4447' from DER, 959' right of centerline, 5960' MSL.
 Trees beginning 4494' from DER, 1296' left of centerline, up to 5950' MSL.
 Vehicles on road, trees beginning 4523' from DER, 545' right of centerline, up to 5965' MSL.
 Trees beginning 4643' from DER, 1248' left of centerline, up to 5964' MSL.
 Vehicles on road, trees, terrain beginning 4727' from DER, 488' right of centerline, up to 15' AGL/5973' MSL.
 Vehicle on road 4837' from DER, 809' right of center line up to 5975' MSL.

TONOPAH, NV**TONOPAH (TPH)****TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES**

AMDT 2 17AUG17 (17229) (FAA)

TAKEOFF MINIMUMS:**Rwys 11, 29**, NA - ATC.**Rwy 15**, std. with a min. climb of 320' per NM to 9100 or 2500-3 for VCOA.**Rwy 33**, std. with a min. climb of 352' per NM to 9100 or 2500-3 for VCOA.**DEPARTURE PROCEDURE:****Rwy 15**, climbing left turn direct TONOPAH (TPH) VORTAC thence...**Rwy 33**, climbing right turn direct TONOPAH (TPH) VORTAC thence...

...continue climb in TPH holding pattern (NE, RT, 246° inbound) to cross TPH VORTAC at or above 9300 before proceeding on course.

VCOA:**Rwy 15, 33**, obtain ATC approval for VCOA when requesting IFR clearance. Climb in visual conditions to cross Tonopah airport at or above 7800 direct TONOPAH VORTAC, continue climb in TPH holding pattern (NE, RT, 246° inbound) to cross TPH VORTAC at or above 9300 before proceeding on course.**TAKEOFF OBSTACLE NOTES:****Rwy 15**, transmission line tower 515' from DER, 473' left of centerline, 23' AGL/5418' MSL.**Rwy 33**, fence beginning 173' from DER, 401' right of centerline, 6' AGL/5438' MSL.**TONOPAH TEST RANGE (KTNX)****TONOPAH, NV****TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES**

AMDT 1 19JUL18 (18200)

DEPARTURE PROCEDURE:**Rwy 14**, 1000-3 with min. climb of 320 ft/NM to 10,700 or 2700-3 for Climb in Visual Conditions. Climb on a heading between 325° CW to 155° from DER or Climb in Visual Conditions to cross KZ - KTNX airport at or above 8100 MSL before proceeding on course.**Rwy 32**, 1000-3 with min. climb of 260 ft/NM to 5900 or 2700-3 for Climb in Visual Conditions. Climb on a heading between 295° CW to 005° from DER or Climb in Visual Conditions to cross KZ-KTNX airport at or above 8100 MSL before proceeding on course.**TAKEOFF OBSTACLE NOTES:****Rwy 14**, terrain 1204' from DER, 823' right of cntrln, 5582' MSL.

Terrain 63' from DER, 517' right of cntrln, 5565' MSL.

Terrain 46' from DER, 480' right of cntrln, 5564' MSL.

Terrain 0' from DER, 353' right of cntrln, 5561' MSL.

Terrain 62' from DER, 200' right of cntrln, 5558' MSL.

Terrain 14' from DER, 292' right of cntrln, 5561' MSL.

Terrain 0' from DER, 287' right of cntrln, 5561' MSL.

Terrain 0' from DER, 222' right of cntrln, 5559' MSL.

Surveyed terrain 215' from DER, 427' right of cntrln, 5560' MSL.

Rwy 32, terrain 0' from DER, 500' left of cntrln, 5476' MSL.

Terrain 19' from DER, 465' left of cntrln, 5476' MSL.

Terrain 110' from DER, 529' left of cntrln, 5476' MSL.

TOOELE, UT**BOLINDER FLD/TOOELE VALLEY (TVY)****TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES**

AMDT 3 22AUG13 (24305) (FAA)

TAKEOFF MINIMUMS:**Rwy 17**, std w/min climb of 348' per NM to 9000 or 5600-3 for climb in visual conditions.**Rwy 35**, std w/min climb of 380' per NM to 9000 or 5600-3 for climb in visual conditions.**DEPARTURE PROCEDURE:****Rwy 17**, climbing right turn to 9000 on heading 337° and OGD VORTAC R-197 to STACO INT, or for climb in visual conditions: cross Bolinder Fld/Tooele Valley airport at or above 9800' MSL before proceeding on course. When executing VCOA, notify ATC prior to departure.**Rwy 35**, climbing left turn to 9000 on heading 300° and OGD VORTAC R-197 to STACO INT, or for climb in visual conditions: cross Bolinder Fld/Tooele Valley airport at or above 9800' MSL before proceeding on course. When executing VCOA, notify ATC prior to departure.**CON'T**

26190



26190

TOOELE, UT (CON'T)**BOLINDER FLD/TOOELE VALLEY (TVY) (CON'T)****TAKEOFF OBSTACLE NOTES:**

Rwy 17, tree 230' from DER, 255' right of centerline, 35' AGL/4335' MSL.
 Tree 342' from DER, 363' right of centerline, 35' AGL/4360' MSL.
 Trees beginning 601' from DER, 486' right of centerline, up to 35' AGL/4399' MSL.
 Pole 1000' from DER, 409' left of centerline, 42' AGL/4363' MSL.
 Pole 1092' from DER, 118' right of centerline, 42' AGL/4363' MSL.
 Tree 1369' from DER, 393' right of centerline, 35' AGL/4381' MSL.
 Tree 2018' from DER, 257' right of centerline, 35' AGL/4384' MSL.

TUCSON, AZ**RYAN FLD (RYN)****TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES**

AMDT 3 29JUL10 (21168) (FAA)

TAKEOFF MINIMUMS:**Rwys 6L, 15, 24R, 33**, NA, ATC.**DEPARTURE PROCEDURE:****Rwys 6R, 24L**, use ALMON DEPARTURE.**TUCSON INTL (TUS)****DIVERSE VECTOR AREA (RADAR VECTORS)**

AMDT 1 30NOV23 (23334) (FAA)

Rwy 4, heading as assigned by ATC; requires min climb of 228' per NM to 3000.**Rwy 12**, heading as assigned by ATC.**Rwy 22**, heading as assigned by ATC.**Rwy 30**, heading as assigned by ATC; requires min climb of 328' per NM to 6700.**TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES**

AMDT 6 30NOV23 (23334) (FAA)

TAKEOFF MINIMUMS:**Rwy 4**, 300-2 or std w/min climb of 230'/NM to 3000.**DEPARTURE PROCEDURE:**

Rwy 4, climb on heading 036° to 3000 then climbing right turn on heading 172° and TUS R-018 to TUS VORTAC, continue climb in TUS VORTAC holding pattern (hold NW, right turns, 128° inbound) to 9000 before proceeding on course.
Rwy 12, climb on heading 126° to 4000 then climbing left turn direct TUS VORTAC, continue climb in TUS VORTAC holding Pattern (hold NW, right turns, 128° inbound) to 9000 before proceeding on course.
Rwy 22, climb on heading 216° to 3000 then climbing left turn on heading 078° and TUS VORTAC R-227 to TUS VORTAC, continue climb in TUS VORTAC holding pattern (hold NW, right turns, 128° inbound) to 9000 before proceeding on course.
Rwy 30, climbing right turn direct TUS VORTAC, continue climb in TUS VORTAC holding pattern (hold NW, right turns, 128° inbound) to 9000 before proceeding on course.

TAKEOFF OBSTACLE NOTES:

Rwy 4, light poles beginning 5' from DER, 52' right of centerline, up to 2' AGL/2570' MSL.
 Light pole 9' from DER, 149' left of centerline, 4' AGL/2570' MSL.
 Light poles, terrain beginning 10' from DER, 149' right of centerline, up to 3' AGL/2571' MSL.
 Sign 35' from DER, 445' right of centerline, 3' AGL/2573' MSL.
 Signs, utility building beginning 70' from DER, 378' right of centerline, up to 5' AGL/2575' MSL.
 Sign 189' from DER, 509' right of centerline, 2578' MSL.
 Building 557' from DER, 647' left of centerline, 17' AGL/2583' MSL.
 Building, poles beginning 795' from DER, 609' left of centerline, up to 2607' MSL.
 Pole, tree beginning 993' from DER, 436' left of centerline, up to 2609' MSL.
 Trees, building, pole beginning 1104' from DER, 550' right of centerline, up to 2611' MSL.
 Poles, signs, trees beginning 1131' from DER, 133' left of centerline, up to 2611' MSL.
 Poles beginning 1475' from DER, 704' right of centerline, up to 35' AGL/2613' MSL.
 Pole 1688' from DER, 915' right of centerline, 34' AGL/2617' MSL.
 Poles beginning 1691' from DER, 585' right of centerline, up to 38' AGL/2618' MSL.
 Pole 1725' from DER, 948' right of centerline, 36' AGL/2620' MSL.
 Poles beginning 1749' from DER, 503' right of centerline, up to 2621' MSL.
 Tree 1863' from DER, 852' left of centerline, 2628' MSL.
 Poles beginning 1886' from DER, 437' right of centerline, up to 2625' MSL.
 Tree 1955' from DER, 771' left of centerline, 2630' MSL.
 Poles, tree beginning 1991' from DER, 331' right of centerline, up to 2626' MSL.
 Poles beginning 2080' from DER, 414' right of centerline, up to 2627' MSL.
 Poles beginning 2321' from DER, 560' right of centerline, up to 2632' MSL.
 Pole 2397' from DER, 905' right of centerline, 2634' MSL.
 Tree 2532' from DER, 715' right of centerline, 2635' MSL.
 Pole 2613' from DER, 959' right of centerline, 49' AGL/2642' MSL.
 Poles beginning 2668' from DER, 951' right of centerline, up to 55' AGL/2647' MSL.
 Tree 3078' from DER, 700' right of centerline, 2650' MSL.
 Trees beginning 3095' from DER, 738' right of centerline, up to 2654' MSL.
 Tower, antenna, building beginning 3224' from DER, 853' right of centerline, up to 77' AGL/2670' MSL.
 Tower 1.5 NM from DER, 1690' left of centerline, 246' AGL/2831' MSL.

CON'T

26190

