

Query OK, 0 rows affected (0.05 sec)

```
mysql>
mysql> -- Step 4: Insert sample booking records
mysql> INSERT INTO BusTicketBooking (PassengerName, BusNumber, TravelDate, QRCode, Status)
-> VALUES
-> ('Michael Johnson', 'B123', '2025-06-01', 'QR1234567890', 'Booked'),
-> ('Sarah Lee', 'B456', '2025-06-02', 'QR2345678901', 'Cancelled'),
-> ('Raj Verma', 'B789', '2025-06-03', 'QR3456789012', 'Booked'),
-> ('Anita Desai', 'B321', '2025-06-04', 'QR4567890123', 'Pending');
```

Query OK, 4 rows affected (0.01 sec)
Records: 4 Duplicates: 0 Warnings: 0

```
mysql>
mysql> -- Step 5: View all ticket bookings
mysql> SELECT * FROM BusTicketBooking;
```

BookingID	PassengerName	BusNumber	TravelDate	QRCode	Status
1	Michael Johnson	B123	2025-06-01	QR1234567890	Booked
2	Sarah Lee	B456	2025-06-02	QR2345678901	Cancelled
3	Raj Verma	B789	2025-06-03	QR3456789012	Booked
4	Anita Desai	B321	2025-06-04	QR4567890123	Pending

```
4 rows in set (0.00 sec)
```

```
mysql> SHOW TABLES;
```

```
+-----+
| Tables_in_busbookingdb |
+-----+
| busticketbooking        |
+-----+
```

```
1 row in set (0.00 sec)
```

```
mysql> |
```

[illegible]

Snipping Tool

Screenshot copied to clipboard
Automatically saved to screenshots folder.

Mark-up and share