## **BigData Assignment 4.2**

## **Loading Data Into HBase Using PIG Scripts**

Solution -

Copying the dataset into hdfs.
 hdfs dfs -put AcadgildStudent.txt /

```
cloudera@quickstart:~/Downloads
 File Edit View Search Terminal Help
[cloudera@quickstart Downloads]$ ls
AcadgildStudent.txt hbase-0.98.4-hadoop2 hbase-0.98.4-hadoop2-bin.tar.gz
[cloudera@quickstart Downloads]$ hdfs dfs -put AcadgildStudent.txt /
[cloudera@quickstart Downloads]$ hdfs dfs -ls /
Found 7 items
                                                 26204 2018-07-10 12:22 /AcadgildStudent.txt
 -rw-r--r--
               1 cloudera supergroup
               - hdfs supergroup
- hbase supergroup
                                                 0 2017-10-23 09:15 /benchmarks
0 2018-07-10 10:07 /hbase
drwxrwxrwx
drwxrwxrwt - hdfs supergroup
drwxr-xr-x - hdfs supergroup
drwxr-xr-x - hdfs supergroup
[cloudera@quicket
                                                     0 2017-10-23 09:18 /solr
                                                     0 2018-07-06 06:09 /tmp
                                                     0 2017-10-23 09:17 /user
                                                     0 2017-10-23 09:17 /var
```

 Adding jar files of HBase to the Pig classpath and loading the data into a relation.

```
REGISTER 'usr/lib/hbase/*.jar';
data = LOAD 'hdfs://localhost:8020/student.txt' USING
PigStorage(',')
```

AS(studentname:chararray,sector:chararray,dob:chararray,qualification:chararray,score:int,state:chararray,randonName:chararray);

```
File Edit View Search Terminal Help

grunt> REGISTER '/usr/lib/hbase/*.jar';
grunt> data = LOAD 'hdfs://localhost:8020/AcadgildStudent.txt' USING PigStorage(',') AS(studentname:chararray,sector:chararray,ydob:chararray,qualification:chararray,score:int,state:chararray,randonName:chararray);
2018-07-10 12:28:53,062 [main] INFO org.apache.hadoop.conf.Configuration.deprecation - fs.default.name is deprecated. Instead, use fs.defaultF5
2018-07-10 12:28:53,062 [main] INFO org.apache.hadoop.conf.Configuration.deprecation - mapred.job.tracker is deprecated. Instead, use mapreduce.jobtracker.address
2018-07-10 12:28:53,062 [main] INFO org.apache.hadoop.conf.Configuration.deprecation - io.bytes.per.checksum is deprecated. Instead, use dfs.bytes-per-checksum
```

 Cheking the data is there in the relation dump data;

```
2018-07-10 12:37:12,154 [LocalJobRunner Map Task Executor #0] INFO org.apache.hadoop.mapred.Task - Task 'attempt_local411193
           0 12:37:12,134 [LocalJobRunner Map Task Executor #0] INFO org.apache.hadoop.mapred.LocalJobRunner - Finishing task:
attempt local41119371 0003 m 000000 0

2018-07-10 12:37:12,154 [Thread-198] INFO org.apache.hadoop.mapred.LocalJobRunner - map task executor complete
2018-07-10 12:37:12,154 [Thread-198] INFO org.apache.hadoop.conf.Configuration.deprecation - mapred.map.tasks is dep
ad, use mapreduce.job.maps
2018-07-10 12:37:16,269 [main] INFO org.apache.hadoop.conf.Configuration.deprecation - mapred.reduce.tasks is deprecated. In
stead, use mapreduce.job.reduces
2018-07-10 12:37:22,270 [main] WARN org.apache.pig.tools.pigstats.PigStatsUtil - Failed to get RunningJob for job job_local4
2018-07-10 12:37:22,270 [main] INFO org.apache.pig.backend.hadoop.executionengine.mapReduceLayer.MapReduceLauncher - 100% co
z018-07-10 12:37:22,271 [main] INFO org.apache.pig.tools.pigstats.SimplePigStats - Detected Local mode. Stats reported below
2018-07-10 12:37:22,301 [main] INFO org.apache.pig.tools.pigstats.SimplePigStats - Script Statistics:
HadoopVersion PigVersion 2.6.0-cdh5.15.0 0.12.0-cdh5.15.0
                                      UserId StartedAt
0 cloudera
                                                                  FinishedAt Features
2018-07-10 12:37:08 2018-07-10 12:37:22
                                                                                                                               UNKNOWN
Job Stats (time in seconds):
JobId Alias Feature Outputs
job_local41119371_0003 data MAP_ONLY
                                                        hbase://studentAcad.
Input(s):
Successfully read records from: "hdfs://localhost:8020/AcadgildStudent.txt"
Output(s):
Successfully stored records in: "hbase://studentAcad"
Job DAG:
job_local41119371_0003
2018-07-10 12:37:28,303 [main] INFO org.apache.pig.backend.hadoop.executionengine.mapReduceLayer.MapReduceLauncher - Success
grunt>
```

```
cloudera@quicksta
File
     Edit View Search Terminal Help
(SARAH, goverenment, 20-10-2000, BE, 100, alabama, madison`)
(WILLIAM, goverenment, 20-10-2000, BE, 100, alabama, madison`)
(JOHN,goverenment,20-10-2000,BE,100,alabama,madison`)
(JACOB, government, 12-12-2001, BE, 100, alabama, madison`
(THOMAS, government, 20-10-2000, BE, 100, alabama, madison`)
(JESSE, goverenment, 20-10-2000, BSC, 100, alabama, madison)
(CHARLES, goverenment, 20-10-2000, BE, 8, arizona, decatur!)
(MCWILLIAM, goverenment, 20-10-2000, BE, 3, Pennsylvania, prattville*)
(PATRICK, government, 20-10-2000, BE, 100, alabama, madison
(PATRICK, government, 28-04-2005, BE, 100, alabama, madison)
(WILLIAM, goverenment, 20-10-2000, BBA, 100, alabama, madison`)
(JOHN, goverenment, 20-10-2000, BE, 100, alabama, madison`)
(SAMUEL, goverenment, 20-10-2000, BE, 3, Pennsylvania, prattville*)
(CHRISTIAN, goverenment, 20-10-2000, BE, 100, alabama, madison)
(JOHN, goverenment, 20-10-2000, BE, 100, alabama, madison`)
(THOMAS, government, 20-10-2000, BE, 100, alabama, madison`)
(ELEONER, goverenment, 20-10-2000, BE, 100, alabama, madison
(MARTIN, government, 20-10-2000, BE, 100, alabama, madison)
(MARTIN, goverenment, 20-10-2000, BE, 100, alabama, madison
(NEWCOMMER, goverenment, 10-07-2004, ME, 7, california, dothan@)
(JOHN, goverenment, 20-10-2000, BCOM, 100, alabama, madison`)
(WILLIAM, government, 20-10-2000, MBBS, 100, alabama, madison`)
(PHILIP, private, 20-10-2000, BE, 100, alabama, madison`) (STEPHEL, government, 20-10-2000, BE, 2, vermont, gadsden+)
(REBECAH, government, 20-10-2000, BE, 100, alabama, madison`)
(SARAH,goverenment,20-10-2000,BE,9,alaska,auburn~)
(SUSANNAH, goverenment, 20-10-2000, BE, 100, alabama, madison`)
(PAUL, goverenment, 20-10-2000, BE, 6, louisiana, hoover#)
(GEORGE, goverenment, 20-10-2000, BE, 100, alabama, madison
(GEORGE, goverenment, 20-10-2000, BE, 100, alabama, madison
(GEORGE, government, 18-11-2002, BE, 8, arizona, decatur!)
(GEORGE, goverenment, 12-12-2001, BTECH, 100, alabama, madison`)
(GEORGE, government, 01-01-2003, BE, 100, alabama, madison`
(GEORGE, goverenment, 20-10-2000, BE, 100, alabama, madison)
(GEORGE, goverenment, 20-10-2000, BE, 100, alabama, madison
(GEORGE, goverenment, 20-10-2000, BE, 100, alabama, madison)
(FREDERICK, government, 20-10-2000, BE, 100, alabama, madison`)
(RICHARD, goverenment, 20-10-2000, BE, 4, oregon, huntsville/)
grunt>
```

Creating a table in hbase
 create 'studentAcad', 'studentData'

```
File Edit View Search Terminal Help

hbase(main):002:0> create 'studentAcad','studentData'
0 row(s) in 1.2650 seconds

=> Hbase::Table - studentAcad
hbase(main):003:0>
```

Transfer the data inside HBase by STORE command.

STORE data INTO 'hbase://studentAcad' USING org.apache.pig.backend.hadoop.hbase.HBaseStorage('student\_data:st udentname,student\_data:sector,student\_data:dob,student\_data:qualifi cation,student\_data:score,student\_data:state,student\_data:randomNa me');



```
cloudera@quickstart:~
 File Edit View Search Terminal Help
shut down
2018-07-10 13:05:26,940 [LocalJobRunner Map Task Executor #0] INFO
2018-07-10 13:05:26,979 [LocalJobRunner Map Task Executor #0] INFO
2018-07-10 13:05:38,079 [main] INFO org.apache.pig.backend.hadoop.executionengine.mapReduceLayer.MapReduceLauncher - 100% co
mplete
2018-07-10 13:05:38,079 [main] INFO org.apache.pig.tools.pigstats.SimplePigStats - Detected Local mode. Stats reported below
may be incomplete
2018-07-10 13:05:38,079 [main] INFO org.apache.pig.tools.pigstats.SimplePigStats - Script Statistics:
HadoopVersion PigVersion U
2.6.0-cdh5.15.0 0.12.0-cdh5.15.0
                                                UserId StartedAt
                                                                                                             Features
                                                                                    2018-07-10 13:05:24
                                                                                                                        2018-07-10 13:05:38
                                                                                                                                                          UNKNOWN
                                                            cloudera
Job Stats (time in seconds):
JobId Alias Feature Outp
JobId Alias Feature Outputs
job_local624658582_0005 data
                                               MAP ONLY
                                                                        hbase://studentAcad.
Successfully read records from: "hdfs://localhost:8020/AcadgildStudent.txt"
Output(s):
Successfully stored records in: "hbase://studentAcad"
Job DAG:
job local624658582 0005
2018-07-10 13:05:44,080 [main] INFO org.apache.pig.backend.hadoop.executionengine.mapReduceLayer.MapReduceLauncher - Success
grunt>
```

Checking the content of hbase table

## scan 'studentAcad'



