


Getting the drawings ready

A plain-language guide for juniors

This guide explains in simple words what we're making, why the drawings need a little extra preparation, and exactly what to click. Read it first. Then use the **Drawing and model handover spec** as your checklist.

FOR	GOES WITH	VERSION	READING TIME
Junior designers, CAD and 3D team	Handover spec v1.1	1.1 · 6 October 2026	About 20 minutes

- | | |
|------------------------------------|------------------------------------|
| 01 The big picture | 05 Renders: light and dark |
| 02 Words you'll hear | 06 Common mistakes and quick fixes |
| 03 Your CAD job, step by step | 07 Questions juniors usually ask |
| 04 Your SketchUp job, step by step | 08 Before you send: final check |



IF YOU WORK IN AUTOCAD

Read 01, 02, 03

- Add labelled shapes on new layers
- Draw the fire escape routes
- Save as DXF

IF YOU WORK IN SKETCHUP

Read 01, 02, 04

- Organise groups and tags
- Fix one camera
- Export a set of pictures

IF YOU MAKE RENDERS

Read 01, 05

- A light and a dark render per space
- Same camera for both
- Name the files exactly

01 The big picture

What we're making, why it needs your help, and what each team hands over.

What are we making?

We're making an **interactive presentation** for Acko's new office. It opens in a web browser like a website but works like a slideshow. Each time the presenter presses the arrow key, something happens on screen:

- the empty floor draws itself, line by line;
- red arrows show how people would escape in a fire;
- the floor divides into six coloured **neighbourhoods** (one per team) around a shared **Town Square**;
- the flat plan tilts up into a 3D view, then the 3D view separates into floating layers;
- clicking any room opens its render, in a light and a dark version.

Why does this need your help?

A person looks at a drawing and understands it straight away. A computer can't "see" a drawing like that. It reads the information inside the file: which layer a line sits on, whether a shape is closed, what text sits inside it.

So if you draw a closed shape on a layer called `PRES-NBHD` and write `N1 INDIRANAGAR` inside it, the computer understands: *this area is the Indiranagar neighbourhood*. Now it can colour it, show its name, measure its area and count the desks inside it, all by itself.

THINK OF IT LIKE

Labelling boxes before moving house. The movers don't open each box to guess what's inside. They read the label and carry the box to the right room. Your job is to put clear labels on the drawing, so the computer puts everything in the right place.

What each team hands over

TEAM	HANDS OVER	IN PLAIN WORDS
CAD (AutoCAD)	The final layout as a DXF file, with a few extra layers	The plan, plus labelled shapes that say "this is a neighbourhood", "this is a fire route" and so on
3D (SketchUp)	A set of PNG pictures of the model, all from one fixed camera	Photos of the 3D model, taken from exactly the same spot, with different parts switched on
Renders	A light and a dark JPG render of each type of space	Two versions of each room, from the same camera, so a slider can blend between them
Project lead	Names, teams, colours, the brief sheet, notes, brand files	The words and branding

Why it's worth the effort

Once the files are set up this way, every number in the presentation (areas, desk counts, escape distances) comes straight from your drawing, so it is always right. If the design changes, we simply re-export with the same names and the presentation updates. Nobody retypes numbers by hand.

02 Words you'll hear

The handful of terms used in this guide and the spec, in everyday language.

DXF

A file type AutoCAD can save to. It holds the same lines, layers and blocks as a DWG, but other programs can read it. We can't open DWG files, so we ask for DXF.

PRES layer

A new layer you add only for the presentation. Their names all start with `PRES-`.

Closed polyline

A polyline whose end joins its start **and** which AutoCAD has marked as "closed". Only closed shapes can be coloured and measured.

Block

A saved bundle of lines that acts as one object, like a desk or a chair. We count blocks to count furniture.

Z = 0

Everything lying flat at floor level. Lines sometimes get a height by accident; the `FLATTEN` command fixes that.

Axo (axonometric)

A 3D view looking down at an angle, where things don't get smaller in the distance.

Group (SketchUp)

A bundle of objects that moves and hides together, like a folder.

Scene (SketchUp)

A saved camera view and set-up, shown as a tab along the top of the screen.

PNG and JPG

Picture file types. A PNG can have a see-through background; a JPG can't.

Pixels (px)

The size of a picture. 6000 px wide means very large and sharp.

Reference marker

A small red dot placed at the same four spots in CAD and SketchUp so the two can be lined up.

Escape route (egress)

The path people take to get out of the building in a fire.

Layer

Like a sheet of tracing paper inside the drawing. Every line sits on one layer. We use layer names to know what a line is.

Polyline

A line made of several connected pieces, drawn with the `PLINE` command. AutoCAD treats it as one object.

Label

A piece of text placed inside a shape to say what it is, such as `MEETING 8`.

Model space

The main drawing area in AutoCAD, as opposed to the printable sheet layouts.

Xref

Another drawing linked into yours. "Binding" it copies it into your file permanently, so nothing goes missing.

Perspective vs parallel

Perspective is how our eyes see: far things look smaller. Parallel projection keeps sizes the same everywhere. We need **parallel**.

Tag (SketchUp)

SketchUp's version of a layer. Switching a tag off hides everything carrying that tag.

Export

Saving a picture or file out of SketchUp or AutoCAD.

Transparent background

The empty part of the picture is see-through, so pictures can be stacked on top of each other.

Render

A realistic image of a space, made in Enscape, V-Ray, D5 or Lumion.

Exploded view

The 3D view pulled apart into layers floating above each other.

Travel distance

The longest distance anyone should have to walk to reach a fire exit. The fire code sets the limit.

03 Your CAD job, step by step

You'll add the PRES layers to a copy of the final layout, draw simple labelled shapes on them, check them and save a DXF. Work through the steps in order. Each one says what to do, why it matters and how to check it.

1 Make a working copy

- DO** Open the final layout and use **SAVEAS** to save it as **acko-layout-PRES.dwg**. Work only in this copy.
- WHY** You're adding things just for the presentation. The real drawing stays untouched.
- CHECK** The title bar shows the new file name.

2 Create the PRES layers

- DO** Type **LAYER** and press Enter. In the Layer Properties Manager, click *New Layer* and type each name exactly:
- PRES-PLATE** **PRES-CORE** **PRES-STAIR** **PRES-FIRE-EXIT** **PRES-FIRE-ROUTE** **PRES-STREET**
PRES-LOOP **PRES-NBHD** **PRES-TS** **PRES-ROOM** **PRES-REF**, plus **PRES-DD** and **PRES-SITE** if asked. Give them any bright colours so you can see them.
- WHY** The computer finds things by layer name, the way a postman finds a house by its address. One wrong letter and it won't find it.
- CHECK** Every name is in capitals, starts with **PRES-** and uses hyphens, not spaces or underscores.

3 Learn the one skill you'll use most: closed shapes

- DO** First make the right PRES layer current (pick it in the Layer drop-down on the Home tab). Then draw the shape in one of two ways:
1. **By hand:** type **PLINE**, click round the shape, then type **C** and press Enter. C means Close.
 2. **Faster:** type **BO** (BOUNDARY). Set *Object type* to *Polyline*, click *Pick Points*, click inside the area, press Enter. AutoCAD traces the edges for you on the current layer.
- WHY** Only closed shapes can be filled with colour and measured.
- CHECK** Select the shape and press **Ctrl+1**. The Properties palette must say *Closed: Yes*.




Fig 1 A closed shape with its label inside can be coloured and measured. A shape with a gap can't.

THINK OF IT LIKE

A fence around a field. If the fence has even a tiny gap, the colour "leaks out" and the computer can't tell how big the field is. Ends that only touch still count as a gap; the shape must be marked closed.

4

Floor outline **PRES-PLATE**

- DO** Draw one closed shape around the usable floor, along the inside face of the outer wall or glass.
- WHY** This is the edge of the "city". It gives the total floor area and is the outline that draws itself at the start of the presentation.
- CHECK** Only one shape on this layer. Closed.

5

Core and fire stairs **PRES-CORE** **PRES-STAIR**

- DO** On **PRES-CORE**, draw closed shapes round the core, lifts, toilets, shafts and AHU rooms, each with a label inside: **CORE**, **LIFTS**, **WC**, **SHAFT**, **AHU**. On **PRES-STAIR**, draw one closed shape round each fire stair with a label: **STAIR A**, **STAIR B** and so on.
- WHY** These are the fixed parts of the building that everything else is planned around.
- CHECK** Every label sits inside its own shape.

6

The loop and lanes **PRES-STREET** **PRES-LOOP**

- DO** On **PRES-STREET**, draw closed shapes for the loop corridor and each lane (the main walkways). Label them **LOOP** or **LANE**. Then on **PRES-LOOP**, draw **one** closed polyline along the middle of the loop corridor, all the way round.
- WHY** Acko's logo is a loop, so the main corridor is one endless loop with no dead ends. In the story, the fire escape routes close into this loop. The centre line is the path the animated dots run along.
- CHECK** Walkways touch the neighbourhood shapes along their edges but don't overlap them. The loop centre line says *Closed: Yes*.

7

Neighbourhoods **PRES-NBHD**

- DO** Draw one closed shape for each neighbourhood. Run its edge along the **edge** of the street, not the middle of the street. Put a label inside with the ID and the name: **N1 INDIRANAGAR**.
- WHY** This is the heart of the concept. From these shapes the presentation colours each neighbourhood, shows its name, works out its area and counts what's inside it.
- CHECK** Six shapes, no overlaps, one label inside each. IDs N1 to N6 match the names list from the project lead.

THINK OF IT LIKE

A plot of land with a fence round it and a name board inside. The fence is the closed shape, the name board is the label.

8

Town Square PRES-TS

DO Draw closed shape(s) around the shared areas (reception, café, town hall, boardroom) and label them TOWN SQUARE.

WHY It's highlighted as the one place every team shares.

CHECK It doesn't overlap the neighbourhoods or the core.

9

Rooms you can click PRES-ROOM

DO Draw a closed shape for every room or space that should open a render, with a keyword label inside. Use only these keywords, spelled exactly:

WORKSTATIONS CABIN TOUCHDOWN FOCUS BOOTH MEETING HUDDLE PANTRY RECEPTION
TOWNHALL BOARDROOM CAFE ZEN.

Add the seat count after meeting rooms: MEETING 8. A zen room is shared by two neighbourhoods, so add both IDs: ZEN N1 N4.

WHY When someone clicks this shape in the presentation, it opens the renders for that keyword.

CHECK Keywords spelled exactly (CAFE without the accent). For desks, one WORKSTATIONS shape per desk cluster is enough.

TIP

Make PRES-ROOM the current layer, type B0, then click once inside each room. One click per room gives you a perfect closed shape.

10

Fire exits and escape routes PRES-FIRE-EXIT PRES-FIRE-ROUTE

DO **First the exits:** on PRES-FIRE-EXIT, place a text EXIT A, EXIT B ... with its insertion point in the middle of each exit door.

Then the routes: on PRES-FIRE-ROUTE, use PLINE and draw each route the way a person would walk out in a fire. Start clicking at the farthest desk in the zone, click at every turn, and make your last click exactly on the exit door. Don't close it.

WHY The order you click is the direction the animated arrows flow. Start at the exit by mistake and the arrows run backwards. The length is measured automatically and checked against the fire-code limit.

CHECK Straight lines only, no cutting through furniture or walls. The last point sits on the exit door. At least one route per neighbourhood and one for the Town Square.




Fig 2 Click in the same order a person would walk out: farthest desk first, exit door last.

11

Four reference points PRES-REF

- DO** Place four small circles: three at outer corners of the floor plate and one on a column far away from them. Label them REF-1 to REF-4. Write down which point is which and give the list to the SketchUp team.
- WHY** The SketchUp team puts red markers at the same four spots. Matching the four pairs lets us lay your CAD plan exactly on top of the 3D view.
- CHECK** The four points are not all on one straight line.

THINK OF IT LIKE

Pinning a printed map onto a wall map. Once the pins at a few known places match, the whole map lines up.

12

Keep furniture as blocks and fill in the block map

- DO** Don't explode furniture blocks. In block-map.xlsx, list each furniture block name and what it is (for example WS-1200x600 = workstation). Write "Yes" for things to count and "No" for things like chairs.
- WHY** The presentation counts the blocks inside each neighbourhood to write lists like "72 workstations, 6 focus pods".
- CHECK** Click a desk and press Ctrl+1. Properties should say *Block Reference*, not *Line*.

13

Fill in the layer sheet

- DO** In layer-sheet.xlsx, list each of your existing layers and what is on it (walls, glass, doors, columns, furniture, ceiling, text). Mark dimensions, hatches and title blocks as "hide".
- WHY** We restyle the drawing layer by layer, so it looks clean and consistent in the presentation.
- CHECK** Every layer that has lines on it appears in the sheet.

14

Clean up and save as DXF**DO**

1. **FLATTEN** → type **ALL**, Enter → answer *No* to "remove hidden lines".
2. **XREF** → right-click each reference → *Bind* → *Insert*.
3. **UNITS** → Insertion scale: *Millimeters*.
4. **PURGE** → *Purge All*, with *Purge nested items* ticked.
5. **AUDIT** → Yes to fix errors.
6. **OVERKILL** → select everything → OK. This removes duplicate lines.
7. **SAVEAS** → Save as type: *AutoCAD 2018 DXF (*.dxf)* → name it **acko-layout.dxf**.
8. Also **PLOT** a PDF of the same layout (DWG To PDF.pc3) named **acko-layout.pdf**.

WHY

This makes the file flat, clean, complete and readable outside AutoCAD.

CHECK

Close and re-open the DXF. The PRES layers and shapes are all still there.

04 Your SketchUp job, step by step

We don't need the SketchUp file itself. We need a set of pictures of the model, all taken from exactly the same camera, each with different parts switched on.

THINK OF IT LIKE

A photographer with a camera fixed on a tripod, photographing a stage set. Between shots, the crew takes some props away: one photo of only the floor, one with the walls, one with the furniture. Because the tripod never moves, the photos line up perfectly and can be stacked like sheets of tracing paper. That's exactly what we need from SketchUp.




Fig 3 One camera that never moves gives pictures that stack perfectly.

The presentation uses that stacking for two effects. It **builds the 3D view up** layer by layer, and it **pulls the layers apart** for the exploded view. If even one picture is a few pixels off, the layers visibly jump, so the rules below are strict about the camera.




Fig 4 Turn on Parallel Projection. In perspective, layers and the CAD plan can never line up exactly.

1

Make a working copy

DO File → Save As → `acko-axo-PRES.skp`. Work only in this copy.

WHY You'll reorganise groups and tags. The design model stays safe.

CHECK The new name shows in the title bar.

2

Organise the model into groups ("folders inside folders")

- DO** Make one group for each neighbourhood, one for the Town Square and one for the building shell (slab, columns, core, façade). Inside each neighbourhood and the Town Square, make smaller groups for floor finishes, walls and glass, furniture, and ceiling. To make a group: select the objects → right-click → *Make Group*. Double-click a group to open it and make groups inside it.
- WHY** So we can switch whole neighbourhoods, or all the walls, on and off.
- CHECK** Nothing is left loose inside a neighbourhood group; everything sits in one of its four smaller groups.

Model	
└ Shell	tag SHELL
└ N1 Indiranagar	tag NB-N1
└ Floor finishes	tag FLOOR
└ Walls and glass	tag WALLS
└ Furniture	tag FURNITURE
└ Ceiling	tag CEILING (if you have one)
└ N2 ... N6	same pattern, tags NB-N2 ... NB-N6
└ Town Square	tag TS, same four groups inside
└ Streets	tag STREET (walkway floor finish, if any)
└ Reference markers	tag REF (step 4)

3

Create the tags and give each group its tag

- DO** Open the Tags panel (Window → Default Tray → Tags). Click + to add: SHELL FLOOR WALLS FURNITURE CEILING STREET NB-N1 ... NB-N6 TS REF. Then select a group, open Entity Info, and pick its tag. Big outer groups get the neighbourhood tag; the smaller groups inside get FLOOR, WALLS, FURNITURE or CEILING. Leave loose lines and faces *Untagged*.
- WHY** SketchUp hides something if its own tag **or** its outer group's tag is switched off. That lets us show, say, "only the walls" or "only Indiranagar" just by clicking eye icons.
- CHECK** Click the eye next to NB-N1 : all of Indiranagar disappears. Click the eye next to WALLS : the walls disappear everywhere.

4

Add the four red reference markers

- DO** Using the CAD team's list, draw a small red disc or cube (about 300 mm) at each of REF-1 to REF-4, at floor level. Paint them pure red. Group them and tag the group REF.
- WHY** These are the "pins" that let us line up the CAD plan with your 3D pictures.
- CHECK** The markers sit exactly on the same corners and column as in the CAD.

5

Set the camera, then don't touch it

DO

1. Camera → **Parallel Projection** (it must show a tick).
2. Camera → Standard Views → Iso, then use Orbit to reach the angle the design lead approves.
3. Open the Scenes panel (Window → Default Tray → Scenes), click +, and rename the scene **PRES-AX0**.

From now on, **don't orbit, pan or scroll-zoom**.

WHY

Every picture must come from exactly the same camera position.

CHECK

If you move the camera by accident, click the **PRES-AX0** tab to snap back. Scrolling the mouse wheel even once moves the camera.

6

Set the look

DO

In Styles → Edit → Background settings, untick *Sky* and *Ground*. Turn fog off (Fog panel: untick *Display Fog*). Turn shadows off (Shadows panel), except for the hero picture. Use the same style for every picture.

WHY

A clean, see-through background lets the pictures stack. Shadows change between pictures and would look messy when layered.

CHECK

The background behind the model is plain white in SketchUp. The export makes it see-through in step 8.

7

Make one scene per picture

DO

Click the **PRES-AX0** tab. Switch tags on or off as in the table below, click + to add a scene, and rename it after the picture. Repeat for each picture. In each scene's details, keep *Camera Location* and *Visible Tags* ticked.

WHY

Re-exporting after a design change then takes a few clicks instead of an afternoon.

CHECK

Clicking between your scene tabs never moves the model on screen; only parts appear and disappear.

"Only" means: all the neighbourhood and Town Square tags stay on (except in the zone pictures), plus the one part listed; every other part is off.

PICTURE (FILE NAME)	WHAT'S SWITCHED ON	IN PLAIN WORDS
axo-full.png	Everything, shadows on	The beauty shot
axo-1-shell.png	SHELL only	The empty building
axo-2-floor.png	FLOOR and STREET only (if you have finishes)	Just the floor finishes
axo-3-walls.png	WALLS only	Just the walls and glass
axo-4-furniture.png	FURNITURE only	Just the furniture
axo-5-ceiling.png	CEILING only (if you have one)	Just the ceiling
axo-zone-n1.png ... n6, axo-zone-ts.png	One zone tag only, with FLOOR, WALLS and FURNITURE on	One neighbourhood on its own

PICTURE (FILE NAME)	WHAT'S SWITCHED ON	IN PLAIN WORDS
axo-ref.png	REF only	Just the four red dots

8

Export the pictures

DO

File → Export → 2D Graphic → choose **PNG** → click *Options*: untick *Use view size*, set width to **6000**, tick *Anti-alias*, tick *Transparent background*. Then click each scene tab in turn, export, and name the file exactly as in the table.

WHY

6000 px stays sharp even when we zoom into one neighbourhood on a big screen.

CHECK

Don't open, close or resize panels or the SketchUp window while exporting. The picture's height follows the window's shape, so a resized window gives a different height.

9

Check the pictures

DO

Check that every picture has exactly the same size in pixels. On Windows: right-click → Properties → Details. On Mac: Get Info → More Info. For a final check, open two pictures as layers in Photoshop and switch the top one on and off: a column should not move at all.

WHY

Same size and no movement means the stacking will be perfect.

CHECK

The see-through areas show as a checkerboard in Photoshop.

05 Renders: light and dark

When someone clicks a room in the presentation, a viewer opens with that room's two renders and a slider in the middle. Drag the slider and the light version blends into the dark one.




Fig 5 The viewer wipes between the light and dark render. It only works if both are taken from the same spot.

THINK OF IT LIKE

Before-and-after photos of a renovation. If the photographer stands somewhere else for the "after" shot, the slider jumps instead of blending smoothly.

The rules, simply

1. **Same camera for both versions.** Save the view in your render tool (an Enscape view, a SketchUp scene for V-Ray, a D5 view or a Lumion photo). Render the light version and the dark version from that saved view. Change only materials and lighting.
2. **Same size for every render,** for example 3000 × 1688 px (16:9) for all of them.
3. **JPG, high quality** (85–90), with no text, logos or watermarks on the image.
4. **One pair per type of space is enough.** All meeting rooms can share one pair. If one neighbourhood's room looks different, give it its own pair with the ID in front: `n1-meeting-light.jpg`.
5. **Name the files exactly,** in lower case: `desk`, `cabin`, `touch`, `focus`, `booth`, `meeting`, `huddle`, `pantry`, `reception`, `townhall`, `board`, `cafe`, `zen`, each followed by `-light.jpg` and `-dark.jpg`. For example: `huddle-light.jpg` and `huddle-dark.jpg`.

Until real renders arrive, the presentation shows a simple sample picture for each space. As soon as a correctly named file is added, it replaces the sample.

06 Common mistakes and quick fixes

Almost every problem we see is one of these. Each has a quick fix.

MISTAKE	WHAT GOES WRONG	QUICK FIX
Shape not closed (ends only touch)	The area can't be coloured or measured	Select it → Ctrl+1 → set <i>Closed</i> to Yes, or PEDIT → Close
Label outside its shape	The neighbourhood or room has no name	Move the text so its insertion point sits inside the shape
Layer name typo (PRES_NBHD, Pres-Nbhd)	The whole layer is ignored	Rename it exactly: PRES-NBHD
Fire route drawn from the exit	Arrows flow away from the exit	Select the route → REVERSE command
Route stops before the door	Wrong distance; the arrow floats in space	Drag the last grip onto the door point with object snap on
Furniture exploded into lines	Nothing gets counted	Re-insert the blocks from the master drawing
Saved as DWG, not DXF	We can't open the file	SAVEAS → AutoCAD 2018 DXF
SketchUp in perspective	Layers and plan don't line up	Camera → Parallel Projection, update the scenes, re-export all pictures
Camera moved between exports	Pictures don't line up	Click PRES-AX0 , then re-export all pictures
Window or panel resized	Pictures have different heights	Restore the window, re-export all pictures
White background in the PNG	Pictures can't be stacked	Tick <i>Transparent background</i> ; turn off Sky and Ground
Light and dark renders from slightly different views	The slider jumps instead of blending	Render both from the same saved view
File names changed (Meeting Light.JPG)	The file isn't picked up	Rename exactly: lower case, hyphens, no spaces

07 Questions juniors usually ask

Do the colours and line weights on the PRES layers matter?

No. We restyle everything. Pick bright colours that help you see what you've drawn.

Can I send a DWG instead of a DXF?

Please don't. DWG is a closed format we can't open. A DXF holds exactly the same drawing.

My AutoCAD doesn't list "AutoCAD 2018 DXF".

Use AutoCAD 2013 DXF instead. Avoid the very old "R12" option.

The neighbourhood edges aren't decided yet. What do I draw?

Draw the loop and lanes, core, stairs and Town Square only. We'll propose the neighbourhood shapes from what's left and send them back for approval.

Do I need a shape around every desk?

No. One **WORKSTATIONS** shape per desk cluster, or one around the whole desk area, is enough. Desks are counted from the blocks.

How do I know which desk is the "farthest" for a fire route?

Pick the desk that would take longest to walk from to any exit, following the aisles. If you're not sure between two, draw both; the presentation shows the longest. The fire consultant's plan helps too.

Where does the travel-distance limit come from?

From the fire code (NBC) and the fire consultant. Ask the project lead, and note it in **notes.xlsx**.

I moved the SketchUp camera after exporting a few pictures. Now what?

Click the **PRES-AX0** tab, then re-export **all** the pictures, not just the remaining ones, so every picture matches.

The PNG files are huge.

That's expected at 6000 px. Share them through a drive link rather than email.

Can I just send the SketchUp model instead of pictures?

The pictures are what we need; we can't open SketchUp files outside SketchUp. A 3D export (.dae or .glb) is a nice extra if there's time.

What's the brief sheet? Do I fill it in?

The project lead fills it in: every space Acko asked for, the total, how it was shared between the six neighbourhoods, and why any count couldn't be met. Your part is getting the room labels and furniture blocks right, because the presentation counts what was achieved from your drawing.

Who do I ask when I'm stuck?

The project lead. Send a screenshot of what you see. It's usually a quick fix from the table in section 06.

08 Before you send: final check

Tick these off before handing over. The full lists are in sections 2.9 and 3.8 of the handover spec.

CAD

- ☐ File is `acko-layout.dxf`, saved as AutoCAD 2018 DXF
- ☐ Units in millimetres, everything flat
- ☐ All PRES layers present, names spelled exactly
- ☐ Every shape closed (Ctrl+1 shows *Closed: Yes*)
- ☐ One label inside every neighbourhood, Town Square and room
- ☐ Fire routes start at the far desk and end on the exit door
- ☐ REF-1 to REF-4 placed, list given to SketchUp team
- ☐ Furniture still in blocks; block map and layer sheet filled
- ☐ PDF plot of the same layout included

SketchUp

- ☐ Camera → Parallel Projection is ticked
- ☐ Scene `PRES-AX0` saved; camera never moved after
- ☐ Groups and tags organised as in step 2
- ☐ Red REF markers at the same points as in CAD
- ☐ Sky, ground and fog off; shadows only on the hero picture
- ☐ All PNGs 6000 px wide, same height, see-through background
- ☐ File names exactly as in the step 7 table

Renders

- ☐ Light and dark from the same saved view
- ☐ Names like `meeting-light.jpg`, lower case
- ☐ All renders the same size, JPG, no text

Where to put it

```
Acko-Presentation-Inputs/  
├ 01-cad/          acko-layout.dxf, acko-layout.pdf, layer-sheet.xlsx, block-map.xlsx  
├ 02-sketchup/     all the axo-*.png pictures  
├ 03-renders/      all the *-light.jpg and *-dark.jpg renders  
└ 04-content/      names, brief sheet, notes, photos, brand (project lead)
```

WHAT HAPPENS NEXT

Once the files arrive, we send back an "alignment check": one page showing your CAD plan laid exactly on your 3D pictures, with a short list of anything to fix. You'll see your work in place before the final build. Thank you!