


Deliverables and naming convention

What to send for the presentation built on the real test fit: the DXF, the SketchUp images, the renders and the content, with the exact file names and IDs to use.

PREPARED BY	FOR	VERSION	STATUS
Officebanao design team	CAD, SketchUp, visualisation and project lead	1.0 · 7 October 2026	For action

- | | |
|-------------------------|------------------------------------|
| 01 Naming rules and IDs | 04 Renders |
| 02 CAD: the DXF | 05 Content and brand |
| 03 SketchUp images | 06 To confirm, and the final check |



Key plan Test fit 02 with the IDs used in every file name and drawing label: neighbourhoods n01 – n06 west to east, shared spaces ss-*, terraces and stairs.

CAD TEAM

The DXF

- Layout as DXF 2018, mm
- PRES layers drawn over the plan
- PDF plot and block map

SKETCHUP TEAM

Axo images

- One parallel camera
- Hero, layer, zone and close-up PNGs
- 8000 px, transparent

VISUALISATION

Renders

- Light + dark JPG per space
- Same camera for both
- 18 space keys

PROJECT LEAD

Content

- Neighbourhoods and brief sheets
- Site, due-diligence and fire notes
- Acko brand files

01 Naming rules and IDs

One set of names for the drawing, the images, the renders and the sheets, so every file lands in the right place without anyone renaming it.

1.1 Rules

1. **Lowercase, hyphens, no spaces.** Plain letters only: `cafe`, not `café`. No `(1)` or `copy` in names.
2. **File names never change between issues.** A re-export replaces the file of the same name, and the presentation picks it up with no code changes.
3. **The revision and date go on the folder**, not the files: `acko-inputs-tf03-2026-10-12`.
4. **Dates as YYYY-MM-DD.** "5.10.26" can be read as 5 October or 10 May.
5. **One `readme.txt` per issue:** revision, date, what changed since the last issue, who exported.

WHERE THIS DIFFERS FROM THE HANDOVER SPEC V1.1

These names replace the older ones: neighbourhoods are `n01` – `n06` (not N1–N6), the Town Square is now the shared spaces (`PRES-SHARED`, `axo-zone-shared.png`), the south cut-outs are terraces, and SketchUp exports are 8000 px wide.

1.2 IDs

THING	ID IN FILE NAMES	LABEL IN THE DRAWING
Neighbourhoods, west to east	<code>n01</code> ... <code>n06</code>	<code>NEIGHBOURHOOD 01</code> ... <code>NEIGHBOURHOOD 06</code>
Shared spaces	<code>ss-cafe</code> · <code>ss-lobby</code> · <code>ss-reception-w</code> · <code>ss-reception-e</code>	<code>SHARED CAFE</code> · <code>SHARED LOBBY</code> · <code>SHARED RECEPTION W</code> · <code>SHARED RECEPTION E</code>
Terraces	<code>terrace-1</code> · <code>terrace-2</code>	<code>TERRACE 1</code> · <code>TERRACE 2</code>
Fire stairs	<code>st1</code> ... <code>st5</code>	<code>ST1</code> ... <code>ST5</code> , exits <code>EXIT ST1</code> ...
Openings	<code>cutout-1</code> ...	<code>CUTOUT 1</code> ...

1.3 Delivery folder

```
acko-inputs-tf03-2026-10-12/
├─ readme.txt                      revision, date, what changed, who exported
├─ 01-cad/
│  ├─ acko-layout.zip              acko-layout.dxf inside (a 160 MB DXF zips to about 12 MB)
│  ├─ acko-layout.pdf              vector plot of the same layout
│  └─ block-map.xlsx
├─ 02-sketchup/
│  ├─ axo-full.png
│  ├─ axo-1-shell.png ... axo-5-ceiling.png
│  ├─ axo-zone-n01.png ... axo-zone-n06.png, axo-zone-shared.png
│  ├─ axo-n01-close.png ... axo-n06-close.png
│  ├─ axo-n01-close-ref.png ... axo-n06-close-ref.png
│  └─ axo-ref.png
├─ 03-renders/
│  ├─ sprint-light.jpg, sprint-dark.jpg ... one pair per space key (section 04)
│  └─ n03-huddle-light.jpg ...      only where one neighbourhood looks different
└─ 04-content/
   ├─ neighbourhoods.xlsx, brief.xlsx, notes.xlsx, concept.txt
   ├─ photos/dd-01.jpg ...
   └─ brand/ acko-logo.svg, officebanao-logo.svg, palette.xlsx, fonts/
```

02 CAD: the DXF

Your working layers stay exactly as they are. The presentation reads the plan, rooms and furniture from them, and a few **PRES** layers drawn on top tell it where the zones, routes and terraces are.

LESSON FROM TEST FIT 02

The zones and egress routes came as copies in separate panels above and below the plan, so they had to be shifted back by measured distances. For the actuals, draw them on the PRES layers **directly over the plan**, in the same position, and keep only this floor in model space.

2.1 PRES layers

LAYER	DRAW	LABEL INSIDE	
PRES-PLATE	1 closed polyline: the floor edge, with the terraces cut out	-	REQUIRED
PRES-NBHD	1 closed polyline per neighbourhood	NEIGHBOURHOOD 01 ...	REQUIRED
PRES-SHARED	1 closed polyline per shared space: café, lobby, west and east receptions	SHARED CAFE ...	REQUIRED
PRES-TERRACE	1 closed polyline per terrace	TERRACE 1 , TERRACE 2	REQUIRED
PRES-VOID	Real openings only, such as the cut-out by the lifts	CUTOUT 1	IF ANY
PRES-LOOP	1 closed polyline along the centre line of the loop corridor	-	REQUIRED
PRES-FIRE-ROUTE	1 polyline per egress route, drawn from the far point to the stair door	-	REQUIRED
PRES-FIRE-EXIT	Text with its insertion point on each stair door	EXIT ST1 ... EXIT ST5	REQUIRED
PRES-REF	4 small markers, identical to the ones in SketchUp	REF-1 ... REF-4	REQUIRED
PRES-DD	Numbers at the due-diligence findings	1 , 2 ...	OPTIONAL
PRES-SITE	A north line (south to north) and short notes at views, noise and arrival	NORTH , VIEW ...	OPTIONAL

Every PRES shape is a **closed polyline** (**LIST** must say "Closed"), with its label's insertion point inside it. No shapes inside blocks, and no overlaps on the same layer.

2.2 Room labels

Keep the room labels exactly as in test fit 02, on **OB-I-ANNO-TEXT**, one inside each room. They decide what each room is counted as and which render it opens. If you add a new kind of room, send its label.

LABEL	COUNTED AS	RENDER KEY
QUICK SPRINT 4 PAX - 01	Quick sprint room, 4 seats	sprint
COLLABORATION HUDDLE 10 PAX - 01	Collaboration huddle	huddle
DEPARTMENTAL ROOMS 18 PAX - 01	Departmental room	dept
BOARDROOM 35 PAX	Boardroom	board

LABEL	COUNTED AS	RENDER KEY
THE HATCHERY 08 PAX - 01	The Hatchery	hatchery
VISITOR HUB 4 PAX - 01	Visitor hub	visitor
2 PAX - 01	Two-person room	duo
PB 01	Phone booth	booth
ZEN ROOM 01	Zen room	zen
EXECUTIVE CORNER CABIN 01	Executive cabin	cabin
PRAYER ROOM·MOTHER'S ROOM·STUDIO	As named	prayer·mother·studio
RECEPTION & WAITING LOUNGE	Reception	reception
SERVER ROOM, UPS & ELECTRICAL ROOM, HUB ROOM, STORE ROOM, MAIL ROOM	Support room, shown on the plan	no render

2.3 Furniture blocks and the block map

Keep furniture as **blocks**; don't explode them. Workstations and pantries are counted from block inserts. Fill in `block-map.xlsx` for every furniture block, with how many seats each insert stands for:

BLOCK NAME	ITEM	SEATS PER INSERT
rytu	3-desk workstation cluster	3
WS 1500x750mm	Single workstation	1
4PAX WITH PLANTER	4-seat collaboration table (counted as workstations)	4
EQ_PA_M0_0635X0535_01	Pantry microwave: marks a pantry point	–

Rows from test fit 02. Renaming anonymous blocks (`rytu`, `dfvfg`) to readable names helps, as long as the block map matches.

2.4 Export

- ☐ AutoCAD 2018 DXF, units millimetres
 ☐ Saved as `acko-layout.dxf`, then zipped
- ☐ Model space holds only this floor, at Z = 0
 ☐ Vector PDF plot as `acko-layout.pdf`
- ☐ Xrefs bound; PURGE, AUDIT and OVERKILL run
 ☐ Block map filled in

03 SketchUp images

The 3D views are built from images taken from one fixed camera, each with different tags switched on. Because every image lines up exactly, they can be stacked, pulled apart for the exploded view and highlighted one zone at a time.

3.1 Tags

`SHELL` · `FLOOR` · `WALLS` · `FURNITURE` · `CEILING` · `NB-N01` ... `NB-N06` · `SHARED` · `TERRACE` · `REF`. Each zone group carries its zone tag; the groups inside it carry the category tags.

3.2 Image list

FILE	TAGS ON	USED FOR
<code>axo-full.png</code>	Everything, shadows on	Hero axo
<code>axo-1-shell.png</code>	<code>SHELL</code>	Build-up and exploded view
<code>axo-2-floor.png</code>	<code>FLOOR</code> , <code>TERRACE</code>	Build-up (if you have finishes)
<code>axo-3-walls.png</code>	<code>WALLS</code>	Build-up and exploded view
<code>axo-4-furniture.png</code>	<code>FURNITURE</code>	Build-up and exploded view
<code>axo-5-ceiling.png</code>	<code>CEILING</code>	Optional
<code>axo-zone-n01.png</code> ... <code>n06</code>	One neighbourhood tag only	Highlighting one neighbourhood
<code>axo-zone-shared.png</code>	<code>SHARED</code> only	Highlighting the shared spaces
<code>axo-n01-close.png</code> ... <code>n06</code>	A close camera on that neighbourhood, everything on	The deep dives
<code>axo-n01-close-ref.png</code> ...	<code>REF</code> only, same close camera	Lining the close-up up with the plan
<code>axo-ref.png</code>	<code>REF</code> only	Lining the axo up with the plan

3.3 Settings

- ☐ One saved scene, `PRES-AXO`, for every full-floor image
- ☐ Camera → Parallel Projection (never perspective)
- ☐ PNG, 8000 px wide (the floor is about 7:1)
- ☐ Transparent background; sky and ground off
- ☐ All full-floor images exactly the same pixel size
- ☐ Shadows only on `axo-full.png`
- ☐ Same 4 REF markers as in the DXF
- ☐ Optional: `acko-model.glb` or `.dae`

04 Renders

Clicking a space opens its light and dark renders, with a slider that wipes from one to the other. The two have to line up exactly for the slider to work.

- ☐ Light and dark from the **same saved camera**
- ☐ 2400–3000 px wide, all 16:9
- ☐ JPG, quality 85–90, sRGB
- ☐ No text, logos or watermarks

Name each pair `<key>-light.jpg` and `<key>-dark.jpg`. One pair per key is enough. To show a different version in one neighbourhood, prefix its ID: `n03-huddle-light.jpg`.

KEY	SPACE	WHERE	KEY	SPACE
desk	Workstations	Neighbourhoods	booth	Phone booth
cabin	Executive cabin	Neighbourhoods	pantry	Pantry point
sprint	Quick sprint room	Neighbourhoods	zen	Zen room
dept	Departmental room	Neighbourhoods	prayer	Prayer room
board	Boardroom	Neighbourhoods	mother	Mother's room
huddle	Collaboration huddle	Neighbourhoods	cafe	Café and dining (shared)
hatchery	The Hatchery	Neighbourhoods	reception	Reception (shared)
studio	Studio	Neighbourhoods	lobby	Lobby (shared)
duo	Two-person room	Neighbourhoods	visitor	Visitor hub (shared)

Until a render arrives, the presentation shows a sample picture for that space.

05 Content and brand

The words, numbers and brand that go alongside the drawings. Sheets can be XLSX or CSV, one row per item.

FILE	COLUMNS OR CONTENTS
neighbourhoods.xlsx	ID (<code>n01</code> – <code>n06</code>) · team · headcount · colour hex · one-line description
brief.xlsx	Space type · brief total · unit (rooms or seats) · rule (<code>split</code> ÷ 6, <code>shared</code> , or shared spaces) · extras (e.g. <code>n02 +1</code>) · reason if short
notes.xlsx · site	North direction · views · noise · arrival · floor-to-floor and clear height
notes.xlsx · due diligence	Number · title · note (one or two lines) · photo file name
notes.xlsx · fire	Travel-distance limit · basis (NBC 2016 Part 4, sprinklered or not) · consultant's egress plan as PDF if any
concept.txt	The neighbourhood and loop concept in your words, three to five sentences
photos/	Due-diligence photos named <code>dd-01.jpg</code> , <code>dd-02.jpg</code> ... to match the numbers
brand/	<code>acko-logo.svg</code> · <code>officebanao-logo.svg</code> · <code>palette.xlsx</code> (name, hex, use) · <code>fonts/</code> as WOFF2 with a web licence

06 To confirm, and the final check

Decisions taken while building on test fit 02. Tick them, or note what should change, in

`readme.txt`.

6.1 To confirm

- ☐ Neighbourhoods are numbered 01 to 06 from west to east (zones 4, 8, 7, 3, 2 and 1 in test fit 02)
- ☐ Shared spaces are the café and dining area, the lobby by the lifts, and the west and east receptions. Are the terraces shared spaces too?
- ☐ The 35-seat boardroom stays with Neighbourhood 02
- ☐ The twelve 4-seat planter tables count as workstations (651 in total)
- ☐ Which neighbourhood gets the rooms outside every zone: the west executive cabin, one huddle, two phone booths and the server room
- ☐ The square by the lifts marked "Cutout above": an opening, or something else?
- ☐ Teams under each neighbourhood: the real teams, or none
- ☐ The brief numbers for the sharing-out table

6.2 Before you send

- | | |
|---|---|
| ☐ Folder named <code>acko-inputs-tfNN-YYYY-MM-DD</code> , with <code>readme.txt</code> | ☐ Every PRES shape closed, one label inside each |
| ☐ File names exactly as listed: lowercase, hyphens, no spaces, no (1) | ☐ Egress routes run from the far point to the stair door |
| ☐ DXF 2018 in mm, only this floor in model space | ☐ <code>REF-1</code> to <code>REF-4</code> identical in CAD and SketchUp |
| ☐ PRES layers drawn over the plan, not in separate panels | ☐ All full-floor PNGs the same pixel size, transparent |
| | ☐ Light and dark renders from the same camera |
| | ☐ Sheets filled in, using IDs <code>n01</code> – <code>n06</code> |

WHAT HAPPENS NEXT

We run the DXF through the pipeline, check the zones, routes and counts against your drawing, and send back the updated presentation with a short list of anything missing or unclear.