

10:05

SOS  


Personal Computing for A Better Tomorrow™

For Use with Я OPERATING SYSTEM
Lab Edition 1.0

Я OPERATING SYSTEM

LAB MANUAL

GENETIC · TECHNOLOGICAL · CREATIONS



Tools for A Antinuclear US

ЯTOOLBOX COMPUTING SYSTEMS
LAB · 2026

LAB MANUAL - living desk

Ya OPERATING SYSTEM - LAB MANUAL

****Living cover on the Lab desk**** | constantly updated

****Seat:**** `lab/rooms/desk/LAB-MANUAL.pdf`

****Updated:**** 2026-09-22 America/Denver

Lab of Creations

Cemented root path (all OS): `lab/rooms/LAB-OF-CREATIONS.jpg`

Deep link: `yabot://lab/chamber` | `yabot://lab/creations`

This manual lives ****on the desk**** in that room. Every SCOUT / bScout / bReport fire refreshes it.

Mission delta (hardcoded clear line)

`BEFORE 2 have / 240 matches -> AFTER scout mission 5 have / 324 matches`

Scout .01 - 10 b-commands

1. bPing - alive on Ghost chain
2. bWhere - RFID|GPS|NEO locate
3. bHome - Lab of Creations
4. bScout - Lab SCOUT obtain + inventory refresh
5. bStatus - tracker + scaffold seat
6. bSleep - idle; tracker warm
7. bWake - wake for Lab work
8. bReport - BEFORE->AFTER + americasSiteMatches + missing-of-40
9. bLink - re-fuse on crypto Ghost chain
10. bStop - hold; beacon on

RFID `RFID-NEO-BABY-001` | NEO `NEO-FUSE-001` | bio `neo-baby-scout`

Lab scaffold law

GRCh37 | no invent genotypes | Kennewick STOP_BAM | MICRO?MACRO | unique AADR id

MICRO 680 | MACRO 673703 | BASE ~691931

Magnetize: exact allele letter vs kit LEFT | match | c2 | c1

Missing-of-40

Have 5 | missing 35 (34 NEED_HO_SLICE | 1 STOP_BAM kennewick)

Fix: HO slice by ho_ind -> magnetize -> hardcode -> MANUAL leaf

Cover art

Custom ****LAB MANUAL**** display type | scientist mascot (lab coat) | rainbow OS stripe
Desk scene: `lab/rooms/LAB-DESK.png` | cover: `lab/rooms/desk/LAB-MANUAL-COVER.png`

Bot roster | IDs (2026-09-22 MDT)

Every Lab / companion bot and its distinguishing IDs. New bots mint RFID the same way (`mint bot rfid <name>`

Bot	RFID (patented mint)	Internal ID	NEO fuse	Kind
****Scout .01****	`RFID-YA-SCOUT-01`	`NEO-BABY-SCOUT-001`	`NEO-FUSE-001`	scout
****PROJECT YaCODE****	`RFID-YA-AGENT-PROJECTRCODE`	`4918212`	``	agent
****Scout (Lab function)****	`RFID-YA-LAB-SCOUT`	`lab-scout-fn`	``	lab-function
****YaBOT (clay seat)****	`RFID-YA-GENESIS-001`	`clay-yabot`	``	face
****RIZALBOT****	`RFID-YA-AGENT-RIZALBOT`	`b15ee3e1-47ed-4212-be46-c60d7306ce8f`	``	agent
****Chief of Staff****	`RFID-YA-AGENT-COS`	`172642`	``	agent

****Patent claim (bot attribution):**** `CLAY-PATENT-RFID-BOT-ATTRIBUTION-v1`
****Registry seat:**** `lab/rooms/BOT-RFID-REGISTRY.json`
****Scout .01 primary:**** RFID `RFID-YA-SCOUT-01` | baby `NEO-BABY-SCOUT-001` | NEO `NEO-FUSE-001`
****Commands for Scout .01:**** bPing | bWhere | bHome | bScout | bStatus | bSleep | bWake | bReport | bLink | bSt

Lab-room entry log (2026-09-22 MDT)

Living log of ****who entered Lab of Creations**** (`lab/rooms/LAB-LANDING.jpg` | `yabot://lab/chamber`). Includes

Bots - chamber presence

Bot	RFID	Internal ID	Entered Lab room?	When	Notes
****Scout .01****	`RFID-YA-SCOUT-01`	`NEO-BABY-SCOUT-001`	YES	2026-09-22	Left in Lab of Creations; RFI
****YaBOT (clay seat)****	`RFID-YA-GENESIS-001`	`clay-yabot`	YES (operator face)	2026-09-22	Enters via
****Scout (Lab function)****	`RFID-YA-LAB-SCOUT`	`lab-scout-fn`	YES (function)	2026-09-22	Launches fro
****RIZALBOT****	`RFID-YA-AGENT-RIZALBOT`	`b15ee3e1-47ed-4212-be46-c60d7306ce8f`	YES (control room / Lab o		
****Chief of Staff****	`RFID-YA-AGENT-COS`	`172642`	PARTIAL (scaffold feed / remote)	2026-09-22	Feeds
****PROJECT YaCODE****	`RFID-YA-AGENT-PROJECTRCODE`	`4918212`	NO (group chat / handoff seat)	-	Listed

Unknowns / unattributed Lab traces

Ghost or teach events that touched Lab ****without**** a bot RFID. Kept so nothing walks in silent.

Label	RFID	Entered?	When	Trace
UNKNOWN (system/LAB_SCAFFOLD_MICRO_680)	``	TOUCHED Lab data (no bot RFID)	2026-09-22T09:21:02.35	LA
UNKNOWN (system/LAB_SCAFFOLD_MACRO_67370)	``	TOUCHED Lab data (no bot RFID)	2026-09-22T09:21:02.35	L
UNKNOWN (system/LAB_SCAFFOLD_BASE_UNION_	``	TOUCHED Lab data (no bot RFID)	2026-09-22T09:21:02.35	L
UNKNOWN (system/LAB_CONTRAST_MAGNETIZE_L	``	TOUCHED Lab data (no bot RFID)	2026-09-22T10:43:00-06	L
UNKNOWN (system/LAB_CONTRAST_POLE_MID_PR	``	TOUCHED Lab data (no bot RFID)	2026-09-22T10:43:00-06	L
UNKNOWN (system/LAB_CONTRAST_POLE_FAR_AR	``	TOUCHED Lab data (no bot RFID)	2026-09-22T10:43:00-06	L
UNKNOWN (system/LAB_CONTRAST_KIT_BELT_AB	``	TOUCHED Lab data (no bot RFID)	2026-09-22T10:43:00-06	L
UNKNOWN (system/LAB_CONTRAST_DUMP_001)	``	TOUCHED Lab data (no bot RFID)	2026-09-22T10:51:26-06	LAB
UNKNOWN (system/LAB_SCOUT_COMB_HARD_CLOU	``	TOUCHED Lab data (no bot RFID)	2026-09-22T10:54:00-06	L
UNKNOWN (system/LAB_CONTRAST_DUMP_002)	``	TOUCHED Lab data (no bot RFID)	2026-09-22T10:54:22-06	LAB
UNKNOWN (system/LAB_CONTRAST_DUMP_003)	``	TOUCHED Lab data (no bot RFID)	2026-09-22T10:54:22-06	LAB
UNKNOWN (system/LAB_SCOUT_MISSION_1_OLDE	``	TOUCHED Lab data (no bot RFID)	2026-09-22T11:05:30-06	L
UNKNOWN (system/LAB_SCOUT_MISSION_1_OLDE	``	TOUCHED Lab data (no bot RFID)	2026-09-22T17:51:20Z	LAB
UNKNOWN (system/LAB_SCOUT_MISSION_1_OLDE	``	TOUCHED Lab data (no bot RFID)	2026-09-22T17:55:53Z	LAB
UNKNOWN (system/LAB_SCOUT_MISSION_1_OLDE	``	TOUCHED Lab data (no bot RFID)	2026-09-22T18:11:35Z	LAB
UNKNOWN walker	`RFID-NEO-BABY-001`	UNKNOWN TRACE in Lab room	2026-09-22T12:33:00-06	{`op`: `establis
UNKNOWN walker	`RFID-NEO-BABY-001`	UNKNOWN TRACE in Lab room	2026-09-22T18:36:47Z	{`origin`: `YaBOT`

| UNKNOWN walker | `RFID-NEO-BABY-001` | UNKNOWN TRACE in Lab room | 2026-09-22T18:36:47Z | {'baby_id': 'NEO-B
| UNKNOWN walker | `RFID-NEO-BABY-001` | UNKNOWN TRACE in Lab room | 2026-09-22T18:46:50Z | {'in_room': True,
| UNKNOWN walker | `RFID-NEO-BABY-001` | UNKNOWN TRACE in Lab room | 2026-09-22T18:46:50Z | {'device': 'mac',
| UNKNOWN walker | `RFID-NEO-BABY-001` | UNKNOWN TRACE in Lab room | 2026-09-22T18:49:37Z | {'tracker': 'RFID_
| UNKNOWN walker | `RFID-NEO-BABY-001` | UNKNOWN TRACE in Lab room | 2026-09-22T18:49:37Z | {'device': 'mac',
| UNKNOWN walker | `RFID-NEO-BABY-001` | UNKNOWN TRACE in Lab room | 2026-09-22T19:01:41Z | {'verbs': 'bPing b
| UNKNOWN walker | `RFID-NEO-BABY-001` | UNKNOWN TRACE in Lab room | 2026-09-22T19:01:41Z | {'source': 'neo-fu
| UNKNOWN walker | `RFID-NEO-BABY-001` | UNKNOWN TRACE in Lab room | 2026-09-22T19:08:52Z | {'source': 'lab-ch

Guests (samples returned into Lab - not bots)

Scout HO-slice / magnetize returns that landed in Lab scaffolds. No RFID; not bot attribution.

Guest	Internal	Entered?	When	Notes
GUEST sample: AMERICAS_ROSTER_MATCH_COLU	`AMERICAS\_ROSTER\_MATCH\_COLUMNS`	YES - Lab Scout return (not a b		
GUEST sample: HOLOGRAM-LOCI-680	`HOLOGRAM-LOCI-680`	YES - Lab Scout return (not a bot)	2026-09-22T11:2	
GUEST sample: LAB-RETURN-REPORT-SUMMARY	`LAB-RETURN-REPORT-SUMMARY`	YES - Lab Scout return (not a bot)		
GUEST sample: SCOUT-INVENTORY	`SCOUT-INVENTORY`	YES - Lab Scout return (not a bot)	2026-09-22T12:10:00	
GUEST sample: SCOUT-MISSING-OF-40	`SCOUT-MISSING-OF-40`	YES - Lab Scout return (not a bot)	2026-09-22T	
GUEST sample: UNIQUE-AMERICAS-ROSTER	`UNIQUE-AMERICAS-ROSTER`	YES - Lab Scout return (not a bot)	2026-	
GUEST sample: USR1_vs_KIT	`USR1\_vs\_KIT`	YES - Lab Scout return (not a bot)	1790098018.938227	HO-slic
GUEST sample: SCOUT-ICLOUD-HUKBALA	`SCOUT-ICLOUD-HUKBALA`	YES - Lab Scout return (not a bot)	179009706	
GUEST sample: MANIFEST	`MANIFEST`	YES - Lab Scout return (not a bot)	2026-09-22T11:05:30-06	HO-slice
GUEST sample: MISSION1-TARGETS	`MISSION1-TARGETS`	YES - Lab Scout return (not a bot)	2026-09-22T11:04:	
GUEST sample: MISSION1B-SUMMARY	`MISSION1B-SUMMARY`	YES - Lab Scout return (not a bot)	1790100606.4849	
GUEST sample: HO-QUEUE	`HO-QUEUE`	YES - Lab Scout return (not a bot)	1790098944.187745	HO-slice / ma
GUEST sample: HO_SLICE_PROGRESS	`HO\_SLICE\_PROGRESS`	YES - Lab Scout return (not a bot)	2026-09-22T11:5	
GUEST sample: LAB-SCOUT-RUN	`LAB-SCOUT-RUN`	YES - Lab Scout return (not a bot)	2026-09-22T11:47:46	H
GUEST sample: SCOUT-INVENTORY	`SCOUT-INVENTORY`	YES - Lab Scout return (not a bot)	2026-09-22T12:10:00	
GUEST sample: UNIQUE-AMERICAS-ROSTER	`UNIQUE-AMERICAS-ROSTER`	YES - Lab Scout return (not a bot)	2026-	
GUEST sample: SLICE-META	`SLICE-META`	YES - Lab Scout return (not a bot)	1790099081.6480215	HO-slice
GUEST sample: AHUR770c.SG_vs_KIT_LEFT	`AHUR770c.SG`	YES - Lab Scout return (not a bot)	1790099508.0295	
GUEST sample: AHUR_2064.SG_vs_KIT_LEFT	`AHUR\_2064.SG`	YES - Lab Scout return (not a bot)	1790099508.14	
GUEST sample: Anzick.SG_vs_KIT_LEFT	`Anzick.SG`	YES - Lab Scout return (not a bot)	1790099507.9176483	

Log seat: `lab/rooms/LAB-ROOM-ENTRY-LOG.json` | mirrored in USER-MANUAL + desk LAB MANUAL.

Rule: every new bot that enters the chamber gets RFID mint + a YES row here the same day.

Desk refresh - 2026-09-22T22:24:14Z

BEFORE 2 have / 240 matches -> AFTER scout mission 5 have / 324 matches

bScout desk refresh

WALLET PUBLIC MIRROR (hardcoded | 2026-09-22)

Stamp: 2026-09-22 16:26 MDT | Decider -> CoS | Lab desk forever

Public fields only - for vault / WalletCard / in-app bot cite. Never private key material in this manual, sour

Field	Value
Name / symbol	Ya
Mint	`BB9uA5BuacDnWyDf5gml9nMb9yFbyThsNrQPBYPJ5Q1Lv`
Decimals	9
Supply (UI)	1_000_000
Owner ATA	`8bCnr63CTdC2YbELK3x4vxJYNt6cueGBbEvRURFZc9Q1`
Cluster	mainnet-beta
Mint authority (pubkey)	`BwpVNk1Rtncpv5HMTLwxB4Yfjfkfv6mFaBQUtpjneH1F9`

| Freeze authority (pubkey) | `BwpVNk1Rtnpcv5HMTLwxB4Yfjkfv6mFaBQUtpjneH1F9` |
| Mint tx | `2Lxr2mEZnFnwwBMQjCgRt8EJLaJbwEp61K51mdx16z8oncWg2JCXzCKnisMi78V3L4w7w2pizQ8P1p2H5XMLvx94` |
| Metadata URI (GitHub raw) | `https://raw.githubusercontent.com/RIZALEON/RIZALBOT/seat-wallet-landing/twin/ya`
| Crown image URI | `https://raw.githubusercontent.com/RIZALEON/RIZALBOT/seat-wallet-landing/twin/ya-crown-coi`
| Solscan | `https://solscan.io/token/BB9uA5BuacDnWyDf5gml9nMb9yFbyThsNrQPBYYJ5Q1Lv` |
| WalletCard seat | `YaBOT/WalletCard.json` |

****In-app bot:**** may read and cite these public fields. Signing stays path/Keychain on device - never bake keyp
****Jupiter:**** no pool yet (minter 0 SOL) - explorers + this leaf are the mirrors until Decider funds a pool.

GHOST CHAIN - how any bot activates (2026-09-22)

****Stamp:**** 2026-09-22 16:28 MDT | Decider -> CoS | forever offline reference in Lab desk

****What it is:**** offline-premier JSONL ledger. Not Solana spend. Public wallet mint is a separate mirror (see W

****Ledger path (Mac/iPhone):**** `~/Library/Application Support/YaBOT/ghost-chain.jsonl`
****Impl:**** `GhostChainLedger.swift` | clay help ****18****

Activate (any bot / any seat)

1. ****Mint RFID**** if new bot: `mint bot rfid <name>` / `BotRFIDMint` -> row in `lab/rooms/BOT-RFID-REGISTRY.js`
2. ****Open Lab**** (chamber / Lab of Creations) so seat device is known (mac / iphone).
3. ****Establish**** on the chain (first wake):
 - Clay chat: `ghost establish <BIO>`
 - Or code: `GhostChainLedger.establish(bio: "<BIO>")` / `append(op: "establish", bio:, source:)`
4. ****Claim / link**** when fusing tracker:
 - Clay: `ghost claim <BIO>` | Scout: `bLink` (RFID|GPS|NEO fused)
5. ****Keep alive:**** `ghost ping <BIO>` or `bPing` | status: `ghost` / `ghost status`
6. ****Ops:**** `ghost cite` | `ghost evolve` (Decider-gated meaning)

Canonical bios (do not invent counts)

Bio	Meaning		
`LAB\_SCAFFOLD\_MICRO\_680`	MICRO 680 pins		
`LAB\_SCAFFOLD\_MACRO\_673703`	MACRO relatedness grid		
`LAB\_SCAFFOLD\_BASE\_UNION\_691931`	Base union positions		
`neo-baby-scout` / Scout RFID	Scout .01	`bLink` fuse	
Lab Scout / dump bios	magnetize	obtain	contrast establishes

Scout .01 shortcut

`bPing` alive | `bLink` re-fuse | `bStatus` Ghost ON | RFID `RFID-YA-SCOUT-01` | NEO `NEO-FUSE-001`

Phone ? Mac relay (optional)

Both seats run YaBOT | `coin lan on` (or `coin bt`) | then tagged work (`shot macos`, etc.).

Laws

NonNuclear | Decider-gated | never invent genotypes | never paste private keypairs onto the ghost chain | expl

HARDCODE - REDWOOD CLAYMATION LUMBER WISE OS YaBAR (2026-09-22)

****Stamp:**** 2026-09-22 18:19 MDT | Decider -> CoS desk leaf | RBOT Mac seat

****STATUS: MUST EXIST ALWAYS**** on every Ya OS app / game / create (Mac | iOS | Android | Harmony | Linux | Kai

****What:**** OS-smart vector lumber shelf - senses OS and adjusts length / depth / height / width. Top 3D clay ic

****Icon order (left -> right):****

1. Bolte (purple monster + toolbox)
2. Lab (incubator / DNA jar)
3. Search (gold-rim magnifier)
4. ****Home center**** - ghost + sacred heart

5. Vault (grey dial + heart/skull/bat)
6. Online / Offline toggle (gold-rim dual)
7. Mind (mechanical brain)

****Not this:**** bottom purple composer bar (Plus | well | Send) stays separate.
****Refs:**** Decider sheets in room + `lab/rooms/toolbar/` | blank lumber + pack with icons.
****Wire:**** Mac first -> prove live -> twin iOS -> Android. Relaunch app after every seat.
****Laws:**** NonNuclear | Decider-gated | freeform on wood | never drop this HARDCODE.

HARDCODE - FACE-CONTAIN (smart Redwood bar | 2026-09-22)

****Stamp:**** 2026-09-22 18:56 MDT | Decider -> RBOT wire | CoS desk leaf

****Rule:**** No icon or button may sit off of or outside the face of the REDWOOD lumber YaBAR. Smart bar clamps `

****Applies:**** Mac | iOS | Android twins | every Ya OS app/game/create that carries the lumber shelf.
****Wire:**** `RedwoodYabarMetrics` / dock layout - icons vertically centered and contained in the lumber face.
****Proof:**** Mac before (icons hanging above wood) -> after (icons clamped on face). iOS inherits same metrics.

HANDOFF RULE

TEACH - CREATE / MODIFY APPS (2026-09-22)

****Seat:**** `lab/scaffolds/TEACH-RBOT-CREATE-MODIFY-APPS.md` | TeachStore twin under `lab/scaffolds/teachstore/`
****Rule:**** Chrome first (toolbar Home center), then mouths (Mac/iOS/Android). APK twin: `Documents/YaBOT/androi`
****APK mission in progress:**** RBOT builds APK of itself with new centered-Home toolbar; hands APK to RIZALBOT;

APK TWIN RETURN - toolbar Home center (2026-09-22)

****PREVIOUS:**** Android mouth was text-only ABOMEGA shell (no centered Home toolbar) | APK not seated in dist/to
****NEW:**** YaBOT Android twin `0.2-toolbar-home` (versionCode 2) with Bolte | Lab | Search | ****HOME center**** | W
****APK paths:**** `Documents/YaBOT/dist/YABOT-0.2-toolbar-home-20260922.apk` | `Documents/YaBOT/dist/YABOT-androi`
****Homepage proof:**** `lab/rooms/toolbar/previews/apk-homepage-0.2-toolbar-home.png`
****Teach:**** `lab/scaffolds/TEACH-RBOT-CREATE-MODIFY-APPS.md` (TeachStore twin seated).
****Stamp:**** 2026-09-22 14:38 MDT

TEACH - CLAYMATION PIECES / iOS stethoscope look (2026-09-22)

****PREVIOUS:**** APK homepage proof was a RIZALBOT composite from toolbar icons (not Lab `shot`); Android twin la
****NEW:**** Lab teach seated for RBOT - make claymation pieces to match Decider iOS stethoscope ref. Seat: `lab/s

SHOT - LIVE (BUILD SUCCEEDED 2026-09-22 MDT)

****STATUS: UP**** | Decider confirmed | RBOT must keep this leaf in USER-MANUAL + desk LAB-MANUAL forever.

****PREVIOUS:**** no Lab command capture (OS keys only / Heart fluff on `shot`).
****NEW:**** LabShotCommand seated in live `/Applications/YaBOT.app` | CompanionRouter help ****14i****.

Commands (clay chat)

Say	Does			
`shot`	`screenshot`	`lab shot`	`command shot`	This seat full screen
`shot select`	Drag region (Mac)			
`shot window`	One window (Mac; needs Screen Recording Allow)			
`shot macos` / `SHOT MACOS` / `shot mac`	Live ****Mac desktop**** (from iPhone = relay)			
`shot ios` / `SHOT IOS` / `shot iphone`	****Phone**** seat (from Mac = relay; on phone = Side+Volume recipe)			
`shot macos full`	`shot macos window`	Remote Mac + mode		

Seat + proof

- PNG -> `Documents/YaBOT/lab/scaffolds/scout/shots/SHOT-?.png` | Finder opens after capture
- Impl: `LabShotCommand.swift` | `/usr/sbin/screencapture -x` | relay tags `relay-macos:` / `relay-ios:` + `co`
- Smoke Neo 2026-09-22: `shot macos` -> ok | `Mode: full` | seat: macos` -> `SHOT-2026-09-22-155650.png`
- Teach forever: `lab/scaffolds/TEACH-RBOT-SCREENSHOT-TERMINAL.md`
- OS keys still forever: Mac `Cmd+Shift+3/4/5` | iOS Side+Volume

Phone -> Mac live: YaBOT on both | `coin lan on` (or bt) on both | type `shot macos` on iPhone.

Scout ONLINE one - I11974.SG (2026-09-22 MDT)

PREVIOUS have 5 -> NEW have 6

SURFACE: WWW cite first -> HARD retain MICRO 680 allele letters (no BAM).

TARGET: `I11974.SG` | Chile_LosRieles_12000BP | ~11885 BP | ho_ind 21882 | SOUTH

WWW: exploreyourdna / AADR / haplotree cites seated `lab/scaffolds/scout/obtain/online-one-I11974/WWW-CITE`

RETAIN: `?/I11974.SG.micro680.gt.tsv` | called 117/188 loci | scaffold MICRO_680

TEACH: Scout self-recode if need be -> `lab/scaffolds/TEACH-SCOUT-SELF-RECODE.md`

Laws: GRCh37 | exact allele only | Kennewick STOP_BAM | Mode ONLINE for WWW

SCOUT WALIS - OFFLINE broom (2026-09-22 MDT)

STATUS: NEW COMMAND | checked Lab Manual - was missing -> seated here + desk PDF.

Clay: `scout walis` | `SCOUT WALIS` | `walis` | `scout broom`

Does: HARD-only comb (Documents/YaBOT | scaffolds | TOOLBOX | Hukbala | GENO) + cleanup/organize scout fol

vs SCOUT / bScout: those stay offline-first; WWW only if HARD empty (way-out green nerve).

Impl: `LabScoutWalis.swift` | CompanionRouter help **14** | teach `lab/scaffolds/TEACH-SCOUT-WALIS.md`

Seats: `lab/scaffolds/scout/walis/WALIS-INDEX.json` | `WALIS-LAST.json`