One link. Two rounds. A measurable WebAble study.

Propose a separate guided research experience. Adults 50+ open a link on their phone, complete Tune, then try ordinary and personalized pages. Each person tests both conditions using different matched content and a balanced order.

Participant journey

1 Open link Explanation, eligibility and agreement	**2 Practice** Device check and sample instructions	**3 Tune** Complete onboarding; confirm and freeze fit	**4 Round 1** Selections, everyday tasks and reading
5 Break Rest or continue; no countdown	**6 Round 2** Other condition; new matched content	**7 Feedback** Ease, preference and any problems	**8 Receipt** Saved completion; payment if offered

Target duration: 30-40 minutes, subject to pilot timing. One instruction per screen; large controls; repeat instructions, breaks, exit and optional help. The study controls stay consistent in both rounds.

Use the same people for both conditions

A paired comparison helps control differences in ability, device and mobile experience while reducing recruitment needs. Prepare content sets A and B with equivalent task types and different facts/answers. Randomly assign one of four saved sequences:

Sequence	Round 1	Round 2
1	Unadapted A	Adapted B
2	Adapted A	Unadapted B
3	Unadapted B	Adapted A
4	Adapted B	Unadapted A

Four observed pilots, then target 24 main participants (six per sequence if completions permit). This is an exploratory target, not a power guarantee. Counterbalancing reduces order confounding; learning and fatigue can still affect results.

Methods: within- vs. between-participant designs; practice and counterbalancing.

Tasks that produce an answer

Research question: does the confirmed WebAble fit improve first-attempt target activation for adults 50+ who report difficulty tapping small mobile controls? Everyday task success and reading comprehension are secondary questions.

Task page	What the person does	What is scored
Target selection	Tap a named control among nearby options; 24 trials per round	Correct first activation; misses, retries and duration
Community events	Find the free afternoon event and identify its room	Correct event and information answer
Small shop/form	Select a specified item, option and quantity; add to a pretend basket	Correct final state; recovery and abandonment
Short article	Read 160-200 words, then answer four questions with the passage hidden	Comprehension out of four; reading duration

Use original fictional content and real working controls. Match content length, question difficulty, control density and navigation depth across A/B sets. Include realistic comfortable controls as well as small ones. Pilot for ceiling effects and frustration.

One primary outcome; separate secondary measures

> **Primary: first-attempt target activation accuracy.** Calculate each person's correct first taps / attempted scored trials in each condition, then their adapted-minus-unadapted difference. Report attempted counts, omissions and a sensitivity summary against all 24 planned trials.

Capture off-target taps as well as successful activations. Scrolling and cancelled gestures are not automatically errors. Score real-world tasks by correct end state; valid alternate routes are allowed. Report duration alongside correctness, not as a stand-alone improvement.

Controls that make the result interpretable

Independent evaluation: fit once before the rounds. Use new scored tasks, not Tune calibration trials. Freeze the profile and disable online learning/new offers during evaluation.
Same content and device: keep each set's underlying page unchanged across conditions; retain normal accessibility aids. Adapt only the task document. Reset it between tasks.
Actual intervention: reuse the real engine. Record planned/applied changes, no-op profiles, rollbacks and failures. Keep stopped and incomplete cases visible.

Analyze paired participant results with an appropriate uncertainty interval and pre-specified missing-data rules. Repeated taps are not independent participants. Check content/order patterns. The study tests this adaptation bundle; it does not isolate personalization from generic accessibility improvements or prove whole-web compatibility.

Evidence: older-adult touchscreen experiment; remote reading speed plus comprehension; accessibility evaluation scope.

A feasible path to the deadline

Mobile implementation: a separate study flow under /study can share Tune and the existing engine. Put owned task pages in an isolated document, with instructions/progress outside the adapted area. The engine already runs on owned pages in desktop tests; a production mobile adapter and recorder still need to be built.

Ordinary mobile Chrome cannot install this desktop extension, and a webpage cannot freely control arbitrary third-party documents. Owned pages make adaptation and scoring practical from one link. Validate the supported operations on real iPhone Safari and Android Chrome; extension-specific tab zoom needs a separate scope decision.

When	Deliverable
Oct 7-9	Set primary measure, task scope, documentation and participant/payment plan
By Oct 14	Real-phone feasibility: Tune -> owned task -> engine on/off -> saved outcome
By Oct 21	Guide, matched pages, four-sequence assignment, event recorder and export
Oct 22-26	Four observed pilots; check clarity, A/B difficulty and actual session duration
Oct 27-Nov 10	Freeze versions; open self-guided link; collect main sessions and monitor saves
Nov 13 / Nov 20	Close data / complete analysis, write-up and demo

Recruitment: personal referrals for pilots; ask Tech Time/PrimeTime, Oak Hammock ILR and library Adult Services to circulate a tappable link. Screen actual tapping difficulty rather than inferring impairment from age. Optional $15/session for 28 pilot/main participants totals $420; settle payment before invitations.

Quality: start with observed pilots and retain optional help. Self-guided delivery standardizes instructions and reduces travel; equivalent or better validity has not been established. Track help, failures and where people leave. Existing Tune summarizes and drops raw drafts, so add a separate research recorder with reliable saves and versioned exports.

Exemption: brief voluntary adult tasks are a plausible exemption-3 candidate. An existing determination should cover the revised remote procedure and data; otherwise use UF's applicable determination route. Online delivery alone does not confer exemption. Keep coded performance separate from contact/payment data; coded is not automatically anonymous.

Decisions for Dr. Rani: primary motor question; exploratory sample target; supported mobile operations; revised exemption/payment/data plan; October 14 feasibility gate. Aim to finish November 20, ahead of the tentative November 26 deadline and UF Thanksgiving break.

Sources: browser same-origin constraint; Chrome compatibility; remote older-adult research; federal exemption 3; UF IRB; UF calendar. Sources checked October 7, 2026. All counts, timing and milestones are proposals.