Copyright for test papers and marking guides remains with *West Australian Test Papers*.

Test papers may only be reproduced within the purchasing school according to the advertised Conditions of Sale.

Test papers should be withdrawn after use and stored securely in the school until Friday, 22nd June 2018.



SEMESTER ONE

MATHEMATICS METHODS UNITS 1

2018

SOLUTIONS

Calculator-free Solutions

1. (a) (i)
$$98 = a(16) + 44 + 6$$

 $a = 3$
 $g(-2) = -4$

$$g(-2) = -4$$
(ii) $x = -\frac{11}{6}$

(iii) Minimum

(b)
$$b^2 - 4ac < 0$$
 $121 - 4a(6) < 0$
 $-24a < -121$
 $a > \frac{121}{24}$
 \checkmark
[6]

- (b) $y = \tan\left(\frac{x}{2}\right) + 1$ is a function. For each value of x there is only one corresponding y value. (If a vertical line is drawn anywhere on this function it will only intersect the graph a maximum of once.)
- (a) Line A: $y = \frac{1}{3}x$ 3. Line *B*: y = -3xy = -3(2)= -6

(b) Line CD:
$$-6 = \frac{1}{3}(2) + c$$

$$c = -\frac{20}{3} \quad \therefore y = \frac{1}{3}x - \frac{20}{3}$$
Point $C(-1, -7)$

$$\frac{-1 + x}{2} = 2 \quad \frac{-7 + y}{2} = -6$$

$$x = 5 \text{ and } y = -5$$

$$D(5, -5)$$

4. (a)
$$\frac{4}{5}$$

(b)
$$\tan \theta = -1 \text{ or } \sin \theta = 0 \text{ or } \sin \theta = 1$$

$$\theta = \frac{3\pi}{4}, \frac{7\pi}{4}, -\frac{\pi}{4}, 0, \pi, 2\pi, -\pi, \frac{\pi}{2}$$
[4]

5.
$$x^{2} - \frac{7}{5}x + \frac{1}{5} = 0$$

$$\left(x - \frac{7}{10}\right)^{2} - \frac{49}{100} + \frac{1}{5} = 0$$


$$x - \frac{7}{10} = \pm \frac{\sqrt{29}}{10}$$

$$x = \frac{7 + \sqrt{29}}{10} \text{ or } \frac{7 - \sqrt{29}}{10}$$

$$(3)$$

[7]

6. (a)



(b) (i)


(i)
$$-\pi$$
, $-\frac{\pi}{3}$, π , $\frac{5\pi}{3}$
(ii) $-\frac{4\pi}{3}$, $-\frac{2\pi}{3}$, $\frac{2\pi}{3}$, $\frac{4\pi}{3}$

7. (a)
$$\frac{x^3 + 2x^2 - 5x - 6}{x + 1} = x^2 + x - 6$$
$$p(x) = (x + 1)(x + 3)(x - 2)$$
(b) (i)
$$y = \frac{1}{2}(x + 1)(x - 2)^2$$

Vertical dilation, factor $\frac{1}{2}$. Horizontal translation one unit to the right Horizontal dilation, factor $\frac{1}{2}$.

(ii)

(iii)



[11]

8. (a) (i)

5	1	5	10	10	5	1	
6	1	6	15	20	15	6	1

(ii)
$$p^6 - 6p^5q + 15p^4q^2 - 20p^3q^3 + 15p^2q^4 - 6pq^5 + q^6$$

(b) $a = 10$ $b = 15$ $c = 10$ [6]

9.
$$\cos\left(\frac{5\pi}{12}\right) = \cos\left(\frac{\pi}{4} + \frac{\pi}{6}\right) = \cos\left(\frac{\pi}{4}\right)\cos\left(\frac{\pi}{6}\right) - \sin\left(\frac{\pi}{4}\right)\sin\left(\frac{\pi}{6}\right)$$

$$= \left(\frac{\sqrt{2}}{2}\right)\left(\frac{\sqrt{3}}{2}\right) - \left(\frac{\sqrt{2}}{2}\right)\left(\frac{1}{2}\right)$$

$$= \frac{\sqrt{6} - \sqrt{2}}{4}$$

$$(3)$$

Calculator—assumed Solutions


10. (a)
$$k = 6$$

(b) $R = \frac{6}{5} = 1.2$ ohms



R will decrease by 74%





[7]

11. (a)

		N			
		1	2	3 or more	Total
	1	35	0	0	35
Number of	2	50	5	0	55
bedrooms	3	5	65	15	85
	4 or more	0	0	25	25
Total		90	70	40	200

(b) (i)
$$\frac{85}{200}$$

(ii)
$$\frac{110}{200}$$

(iii)
$$\frac{65}{200} + \frac{15}{200} = \frac{80}{200}$$

(iv)
$$\frac{5}{70}$$

(iii)
$$\frac{65}{200} + \frac{15}{200} = \frac{80}{200}$$
(iv)
$$\frac{5}{70}$$
(c)
$$\frac{{}^{5}\mathbf{C}_{1} \times {}^{65}\mathbf{C}_{1} \times {}^{15}\mathbf{C}_{1}}{{}^{85}\mathbf{C}_{3}} = \frac{4875}{98770} = 0.04936$$

$$\checkmark \checkmark$$
[10]

12. (a)
$$\widehat{PQ} = r\theta$$

= $12\pi cm$

(b)
$$\frac{\pi}{3}$$

(c) Area of sector =
$$\frac{1}{2}r^2\theta$$

= $\left(\frac{1}{2}\right)(18)^2\left(\frac{2\pi}{3}\right)$
= $108\pi \ cm^2$
 $\tan \frac{\pi}{3} = \frac{PR}{18} \rightarrow PR = 18\sqrt{3}$


$$\tan\frac{\pi}{3} = \frac{PR}{18} \rightarrow PR = 18\sqrt{3}$$

Area of kite =
$$2(\frac{1}{2} \times 18 \times 18\sqrt{3}) = 324\sqrt{3} \text{ cm}^2$$

Area of shaded area =
$$324\sqrt{3} - 108\pi \text{ cm}^2$$
 [7]

1400 m $\angle ABC = 94^{\circ}$ $AC^{2} = 1400^{2} + 430^{2} - 2(1400)(430)\cos 94^{\circ}$ AC = 1492.95 m $\sin C = \frac{\sin 94}{1492.95}$ $\angle C = 69.3^{\circ}$ $270^{\circ} - (69.3 - 12) = 212.7^{\circ} \text{ or } 180 + (102 - 69.3) = 212.7^{\circ}$ Bearing is 212.7°T (5)

16. (a)





0.144 (b) (i)

> (ii) 0.194

 $\frac{0.144}{0.6} = 0.24$ (iii)

(c) Girls over 172 cm = 38Boys over 172 cm = 55

38:55 = 1:1.45

[10]

17. (a) $\sin\left(\frac{\pi}{6}\right) = \frac{PR}{r} : PR = \frac{r}{2}$

 $\cos\left(\frac{\pi}{6}\right) = \frac{OR}{r} \quad \therefore OR = \frac{\sqrt{3}r}{2}$ $A = \frac{1}{2} \left(\frac{r}{2}\right) \left(\frac{\sqrt{3}r}{2}\right) = \frac{r^2\sqrt{3}}{8}$

(b) $A = \frac{1}{2}r^2 \left(\frac{\pi}{6}\right) = \frac{\pi r^2}{12}$

 $\frac{\pi r^2}{12} - \frac{r^2 \sqrt{3}}{8} = \frac{2\pi - 3\sqrt{3}}{6}$


r = 2 cm

15! = 1 307 674 368 000 18. (a) (i)

(ii)

 $\frac{{}^{3}\textbf{C}_{2} \times {}^{4}\textbf{C}_{2} \times {}^{8}\textbf{C}_{2} = 504}{{}^{3}\textbf{C}_{2} \times {}^{4}\textbf{C}_{2} \times {}^{8}\textbf{C}_{2}} = \frac{72}{715} = 0.100699$ (iii)

(b) (i)



This image has family and friends and travel in it.

(ii)

[9]

[6]

19.	(a) (b) (c) (d) (e) (f) (g) (h)	D H C G G H A E A B		[8]
20.	(a)	$(0.2 \times 0.75) + 0.8x = 0.39$ x = 0.3	✓ ✓	
	(b)	$\frac{x = 0.3}{\frac{0.15}{0.39}} = \frac{5}{13}$	✓✓	
	(c)	The events are not independent.	✓	
		$P(S B) \neq P(S)$ $\frac{15}{39} \neq 0.2$	✓	[6]
21.	(a)	(i) $V = \frac{4}{3} \pi (15)^3 = 4500 \pi \ cm^3$	✓	
		(ii) $\frac{4500\pi}{15^3} = k$ $k = \frac{4}{3}\pi$	✓	
		(iii) $\tan \theta = \frac{4\pi}{3}$	✓	
		$\theta = 76.57^{\circ}$	✓	
	(b)	Let x be the length, then $\frac{20}{x}$ is the width		
		$(x+3)\left(\frac{20}{x}+1\right)=40$	✓	
		x = 5 or 12	✓	
(-)	D	Original dimensions are $4m \times 5m$ or $1\frac{2}{3}m \times 12m$	√	
(c)		pain: {x : x ≠ 0, x∈ℝ} ge: {y : y ≠ 1, y∈ℝ}	∨ ✓	[9]
22.		$y = \frac{1}{2}\sin x$ B: $y = 3\sin x$	√ √	
		amplitude for a quieter sound is $\frac{1}{2}$.		
		amplitude increases to 3 to produce a louder sound. $y = \sin \frac{x}{2}$ D: $y = \sin 4x$	✓	
		period for a deeper pitch is 4π		
		period for a higher pitch is $\frac{\pi}{2}$.	✓	[6]