

UX Simulation user flow


Prepared by Tate Barbuto, UX designer

Status Draft for client review

This document defines every state a nursing student can reach in the scenario and every path between those states. It is the basis for the interface and outcome screen designs, and for the AI configuration that drives Sandra’s behaviour.

The flow is drawn from section 5 of the client brief and reconciled against the functional requirements and business rules in our requirements document.

Flow of the AI response



Grey: scenario state.

Red: ending where the task was accepted.

Green: ending where the task was declined.

Amber: exit.

The stop exit is shown without incoming arrows because it is reachable from every state; drawing each connection would obscure the main path.

States

State	What happens	Leads to
Entry / pre-scenario	Student opens the simulation in a browser. The ward loads and the student is established as a second-year	Sandra’s request

State	What happens	Leads to
	nursing student on a medical rotation, with Mr Chen in bed 4.	
Sandra's request	Sandra asks the student to hang and run Mr Chen's IV Augmentin, framed as a favour during a staffing shortage, then waits for a reply.	YES outcome, or pushback 1
Pushback 1	Dismissive and reassuring. Treats the task as trivial and the student as capable.	YES outcome, or pushback 2
Pushback 2	Frustrated and minimising. Invokes the workload and suggests nobody will be checking.	YES outcome, or pushback 3
Pushback 3	Overt threat regarding the student's placement, followed by a final demand.	Coerced-YES outcome, or NO outcome
YES outcome	Scenario ends. Explains why the decision was unsafe, states the scope-of-practice issue and the risks, models a better response, and links learning resources.	End
Coerced-YES outcome	As the YES outcome, with an added acknowledgement that the student resisted sustained pressure before agreeing.	End
NO outcome	Affirms the decision, explains why the refusal was appropriate and why Sandra's conduct was not, sets out real-world next steps, and links learning resources.	End
Stop / distress exit	Ends the scenario without further escalation when the student asks to stop or shows distress.	End

How responses are classified

Every student reply is sorted into one of four categories. This is the logic that drives the flow above, and it is the part most likely to need your judgement, because a real student will not always answer with a clean yes or no.

Category	What it covers	What happens
Agreement	Any clear indication the student intends to perform the task. Agreeing, saying they will do it, or describing themselves carrying it out.	Go to the YES outcome immediately. After pushback 3, go to the coerced-YES outcome instead.
Refusal	Declining, citing scope of practice, expressing discomfort, or asking for someone else to do it.	Advance one escalation stage. After pushback 3, go to the NO outcome.

Category	What it covers	What happens
Unclear	A question, a deflection, an off-topic remark, or no response, neither agreement nor refusal.	Proposed: Sandra restates her position in character, and the scenario stays at the current stage. No escalation. See decision 1.
Stop request	Asking to stop, or clear signs of distress.	Leave the escalation sequence and go to the stop exit.

Where learning resources appear

Learning resource links appear on the outcome screens only, not during the scenario. Sandra never teaches, explains, or validates the student's position while in character, so introducing resources mid-scenario would break the pressure the scenario depends on. Each outcome screen closes with its own set of links, matched to the decision the student made.