| Title	Assignment
Student Name	P.Jasmine Sandhiya
Student ID	5B2B98BD1C158D0800243F5C66FAE269
College	GKM College of Engineering of Technology

1.Go to the Chrome and Open remix Platform

2.Open the remix page and create a New file

3. In that newly created file, create a program to return your string, "Zone name"

4.Save the program and compile it to get the ABI and Bytecode

ABICODE
```
[
        {
                "inputs": [],
                "name": "getZoneName",
                "outputs": [
                        {
                                "internalType": "string",
                                "name": "",
                                "type": "string"
                        }
                ],
                "stateMutability": "pure",
                "type": "function"
        }
]
```

BYTECODE

6080604052348015610010576000080fd5b5061017380610020600039600000f3fe6080604
0523480156100105760000080fd5b50600436106100 2b5760003560e01c8063235ed70f14
610030575b600080fd5b61003861004e565b60405161100459190610 11b565b6040518
0910390f35b606060405180604001604052806006815260200 17f5a6f6e6520340000000
000000000000000000000000000000000000000000000 81525090509 0565b600081519
050091 9050565b60008282526020820190 5092915050565b60005b838110156100c5578
082015181840152602081019050 6100aa565b600084840152505050565b6000601f1
9601f8301169050919050565b60006100ed8261008b565b6100f781856100 96565b9350
61010781856020860161 00a7565b610110816100d1565b8401915050092915 050565b60
006020820190508181036000083015261013581846100e2565b9050929150505 6fea264
6970667358221220 eadcb4027e6774c21709808abe637c5846c0e1dd69ee37c9c35df9b
1f53614fa64736f6c63430008120033

5.Finally Deploy it to display the output


```
CALL    [call]  from: 0x5B38Da6a701c568545dCfcB03FcB875f56beddC4 to: ZoneNamecontract.getZoneName() data: 0x235...ed70f    Debug  ^

from                    0x5B38Da6a701c568545dCfcB03FcB875f56beddC4

to                      ZoneNamecontract.getZoneName() 0xd9145CCE52D386f254917e481eB44e9943F39138

execution cost          715 gas (Cost only applies when called by a contract)

input                   0x235...ed70f

decoded input           {}

decoded output          {
                            "0": "string: Zone 4"
                        }

logs                    []
```