Fifty Page Stress Fixture

Ferritex Bench

April 2, 2026

Contents

1 Acquisition **1**
1.1 Acquisition alpha 1
1.2 Acquisition beta 6

2 Normalization **10**
2.1 Normalization alpha 10
2.2 Normalization beta 16

3 Analysis **20**
3.1 Analysis alpha 20
3.2 Analysis beta 25

4 Synthesis **30**
4.1 Synthesis alpha 30
4.2 Synthesis beta 35

5 Publication **40**
5.1 Publication alpha 40
5.2 Publication beta 45

1 Acquisition

1.1 Acquisition alpha

This stress paragraph for Acquisition discusses a realistic compilation workflow, mixes inline math such as $x_a = a^2 + a$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs. This stress paragraph for Acquisition discusses a realistic compilation workflow, mixes inline math such as $x_a = a^2 + a$, and keeps the prose deterministic so benchmark

output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs.

$$y_a = \frac{n(n+1)}{2} + 3 \tag{1}$$

$$\begin{aligned} z_a &= y_a + n \qquad (2) \\ w_a &= 2z_a - 1 \qquad (3) \end{aligned}$$

This stress paragraph for Acquisition discusses a realistic compilation workflow, mixes inline math such as $x_b = b^2 + b$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs. This stress paragraph for Acquisition discusses a realistic compilation workflow, mixes inline math such as $x_b = b^2 + b$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs.

$$y_b = \frac{n(n+1)}{2} + 3 \tag{4}$$

$$\begin{aligned} z_b &= y_b + n \qquad (5) \\ w_b &= 2z_b - 1 \qquad (6) \end{aligned}$$

This stress paragraph for Acquisition discusses a realistic compilation workflow, mixes inline math such as $x_c = c^2 + c$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs. This stress paragraph for Acquisition discusses a realistic compilation workflow, mixes inline math such as $x_c = c^2 + c$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the

block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs.

$$y_c = \frac{n(n+1)}{2} + 3 \tag{7}$$

$$\begin{aligned} z_c &= y_c + n \qquad (8) \\ w_c &= 2z_c - 1 \qquad (9) \end{aligned}$$

This stress paragraph for Acquisition discusses a realistic compilation workflow, mixes inline math such as $x_d = d^2 + d$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs. This stress paragraph for Acquisition discusses a realistic compilation workflow, mixes inline math such as $x_d = d^2 + d$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs.

$$y_d = \frac{n(n+1)}{2} + 3 \tag{10}$$

$$\begin{aligned} z_d &= y_d + n \qquad (11) \\ w_d &= 2z_d - 1 \qquad (12) \end{aligned}$$

This stress paragraph for Acquisition discusses a realistic compilation workflow, mixes inline math such as $x_e = e^2 + e$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs. This stress paragraph for Acquisition discusses a realistic compilation workflow, mixes inline math such as $x_e = e^2 + e$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs.

$$y_e = \frac{n(n+1)}{2} + 3 \tag{13}$$

$$
\begin{aligned}
z_e &= y_e + n \qquad (14)\\
w_e &= 2z_e - 1 \qquad (15)
\end{aligned}
$$

This stress paragraph for Acquisition discusses a realistic compilation workflow, mixes inline math such as $x_f = f^2 + f$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs. This stress paragraph for Acquisition discusses a realistic compilation workflow, mixes inline math such as $x_f = f^2 + f$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs.

$$
y_f = \frac{n(n+1)}{2} + 3 \qquad (16)
$$

$$
\begin{aligned}
z_f &= y_f + n \qquad (17)\\
w_f &= 2z_f - 1 \qquad (18)
\end{aligned}
$$

This stress paragraph for Acquisition discusses a realistic compilation workflow, mixes inline math such as $x_g = g^2 + g$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs. This stress paragraph for Acquisition discusses a realistic compilation workflow, mixes inline math such as $x_g = g^2 + g$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs.

$$
y_g = \frac{n(n+1)}{2} + 3 \qquad (19)
$$

$$
\begin{aligned}
z_g &= y_g + n \qquad (20)\\
w_g &= 2z_g - 1 \qquad (21)
\end{aligned}
$$

This stress paragraph for Acquisition discusses a realistic compilation workflow, mixes inline math such as $x_h = h^2 + h$, and keeps the prose deterministic so

benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs. This stress paragraph for Acquisition discusses a realistic compilation workflow, mixes inline math such as $x_h = h^2 + h$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs.

$$y_h = \frac{n(n+1)}{2} + 3 \tag{22}$$

$$\begin{aligned} z_h &= y_h + n \qquad (23) \\ w_h &= 2z_h - 1 \qquad (24) \end{aligned}$$

This stress paragraph for Acquisition discusses a realistic compilation workflow, mixes inline math such as $x_i = i^2 + i$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs. This stress paragraph for Acquisition discusses a realistic compilation workflow, mixes inline math such as $x_i = i^2 + i$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs.

$$y_i = \frac{n(n+1)}{2} + 3 \tag{25}$$

$$\begin{aligned} z_i &= y_i + n \qquad (26) \\ w_i &= 2z_i - 1 \qquad (27) \end{aligned}$$

This stress paragraph for Acquisition discusses a realistic compilation workflow, mixes inline math such as $x_j = j^2 + j$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence

closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs. This stress paragraph for Acquisition discusses a realistic compilation workflow, mixes inline math such as $x_j = j^2 + j$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs.

$$y_j = \frac{n(n+1)}{2} + 3 \tag{28}$$

$$\begin{aligned} z_j &= y_j + n \qquad (29) \\ w_j &= 2z_j - 1 \qquad (30) \end{aligned}$$

1.2 Acquisition beta

This stress paragraph for Acquisition discusses a realistic compilation workflow, mixes inline math such as $x_a = a^2 + a$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs. This stress paragraph for Acquisition discusses a realistic compilation workflow, mixes inline math such as $x_a = a^2 + a$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs.

$$y_a = \frac{n(n+1)}{2} + 3 \tag{31}$$

$$\begin{aligned} z_a &= y_a + n \qquad (32) \\ w_a &= 2z_a - 1 \qquad (33) \end{aligned}$$

This stress paragraph for Acquisition discusses a realistic compilation workflow, mixes inline math such as $x_b = b^2 + b$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs. This stress

paragraph for Acquisition discusses a realistic compilation workflow, mixes inline math such as $x_b = b^2 + b$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs.

$$y_b = \frac{n(n+1)}{2} + 3 \tag{34}$$

$$\begin{aligned} z_b &= y_b + n \qquad (35) \\ w_b &= 2z_b - 1 \qquad (36) \end{aligned}$$

This stress paragraph for Acquisition discusses a realistic compilation workflow, mixes inline math such as $x_c = c^2 + c$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs. This stress paragraph for Acquisition discusses a realistic compilation workflow, mixes inline math such as $x_c = c^2 + c$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs.

$$y_c = \frac{n(n+1)}{2} + 3 \tag{37}$$

$$\begin{aligned} z_c &= y_c + n \qquad (38) \\ w_c &= 2z_c - 1 \qquad (39) \end{aligned}$$

This stress paragraph for Acquisition discusses a realistic compilation workflow, mixes inline math such as $x_d = d^2 + d$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs. This stress paragraph for Acquisition discusses a realistic compilation workflow, mixes inline math such as $x_d = d^2 + d$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation,

tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs.

$$y_d = \frac{n(n+1)}{2} + 3 \tag{40}$$

$$\begin{aligned} z_d &= y_d + n \qquad (41) \\ w_d &= 2z_d - 1 \qquad (42) \end{aligned}$$

This stress paragraph for Acquisition discusses a realistic compilation workflow, mixes inline math such as $x_e = e^2 + e$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs. This stress paragraph for Acquisition discusses a realistic compilation workflow, mixes inline math such as $x_e = e^2 + e$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs.

$$y_e = \frac{n(n+1)}{2} + 3 \tag{43}$$

$$\begin{aligned} z_e &= y_e + n \qquad (44) \\ w_e &= 2z_e - 1 \qquad (45) \end{aligned}$$

This stress paragraph for Acquisition discusses a realistic compilation workflow, mixes inline math such as $x_f = f^2 + f$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs. This stress paragraph for Acquisition discusses a realistic compilation workflow, mixes inline math such as $x_f = f^2 + f$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs.

$$y_f = \frac{n(n+1)}{2} + 3 \tag{46}$$

$$z_f = y_f + n \tag{47}$$
$$w_f = 2z_f - 1 \tag{48}$$

This stress paragraph for Acquisition discusses a realistic compilation workflow, mixes inline math such as $x_g = g^2 + g$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs. This stress paragraph for Acquisition discusses a realistic compilation workflow, mixes inline math such as $x_g = g^2 + g$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs.

$$y_g = \frac{n(n+1)}{2} + 3 \tag{49}$$

$$z_g = y_g + n \tag{50}$$
$$w_g = 2z_g - 1 \tag{51}$$

This stress paragraph for Acquisition discusses a realistic compilation workflow, mixes inline math such as $x_h = h^2 + h$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs. This stress paragraph for Acquisition discusses a realistic compilation workflow, mixes inline math such as $x_h = h^2 + h$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs.

$$y_h = \frac{n(n+1)}{2} + 3 \tag{52}$$

$$z_h = y_h + n \tag{53}$$
$$w_h = 2z_h - 1 \tag{54}$$

This stress paragraph for Acquisition discusses a realistic compilation workflow, mixes inline math such as $x_i = i^2 + i$, and keeps the prose deterministic so

benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs. This stress paragraph for Acquisition discusses a realistic compilation workflow, mixes inline math such as $x_i = i^2 + i$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs.

$$y_i = \frac{n(n+1)}{2} + 3 \tag{55}$$

$$\begin{aligned} z_i &= y_i + n \qquad (56) \\ w_i &= 2z_i - 1 \qquad (57) \end{aligned}$$

This stress paragraph for Acquisition discusses a realistic compilation workflow, mixes inline math such as $x_j = j^2 + j$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs. This stress paragraph for Acquisition discusses a realistic compilation workflow, mixes inline math such as $x_j = j^2 + j$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs.

$$y_j = \frac{n(n+1)}{2} + 3 \tag{58}$$

$$\begin{aligned} z_j &= y_j + n \qquad (59) \\ w_j &= 2z_j - 1 \qquad (60) \end{aligned}$$

2 Normalization

2.1 Normalization alpha

This stress paragraph for Normalization discusses a realistic compilation workflow, mixes inline math such as $x_a = a^2 + a$, and keeps the prose deterministic so

Table 1: Stress section table for Acquisition

Category	Blocks	Result
Paragraph pairs	20	stable
Equation groups	20	stable
Cross-feature mixes	1	complete

Figure 1: Stress placeholder figure for Acquisition

benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs. This stress paragraph for Normalization discusses a realistic compilation workflow, mixes inline math such as $x_a = a^2 + a$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs.

$$y_a = \frac{n(n+1)}{2} + 3 \tag{61}$$

$$\begin{aligned} z_a &= y_a + n \qquad (62) \\ w_a &= 2z_a - 1 \qquad (63) \end{aligned}$$

This stress paragraph for Normalization discusses a realistic compilation workflow, mixes inline math such as $x_b = b^2 + b$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence

closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs. This stress paragraph for Normalization discusses a realistic compilation workflow, mixes inline math such as $x_b = b^2 + b$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs.

$$y_b = \frac{n(n+1)}{2} + 3 \tag{64}$$

$$\begin{aligned} z_b &= y_b + n \qquad (65) \\ w_b &= 2z_b - 1 \qquad (66) \end{aligned}$$

This stress paragraph for Normalization discusses a realistic compilation workflow, mixes inline math such as $x_c = c^2 + c$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs. This stress paragraph for Normalization discusses a realistic compilation workflow, mixes inline math such as $x_c = c^2 + c$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs.

$$y_c = \frac{n(n+1)}{2} + 3 \tag{67}$$

$$\begin{aligned} z_c &= y_c + n \qquad (68) \\ w_c &= 2z_c - 1 \qquad (69) \end{aligned}$$

This stress paragraph for Normalization discusses a realistic compilation workflow, mixes inline math such as $x_d = d^2 + d$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs. This stress paragraph for Normalization discusses a realistic compilation workflow, mixes inline math such as $x_d = d^2 + d$, and keeps the prose deterministic so benchmark

output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs.

$$y_d = \frac{n(n+1)}{2} + 3 \tag{70}$$

$$\begin{aligned} z_d &= y_d + n \qquad (71) \\ w_d &= 2z_d - 1 \qquad (72) \end{aligned}$$

This stress paragraph for Normalization discusses a realistic compilation workflow, mixes inline math such as $x_e = e^2 + e$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs. This stress paragraph for Normalization discusses a realistic compilation workflow, mixes inline math such as $x_e = e^2 + e$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs.

$$y_e = \frac{n(n+1)}{2} + 3 \tag{73}$$

$$\begin{aligned} z_e &= y_e + n \qquad (74) \\ w_e &= 2z_e - 1 \qquad (75) \end{aligned}$$

This stress paragraph for Normalization discusses a realistic compilation workflow, mixes inline math such as $x_f = f^2 + f$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs. This stress paragraph for Normalization discusses a realistic compilation workflow, mixes inline math such as $x_f = f^2 + f$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the

block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs.

$$y_f = \frac{n(n+1)}{2} + 3 \tag{76}$$

$$\begin{aligned} z_f &= y_f + n \qquad (77) \\ w_f &= 2z_f - 1 \qquad (78) \end{aligned}$$

This stress paragraph for Normalization discusses a realistic compilation workflow, mixes inline math such as $x_g = g^2 + g$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs. This stress paragraph for Normalization discusses a realistic compilation workflow, mixes inline math such as $x_g = g^2 + g$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs.

$$y_g = \frac{n(n+1)}{2} + 3 \tag{79}$$

$$\begin{aligned} z_g &= y_g + n \qquad (80) \\ w_g &= 2z_g - 1 \qquad (81) \end{aligned}$$

This stress paragraph for Normalization discusses a realistic compilation workflow, mixes inline math such as $x_h = h^2 + h$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs. This stress paragraph for Normalization discusses a realistic compilation workflow, mixes inline math such as $x_h = h^2 + h$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs.

$$y_h = \frac{n(n+1)}{2} + 3 \tag{82}$$

$$z_h = y_h + n \tag{83}$$
$$w_h = 2z_h - 1 \tag{84}$$

This stress paragraph for Normalization discusses a realistic compilation workflow, mixes inline math such as $x_i = i^2 + i$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs. This stress paragraph for Normalization discusses a realistic compilation workflow, mixes inline math such as $x_i = i^2 + i$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs.

$$y_i = \frac{n(n+1)}{2} + 3 \tag{85}$$

$$z_i = y_i + n \tag{86}$$
$$w_i = 2z_i - 1 \tag{87}$$

This stress paragraph for Normalization discusses a realistic compilation workflow, mixes inline math such as $x_j = j^2 + j$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs. This stress paragraph for Normalization discusses a realistic compilation workflow, mixes inline math such as $x_j = j^2 + j$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs.

$$y_j = \frac{n(n+1)}{2} + 3 \tag{88}$$

$$z_j = y_j + n \tag{89}$$
$$w_j = 2z_j - 1 \tag{90}$$

2.2 Normalization beta

This stress paragraph for Normalization discusses a realistic compilation workflow, mixes inline math such as $x_a = a^2 + a$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs. This stress paragraph for Normalization discusses a realistic compilation workflow, mixes inline math such as $x_a = a^2 + a$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs.

$$y_a = \frac{n(n+1)}{2} + 3 \tag{91}$$

$$\begin{aligned} z_a &= y_a + n \qquad (92) \\ w_a &= 2z_a - 1 \qquad (93) \end{aligned}$$

This stress paragraph for Normalization discusses a realistic compilation workflow, mixes inline math such as $x_b = b^2 + b$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs. This stress paragraph for Normalization discusses a realistic compilation workflow, mixes inline math such as $x_b = b^2 + b$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs.

$$y_b = \frac{n(n+1)}{2} + 3 \tag{94}$$

$$\begin{aligned} z_b &= y_b + n \qquad (95) \\ w_b &= 2z_b - 1 \qquad (96) \end{aligned}$$

This stress paragraph for Normalization discusses a realistic compilation workflow, mixes inline math such as $x_c = c^2 + c$, and keeps the prose deterministic so

benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs. This stress paragraph for Normalization discusses a realistic compilation workflow, mixes inline math such as $x_c = c^2 + c$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs.

$$y_c = \frac{n(n+1)}{2} + 3 \tag{97}$$

$$\begin{aligned} z_c &= y_c + n \qquad (98) \\ w_c &= 2z_c - 1 \qquad (99) \end{aligned}$$

This stress paragraph for Normalization discusses a realistic compilation workflow, mixes inline math such as $x_d = d^2 + d$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs. This stress paragraph for Normalization discusses a realistic compilation workflow, mixes inline math such as $x_d = d^2 + d$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs.

$$y_d = \frac{n(n+1)}{2} + 3 \tag{100}$$

$$\begin{aligned} z_d &= y_d + n \qquad (101) \\ w_d &= 2z_d - 1 \qquad (102) \end{aligned}$$

This stress paragraph for Normalization discusses a realistic compilation workflow, mixes inline math such as $x_e = e^2 + e$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence

closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs. This stress paragraph for Normalization discusses a realistic compilation workflow, mixes inline math such as $x_e = e^2 + e$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs.

$$y_e = \frac{n(n+1)}{2} + 3 \tag{103}$$

$$\begin{aligned} z_e &= y_e + n \qquad (104) \\ w_e &= 2z_e - 1 \qquad (105) \end{aligned}$$

This stress paragraph for Normalization discusses a realistic compilation workflow, mixes inline math such as $x_f = f^2 + f$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs. This stress paragraph for Normalization discusses a realistic compilation workflow, mixes inline math such as $x_f = f^2 + f$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs.

$$y_f = \frac{n(n+1)}{2} + 3 \tag{106}$$

$$\begin{aligned} z_f &= y_f + n \qquad (107) \\ w_f &= 2z_f - 1 \qquad (108) \end{aligned}$$

This stress paragraph for Normalization discusses a realistic compilation workflow, mixes inline math such as $x_g = g^2 + g$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs. This stress paragraph for Normalization discusses a realistic compilation workflow, mixes inline math such as $x_g = g^2 + g$, and keeps the prose deterministic so benchmark

output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs.

$$y_g = \frac{n(n+1)}{2} + 3 \tag{109}$$

$$\begin{aligned} z_g &= y_g + n \qquad (110) \\ w_g &= 2z_g - 1 \qquad (111) \end{aligned}$$

This stress paragraph for Normalization discusses a realistic compilation workflow, mixes inline math such as $x_h = h^2 + h$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs. This stress paragraph for Normalization discusses a realistic compilation workflow, mixes inline math such as $x_h = h^2 + h$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs.

$$y_h = \frac{n(n+1)}{2} + 3 \tag{112}$$

$$\begin{aligned} z_h &= y_h + n \qquad (113) \\ w_h &= 2z_h - 1 \qquad (114) \end{aligned}$$

This stress paragraph for Normalization discusses a realistic compilation workflow, mixes inline math such as $x_i = i^2 + i$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs. This stress paragraph for Normalization discusses a realistic compilation workflow, mixes inline math such as $x_i = i^2 + i$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the

block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs.

$$y_i = \frac{n(n+1)}{2} + 3 \tag{115}$$

$$\begin{aligned} z_i &= y_i + n \qquad (116) \\ w_i &= 2z_i - 1 \qquad (117) \end{aligned}$$

This stress paragraph for Normalization discusses a realistic compilation workflow, mixes inline math such as $x_j = j^2 + j$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs. This stress paragraph for Normalization discusses a realistic compilation workflow, mixes inline math such as $x_j = j^2 + j$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs.

$$y_j = \frac{n(n+1)}{2} + 3 \tag{118}$$

$$\begin{aligned} z_j &= y_j + n \qquad (119) \\ w_j &= 2z_j - 1 \qquad (120) \end{aligned}$$

Table 2: Stress section table for Normalization

Category	Blocks	Result
Paragraph pairs	20	stable
Equation groups	20	stable
Cross-feature mixes	1	complete

3 Analysis

3.1 Analysis alpha

This stress paragraph for Analysis discusses a realistic compilation workflow, mixes inline math such as $x_a = a^2 + a$, and keeps the prose deterministic so

Figure 2: Stress placeholder figure for Normalization

benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs. This stress paragraph for Analysis discusses a realistic compilation workflow, mixes inline math such as $x_a = a^2 + a$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs.

$$y_a = \frac{n(n+1)}{2} + 3 \tag{121}$$

$$\begin{aligned} z_a &= y_a + n \qquad (122) \\ w_a &= 2z_a - 1 \qquad (123) \end{aligned}$$

This stress paragraph for Analysis discusses a realistic compilation workflow, mixes inline math such as $x_b = b^2 + b$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs. This stress paragraph for Analysis discusses a realistic compilation workflow, mixes inline math such as $x_b = b^2 + b$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the

block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs.

$$y_b = \frac{n(n+1)}{2} + 3 \tag{124}$$

$$\begin{aligned} z_b &= y_b + n \qquad (125) \\ w_b &= 2z_b - 1 \qquad (126) \end{aligned}$$

This stress paragraph for Analysis discusses a realistic compilation workflow, mixes inline math such as $x_c = c^2 + c$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs. This stress paragraph for Analysis discusses a realistic compilation workflow, mixes inline math such as $x_c = c^2 + c$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs.

$$y_c = \frac{n(n+1)}{2} + 3 \tag{127}$$

$$\begin{aligned} z_c &= y_c + n \qquad (128) \\ w_c &= 2z_c - 1 \qquad (129) \end{aligned}$$

This stress paragraph for Analysis discusses a realistic compilation workflow, mixes inline math such as $x_d = d^2 + d$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs. This stress paragraph for Analysis discusses a realistic compilation workflow, mixes inline math such as $x_d = d^2 + d$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs.

$$y_d = \frac{n(n+1)}{2} + 3 \tag{130}$$

$$
\begin{aligned}
z_d &= y_d + n && (131)\\
w_d &= 2z_d - 1 && (132)
\end{aligned}
$$

This stress paragraph for Analysis discusses a realistic compilation workflow, mixes inline math such as $x_e = e^2 + e$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs. This stress paragraph for Analysis discusses a realistic compilation workflow, mixes inline math such as $x_e = e^2 + e$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs.

$$
y_e = \frac{n(n+1)}{2} + 3 \tag{133}
$$

$$
\begin{aligned}
z_e &= y_e + n && (134)\\
w_e &= 2z_e - 1 && (135)
\end{aligned}
$$

This stress paragraph for Analysis discusses a realistic compilation workflow, mixes inline math such as $x_f = f^2 + f$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs. This stress paragraph for Analysis discusses a realistic compilation workflow, mixes inline math such as $x_f = f^2 + f$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs.

$$
y_f = \frac{n(n+1)}{2} + 3 \tag{136}
$$

$$
\begin{aligned}
z_f &= y_f + n && (137)\\
w_f &= 2z_f - 1 && (138)
\end{aligned}
$$

This stress paragraph for Analysis discusses a realistic compilation workflow, mixes inline math such as $x_g = g^2 + g$, and keeps the prose deterministic so

benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs. This stress paragraph for Analysis discusses a realistic compilation workflow, mixes inline math such as $x_g = g^2 + g$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs.

$$y_g = \frac{n(n+1)}{2} + 3 \tag{139}$$

$$\begin{aligned} z_g &= y_g + n \qquad (140) \\ w_g &= 2z_g - 1 \qquad (141) \end{aligned}$$

This stress paragraph for Analysis discusses a realistic compilation workflow, mixes inline math such as $x_h = h^2 + h$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs. This stress paragraph for Analysis discusses a realistic compilation workflow, mixes inline math such as $x_h = h^2 + h$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs.

$$y_h = \frac{n(n+1)}{2} + 3 \tag{142}$$

$$\begin{aligned} z_h &= y_h + n \qquad (143) \\ w_h &= 2z_h - 1 \qquad (144) \end{aligned}$$

This stress paragraph for Analysis discusses a realistic compilation workflow, mixes inline math such as $x_i = i^2 + i$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence

closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs. This stress paragraph for Analysis discusses a realistic compilation workflow, mixes inline math such as $x_i = i^2 + i$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs.

$$y_i = \frac{n(n+1)}{2} + 3 \tag{145}$$

$$\begin{aligned} z_i &= y_i + n \qquad (146) \\ w_i &= 2z_i - 1 \qquad (147) \end{aligned}$$

This stress paragraph for Analysis discusses a realistic compilation workflow, mixes inline math such as $x_j = j^2 + j$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs. This stress paragraph for Analysis discusses a realistic compilation workflow, mixes inline math such as $x_j = j^2 + j$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs.

$$y_j = \frac{n(n+1)}{2} + 3 \tag{148}$$

$$\begin{aligned} z_j &= y_j + n \qquad (149) \\ w_j &= 2z_j - 1 \qquad (150) \end{aligned}$$

3.2 Analysis beta

This stress paragraph for Analysis discusses a realistic compilation workflow, mixes inline math such as $x_a = a^2 + a$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs. This stress

paragraph for Analysis discusses a realistic compilation workflow, mixes inline math such as $x_a = a^2 + a$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs.

$$y_a = \frac{n(n+1)}{2} + 3 \tag{151}$$

$$\begin{aligned} z_a &= y_a + n \qquad (152) \\ w_a &= 2z_a - 1 \qquad (153) \end{aligned}$$

This stress paragraph for Analysis discusses a realistic compilation workflow, mixes inline math such as $x_b = b^2 + b$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs. This stress paragraph for Analysis discusses a realistic compilation workflow, mixes inline math such as $x_b = b^2 + b$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs.

$$y_b = \frac{n(n+1)}{2} + 3 \tag{154}$$

$$\begin{aligned} z_b &= y_b + n \qquad (155) \\ w_b &= 2z_b - 1 \qquad (156) \end{aligned}$$

This stress paragraph for Analysis discusses a realistic compilation workflow, mixes inline math such as $x_c = c^2 + c$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs. This stress paragraph for Analysis discusses a realistic compilation workflow, mixes inline math such as $x_c = c^2 + c$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise

integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs.

$$y_c = \frac{n(n+1)}{2} + 3 \tag{157}$$

$$\begin{aligned} z_c &= y_c + n \qquad (158) \\ w_c &= 2z_c - 1 \qquad (159) \end{aligned}$$

This stress paragraph for Analysis discusses a realistic compilation workflow, mixes inline math such as $x_d = d^2 + d$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs. This stress paragraph for Analysis discusses a realistic compilation workflow, mixes inline math such as $x_d = d^2 + d$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs.

$$y_d = \frac{n(n+1)}{2} + 3 \tag{160}$$

$$\begin{aligned} z_d &= y_d + n \qquad (161) \\ w_d &= 2z_d - 1 \qquad (162) \end{aligned}$$

This stress paragraph for Analysis discusses a realistic compilation workflow, mixes inline math such as $x_e = e^2 + e$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs. This stress paragraph for Analysis discusses a realistic compilation workflow, mixes inline math such as $x_e = e^2 + e$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs.

$$y_e = \frac{n(n+1)}{2} + 3 \tag{163}$$

$$z_e = y_e + n \tag{164}$$
$$w_e = 2z_e - 1 \tag{165}$$

This stress paragraph for Analysis discusses a realistic compilation workflow, mixes inline math such as $x_f = f^2 + f$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs. This stress paragraph for Analysis discusses a realistic compilation workflow, mixes inline math such as $x_f = f^2 + f$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs.

$$y_f = \frac{n(n+1)}{2} + 3 \tag{166}$$

$$z_f = y_f + n \tag{167}$$
$$w_f = 2z_f - 1 \tag{168}$$

This stress paragraph for Analysis discusses a realistic compilation workflow, mixes inline math such as $x_g = g^2 + g$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs. This stress paragraph for Analysis discusses a realistic compilation workflow, mixes inline math such as $x_g = g^2 + g$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs.

$$y_g = \frac{n(n+1)}{2} + 3 \tag{169}$$

$$z_g = y_g + n \tag{170}$$
$$w_g = 2z_g - 1 \tag{171}$$

This stress paragraph for Analysis discusses a realistic compilation workflow, mixes inline math such as $x_h = h^2 + h$, and keeps the prose deterministic so

benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs. This stress paragraph for Analysis discusses a realistic compilation workflow, mixes inline math such as $x_h = h^2 + h$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs.

$$y_h = \frac{n(n+1)}{2} + 3 \tag{172}$$

$$\begin{aligned} z_h &= y_h + n \qquad (173) \\ w_h &= 2z_h - 1 \qquad (174) \end{aligned}$$

This stress paragraph for Analysis discusses a realistic compilation workflow, mixes inline math such as $x_i = i^2 + i$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs. This stress paragraph for Analysis discusses a realistic compilation workflow, mixes inline math such as $x_i = i^2 + i$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs.

$$y_i = \frac{n(n+1)}{2} + 3 \tag{175}$$

$$\begin{aligned} z_i &= y_i + n \qquad (176) \\ w_i &= 2z_i - 1 \qquad (177) \end{aligned}$$

This stress paragraph for Analysis discusses a realistic compilation workflow, mixes inline math such as $x_j = j^2 + j$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence

closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs. This stress paragraph for Analysis discusses a realistic compilation workflow, mixes inline math such as $x_j = j^2 + j$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs.

$$y_j = \frac{n(n+1)}{2} + 3 \tag{178}$$

$$z_j = y_j + n \tag{179}$$

$$w_j = 2z_j - 1 \tag{180}$$

Table 3: Stress section table for Analysis

Category	Blocks	Result
Paragraph pairs	20	stable
Equation groups	20	stable
Cross-feature mixes	1	complete

Figure 3: Stress placeholder figure for Analysis

4 Synthesis

4.1 Synthesis alpha

This stress paragraph for Synthesis discusses a realistic compilation workflow, mixes inline math such as $x_a = a^2 + a$, and keeps the prose deterministic so

benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs. This stress paragraph for Synthesis discusses a realistic compilation workflow, mixes inline math such as $x_a = a^2 + a$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs.

$$y_a = \frac{n(n+1)}{2} + 3 \tag{181}$$

$$\begin{aligned} z_a &= y_a + n \qquad (182) \\ w_a &= 2z_a - 1 \qquad (183) \end{aligned}$$

This stress paragraph for Synthesis discusses a realistic compilation workflow, mixes inline math such as $x_b = b^2 + b$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs. This stress paragraph for Synthesis discusses a realistic compilation workflow, mixes inline math such as $x_b = b^2 + b$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs.

$$y_b = \frac{n(n+1)}{2} + 3 \tag{184}$$

$$\begin{aligned} z_b &= y_b + n \qquad (185) \\ w_b &= 2z_b - 1 \qquad (186) \end{aligned}$$

This stress paragraph for Synthesis discusses a realistic compilation workflow, mixes inline math such as $x_c = c^2 + c$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence

closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs. This stress paragraph for Synthesis discusses a realistic compilation workflow, mixes inline math such as $x_c = c^2 + c$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs.

$$y_c = \frac{n(n+1)}{2} + 3 \tag{187}$$

$$\begin{aligned} z_c &= y_c + n \qquad (188) \\ w_c &= 2z_c - 1 \qquad (189) \end{aligned}$$

This stress paragraph for Synthesis discusses a realistic compilation workflow, mixes inline math such as $x_d = d^2 + d$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs. This stress paragraph for Synthesis discusses a realistic compilation workflow, mixes inline math such as $x_d = d^2 + d$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs.

$$y_d = \frac{n(n+1)}{2} + 3 \tag{190}$$

$$\begin{aligned} z_d &= y_d + n \qquad (191) \\ w_d &= 2z_d - 1 \qquad (192) \end{aligned}$$

This stress paragraph for Synthesis discusses a realistic compilation workflow, mixes inline math such as $x_e = e^2 + e$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs. This stress paragraph for Synthesis discusses a realistic compilation workflow, mixes inline

math such as $x_e = e^2 + e$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs.

$$y_e = \frac{n(n+1)}{2} + 3 \tag{193}$$

$$\begin{aligned} z_e &= y_e + n \qquad (194) \\ w_e &= 2z_e - 1 \qquad (195) \end{aligned}$$

This stress paragraph for Synthesis discusses a realistic compilation workflow, mixes inline math such as $x_f = f^2 + f$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs. This stress paragraph for Synthesis discusses a realistic compilation workflow, mixes inline math such as $x_f = f^2 + f$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs.

$$y_f = \frac{n(n+1)}{2} + 3 \tag{196}$$

$$\begin{aligned} z_f &= y_f + n \qquad (197) \\ w_f &= 2z_f - 1 \qquad (198) \end{aligned}$$

This stress paragraph for Synthesis discusses a realistic compilation workflow, mixes inline math such as $x_g = g^2 + g$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs. This stress paragraph for Synthesis discusses a realistic compilation workflow, mixes inline math such as $x_g = g^2 + g$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the

block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs.

$$y_g = \frac{n(n+1)}{2} + 3 \tag{199}$$

$$\begin{aligned} z_g &= y_g + n \qquad (200) \\ w_g &= 2z_g - 1 \qquad (201) \end{aligned}$$

This stress paragraph for Synthesis discusses a realistic compilation workflow, mixes inline math such as $x_h = h^2 + h$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs. This stress paragraph for Synthesis discusses a realistic compilation workflow, mixes inline math such as $x_h = h^2 + h$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs.

$$y_h = \frac{n(n+1)}{2} + 3 \tag{202}$$

$$\begin{aligned} z_h &= y_h + n \qquad (203) \\ w_h &= 2z_h - 1 \qquad (204) \end{aligned}$$

This stress paragraph for Synthesis discusses a realistic compilation workflow, mixes inline math such as $x_i = i^2 + i$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs. This stress paragraph for Synthesis discusses a realistic compilation workflow, mixes inline math such as $x_i = i^2 + i$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs.

$$y_i = \frac{n(n+1)}{2} + 3 \tag{205}$$

$$z_i = y_i + n \tag{206}$$
$$w_i = 2z_i - 1 \tag{207}$$

This stress paragraph for Synthesis discusses a realistic compilation workflow, mixes inline math such as $x_j = j^2 + j$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs. This stress paragraph for Synthesis discusses a realistic compilation workflow, mixes inline math such as $x_j = j^2 + j$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs.

$$y_j = \frac{n(n+1)}{2} + 3 \tag{208}$$

$$z_j = y_j + n \tag{209}$$
$$w_j = 2z_j - 1 \tag{210}$$

4.2 Synthesis beta

This stress paragraph for Synthesis discusses a realistic compilation workflow, mixes inline math such as $x_a = a^2 + a$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs. This stress paragraph for Synthesis discusses a realistic compilation workflow, mixes inline math such as $x_a = a^2 + a$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs.

$$y_a = \frac{n(n+1)}{2} + 3 \tag{211}$$

$$z_a = y_a + n \tag{212}$$
$$w_a = 2z_a - 1 \tag{213}$$

This stress paragraph for Synthesis discusses a realistic compilation workflow, mixes inline math such as $x_b = b^2 + b$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs. This stress paragraph for Synthesis discusses a realistic compilation workflow, mixes inline math such as $x_b = b^2 + b$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs.

$$y_b = \frac{n(n+1)}{2} + 3 \tag{214}$$

$$\begin{aligned} z_b &= y_b + n \qquad (215) \\ w_b &= 2z_b - 1 \qquad (216) \end{aligned}$$

This stress paragraph for Synthesis discusses a realistic compilation workflow, mixes inline math such as $x_c = c^2 + c$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs. This stress paragraph for Synthesis discusses a realistic compilation workflow, mixes inline math such as $x_c = c^2 + c$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs.

$$y_c = \frac{n(n+1)}{2} + 3 \tag{217}$$

$$\begin{aligned} z_c &= y_c + n \qquad (218) \\ w_c &= 2z_c - 1 \qquad (219) \end{aligned}$$

This stress paragraph for Synthesis discusses a realistic compilation workflow, mixes inline math such as $x_d = d^2 + d$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document

to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs. This stress paragraph for Synthesis discusses a realistic compilation workflow, mixes inline math such as $x_d = d^2 + d$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs.

$$y_d = \frac{n(n+1)}{2} + 3 \tag{220}$$

$$\begin{aligned} z_d &= y_d + n \qquad (221) \\ w_d &= 2z_d - 1 \qquad (222) \end{aligned}$$

This stress paragraph for Synthesis discusses a realistic compilation workflow, mixes inline math such as $x_e = e^2 + e$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs. This stress paragraph for Synthesis discusses a realistic compilation workflow, mixes inline math such as $x_e = e^2 + e$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs.

$$y_e = \frac{n(n+1)}{2} + 3 \tag{223}$$

$$\begin{aligned} z_e &= y_e + n \qquad (224) \\ w_e &= 2z_e - 1 \qquad (225) \end{aligned}$$

This stress paragraph for Synthesis discusses a realistic compilation workflow, mixes inline math such as $x_f = f^2 + f$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs. This stress paragraph for Synthesis discusses a realistic compilation workflow, mixes inline

math such as $x_f = f^2 + f$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs.

$$y_f = \frac{n(n+1)}{2} + 3 \tag{226}$$

$$\begin{aligned} z_f &= y_f + n \qquad (227) \\ w_f &= 2z_f - 1 \qquad (228) \end{aligned}$$

This stress paragraph for Synthesis discusses a realistic compilation workflow, mixes inline math such as $x_g = g^2 + g$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs. This stress paragraph for Synthesis discusses a realistic compilation workflow, mixes inline math such as $x_g = g^2 + g$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs.

$$y_g = \frac{n(n+1)}{2} + 3 \tag{229}$$

$$\begin{aligned} z_g &= y_g + n \qquad (230) \\ w_g &= 2z_g - 1 \qquad (231) \end{aligned}$$

This stress paragraph for Synthesis discusses a realistic compilation workflow, mixes inline math such as $x_h = h^2 + h$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs. This stress paragraph for Synthesis discusses a realistic compilation workflow, mixes inline math such as $x_h = h^2 + h$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the

block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs.

$$y_h = \frac{n(n+1)}{2} + 3 \tag{232}$$

$$\begin{aligned} z_h &= y_h + n \qquad (233) \\ w_h &= 2z_h - 1 \qquad (234) \end{aligned}$$

This stress paragraph for Synthesis discusses a realistic compilation workflow, mixes inline math such as $x_i = i^2 + i$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs. This stress paragraph for Synthesis discusses a realistic compilation workflow, mixes inline math such as $x_i = i^2 + i$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs.

$$y_i = \frac{n(n+1)}{2} + 3 \tag{235}$$

$$\begin{aligned} z_i &= y_i + n \qquad (236) \\ w_i &= 2z_i - 1 \qquad (237) \end{aligned}$$

This stress paragraph for Synthesis discusses a realistic compilation workflow, mixes inline math such as $x_j = j^2 + j$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs. This stress paragraph for Synthesis discusses a realistic compilation workflow, mixes inline math such as $x_j = j^2 + j$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs.

$$y_j = \frac{n(n+1)}{2} + 3 \tag{238}$$

$$z_j = y_j + n \tag{239}$$
$$w_j = 2z_j - 1 \tag{240}$$

Table 4: Stress section table for Synthesis

Category	Blocks	Result
Paragraph pairs	20	stable
Equation groups	20	stable
Cross-feature mixes	1	complete

Figure 4: Stress placeholder figure for Synthesis

5 Publication

5.1 Publication alpha

This stress paragraph for Publication discusses a realistic compilation workflow, mixes inline math such as $x_a = a^2 + a$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs. This stress paragraph for Publication discusses a realistic compilation workflow, mixes inline math such as $x_a = a^2 + a$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the

block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs.

$$y_a = \frac{n(n+1)}{2} + 3 \tag{241}$$

$$\begin{aligned} z_a &= y_a + n \qquad (242) \\ w_a &= 2z_a - 1 \qquad (243) \end{aligned}$$

This stress paragraph for Publication discusses a realistic compilation workflow, mixes inline math such as $x_b = b^2 + b$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs. This stress paragraph for Publication discusses a realistic compilation workflow, mixes inline math such as $x_b = b^2 + b$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs.

$$y_b = \frac{n(n+1)}{2} + 3 \tag{244}$$

$$\begin{aligned} z_b &= y_b + n \qquad (245) \\ w_b &= 2z_b - 1 \qquad (246) \end{aligned}$$

This stress paragraph for Publication discusses a realistic compilation workflow, mixes inline math such as $x_c = c^2 + c$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs. This stress paragraph for Publication discusses a realistic compilation workflow, mixes inline math such as $x_c = c^2 + c$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs.

$$y_c = \frac{n(n+1)}{2} + 3 \tag{247}$$

$$z_c = y_c + n \tag{248}$$
$$w_c = 2z_c - 1 \tag{249}$$

This stress paragraph for Publication discusses a realistic compilation workflow, mixes inline math such as $x_d = d^2 + d$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs. This stress paragraph for Publication discusses a realistic compilation workflow, mixes inline math such as $x_d = d^2 + d$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs.

$$y_d = \frac{n(n+1)}{2} + 3 \tag{250}$$

$$z_d = y_d + n \tag{251}$$
$$w_d = 2z_d - 1 \tag{252}$$

This stress paragraph for Publication discusses a realistic compilation workflow, mixes inline math such as $x_e = e^2 + e$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs. This stress paragraph for Publication discusses a realistic compilation workflow, mixes inline math such as $x_e = e^2 + e$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs.

$$y_e = \frac{n(n+1)}{2} + 3 \tag{253}$$

$$z_e = y_e + n \tag{254}$$
$$w_e = 2z_e - 1 \tag{255}$$

This stress paragraph for Publication discusses a realistic compilation workflow, mixes inline math such as $x_f = f^2 + f$, and keeps the prose deterministic so

benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs. This stress paragraph for Publication discusses a realistic compilation workflow, mixes inline math such as $x_f = f^2 + f$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs.

$$y_f = \frac{n(n+1)}{2} + 3 \tag{256}$$

$$\begin{aligned} z_f &= y_f + n \qquad (257) \\ w_f &= 2z_f - 1 \qquad (258) \end{aligned}$$

This stress paragraph for Publication discusses a realistic compilation workflow, mixes inline math such as $x_g = g^2 + g$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs. This stress paragraph for Publication discusses a realistic compilation workflow, mixes inline math such as $x_g = g^2 + g$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs.

$$y_g = \frac{n(n+1)}{2} + 3 \tag{259}$$

$$\begin{aligned} z_g &= y_g + n \qquad (260) \\ w_g &= 2z_g - 1 \qquad (261) \end{aligned}$$

This stress paragraph for Publication discusses a realistic compilation workflow, mixes inline math such as $x_h = h^2 + h$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence

closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs. This stress paragraph for Publication discusses a realistic compilation workflow, mixes inline math such as $x_h = h^2 + h$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs.

$$y_h = \frac{n(n+1)}{2} + 3 \tag{262}$$

$$\begin{aligned} z_h &= y_h + n \qquad (263) \\ w_h &= 2z_h - 1 \qquad (264) \end{aligned}$$

This stress paragraph for Publication discusses a realistic compilation workflow, mixes inline math such as $x_i = i^2 + i$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs. This stress paragraph for Publication discusses a realistic compilation workflow, mixes inline math such as $x_i = i^2 + i$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs.

$$y_i = \frac{n(n+1)}{2} + 3 \tag{265}$$

$$\begin{aligned} z_i &= y_i + n \qquad (266) \\ w_i &= 2z_i - 1 \qquad (267) \end{aligned}$$

This stress paragraph for Publication discusses a realistic compilation workflow, mixes inline math such as $x_j = j^2 + j$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs. This stress paragraph for Publication discusses a realistic compilation workflow, mixes inline math such as $x_j = j^2 + j$, and keeps the prose deterministic so benchmark

output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs.

$$y_j = \frac{n(n+1)}{2} + 3 \tag{268}$$

$$\begin{aligned} z_j &= y_j + n \qquad (269) \\ w_j &= 2z_j - 1 \qquad (270) \end{aligned}$$

5.2 Publication beta

This stress paragraph for Publication discusses a realistic compilation workflow, mixes inline math such as $x_a = a^2 + a$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs. This stress paragraph for Publication discusses a realistic compilation workflow, mixes inline math such as $x_a = a^2 + a$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs.

$$y_a = \frac{n(n+1)}{2} + 3 \tag{271}$$

$$\begin{aligned} z_a &= y_a + n \qquad (272) \\ w_a &= 2z_a - 1 \qquad (273) \end{aligned}$$

This stress paragraph for Publication discusses a realistic compilation workflow, mixes inline math such as $x_b = b^2 + b$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs. This stress paragraph for Publication discusses a realistic compilation workflow, mixes inline math such as $x_b = b^2 + b$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation,

tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs.

$$y_b = \frac{n(n+1)}{2} + 3 \tag{274}$$

$$\begin{aligned} z_b &= y_b + n \qquad (275) \\ w_b &= 2z_b - 1 \qquad (276) \end{aligned}$$

This stress paragraph for Publication discusses a realistic compilation workflow, mixes inline math such as $x_c = c^2 + c$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs. This stress paragraph for Publication discusses a realistic compilation workflow, mixes inline math such as $x_c = c^2 + c$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs.

$$y_c = \frac{n(n+1)}{2} + 3 \tag{277}$$

$$\begin{aligned} z_c &= y_c + n \qquad (278) \\ w_c &= 2z_c - 1 \qquad (279) \end{aligned}$$

This stress paragraph for Publication discusses a realistic compilation workflow, mixes inline math such as $x_d = d^2 + d$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs. This stress paragraph for Publication discusses a realistic compilation workflow, mixes inline math such as $x_d = d^2 + d$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs.

$$y_d = \frac{n(n+1)}{2} + 3 \tag{280}$$

$$z_d = y_d + n \tag{281}$$
$$w_d = 2z_d - 1 \tag{282}$$

This stress paragraph for Publication discusses a realistic compilation workflow, mixes inline math such as $x_e = e^2 + e$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs. This stress paragraph for Publication discusses a realistic compilation workflow, mixes inline math such as $x_e = e^2 + e$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs.

$$y_e = \frac{n(n+1)}{2} + 3 \tag{283}$$

$$z_e = y_e + n \tag{284}$$
$$w_e = 2z_e - 1 \tag{285}$$

This stress paragraph for Publication discusses a realistic compilation workflow, mixes inline math such as $x_f = f^2 + f$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs. This stress paragraph for Publication discusses a realistic compilation workflow, mixes inline math such as $x_f = f^2 + f$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs.

$$y_f = \frac{n(n+1)}{2} + 3 \tag{286}$$

$$z_f = y_f + n \tag{287}$$
$$w_f = 2z_f - 1 \tag{288}$$

This stress paragraph for Publication discusses a realistic compilation workflow, mixes inline math such as $x_g = g^2 + g$, and keeps the prose deterministic so

benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs. This stress paragraph for Publication discusses a realistic compilation workflow, mixes inline math such as $x_g = g^2 + g$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs.

$$y_g = \frac{n(n+1)}{2} + 3 \tag{289}$$

$$\begin{aligned} z_g &= y_g + n \qquad (290) \\ w_g &= 2z_g - 1 \qquad (291) \end{aligned}$$

This stress paragraph for Publication discusses a realistic compilation workflow, mixes inline math such as $x_h = h^2 + h$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs. This stress paragraph for Publication discusses a realistic compilation workflow, mixes inline math such as $x_h = h^2 + h$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs.

$$y_h = \frac{n(n+1)}{2} + 3 \tag{292}$$

$$\begin{aligned} z_h &= y_h + n \qquad (293) \\ w_h &= 2z_h - 1 \qquad (294) \end{aligned}$$

This stress paragraph for Publication discusses a realistic compilation workflow, mixes inline math such as $x_i = i^2 + i$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence

closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs. This stress paragraph for Publication discusses a realistic compilation workflow, mixes inline math such as $x_i = i^2 + i$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs.

$$y_i = \frac{n(n+1)}{2} + 3 \tag{295}$$

$$\begin{aligned} z_i &= y_i + n \qquad (296) \\ w_i &= 2z_i - 1 \qquad (297) \end{aligned}$$

This stress paragraph for Publication discusses a realistic compilation workflow, mixes inline math such as $x_j = j^2 + j$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs. This stress paragraph for Publication discusses a realistic compilation workflow, mixes inline math such as $x_j = j^2 + j$, and keeps the prose deterministic so benchmark output is stable across runs. A second sentence explains that layout, navigation, tables, and numbered equations all appear in the same document to exercise integrated behavior instead of isolated primitives. A third sentence closes the block by referring to repeated validation passes, cross-feature interactions, and predictable page construction for large reference PDFs.

$$y_j = \frac{n(n+1)}{2} + 3 \tag{298}$$

$$\begin{aligned} z_j &= y_j + n \qquad (299) \\ w_j &= 2z_j - 1 \qquad (300) \end{aligned}$$

Table 5: Stress section table for Publication

Category	Blocks	Result
Paragraph pairs	20	stable
Equation groups	20	stable
Cross-feature mixes	1	complete

Figure 5: Stress placeholder figure for Publication