Name: Neo Zulkarnain Masthur

NIM: 1204220051

**Class: IS-05-02** 

#### 1. Membuat dan Mendefinisikan Factory

```
PS D:\Progam Files\Xampp\htdocs\uses\Modul-9> php artisan make:factory PositionFactory

INFO Factory [D:\Progam Files\Xampp\htdocs\uses\Modul-9\database\factories\PositionFactory.php] created successfully.

PS D:\Progam Files\Xampp\htdocs\uses\Modul-9> php artisan make:factory EmployeeFactory

INFO Factory [D:\Progam Files\Xampp\htdocs\uses\Modul-9\database\factories\EmployeeFactory.php] created successfully.

PS D:\Progam Files\Xampp\htdocs\uses\Modul-9> [
```

Gambar 1 Database Position and Factory factory files created

Gambar 2 Code given for output of random job positions

```
📅 PositionFactory.php 🗴 📅 EmployeeFactory.php 🗶
database > factories > 🦬 EmployeeFactory.php > 😭 EmployeeFactory > 😚 definition
      <?php
      namespace Database\Factories;
      use Illuminate\Database\Eloquent\Factories\Factory;
       * @extends \Illuminate\Database\Eloquent\Factories\Factory<\App\Models\Employee>
       class EmployeeFactory extends Factory
            * @return array<string, mixed>
           public function definition(): array
               return [
                   'firstname' => fake()->firstName(),
                   'lastname' => fake()->lastName(),
                   'email' => fake()->email(),
                   'age' => fake()->numberBetween(25, 50),
                   'position_id' => Position::factory()
 24
```

Gambar 3 Code give for output of random employee data with positions

## 2. Menjalankan Factory via Seeder

Gambar 4 PositionSeeder code changed to created 5 random positions

Gambar 5 EmployeePosition code changed to create 10 random employee data

```
PS D:\Progam Files\Xampp\htdocs\uses\Modul-9> php artisan db:seed

INFO Seeding database.

Database\Seeders\PositionSeeder RUNNING
Database\Seeders\PositionSeeder 59 ms DONE

Database\Seeders\EmployeeSeeder RUNNING
Database\Seeders\EmployeeSeeder 80 ms DONE

PS D:\Progam Files\Xampp\htdocs\uses\Modul-9> []
```


Gambar 6 Seeder activated into Database



Gambar 7 Random positions created



Gambar 8 Random employee data created




Gambar 9 Employee Data page after Database updated

# 3&4. Meletakkan File pada Local dan Public Disk

```
Route::get('/local-disk', function () {
Storage::disk('local')->put('local-example.txt', 'This is local example content');
return asset('storage/local-example.txt');
});

Route::get('/public-disk', function () {
Storage::disk('public')->put('public-example.txt', 'This is public example content');
return asset('storage/public-example.txt');
});
```

Gambar 10 Local and Public route added



Gambar 11 Result of using "local-disk" route

```
EXPLORER: ... [4 日 ひ 白 …
                                 meb.php
                                              ×
> app
                                  routes > 🦛 web.php > .
> bootstrap
                                          use App\Http
                                          use Illumina
> config
 database
 node_modules
  public
                                           Web Routes
 resources
 routes
                                           Here is wh
 storage
                                           routes are

√ app

  > public
  gitignore


    ■ local-example.txt
```

Gambar 12 File appearing after running "local-disk" route


PS D:\Progam Files\Xampp\htdocs\uses\Modul-9> php artisan storage:link

TNFO The [D:\Progam Files\Xampp\htdocs\uses\Modul-9\public\storage] link has been connected to [D:\Progam Files\Xampp\htdocs\uses\Modul-9\storage\app/public].


PS D:\Progam Files\Xampp\htdocs\uses\Modul-9> [



Gambar 13 Gambar 12 Public folder created in resource folder




Gambar 14 Result of using "public-disk" route




Gambar 15 File appearing after running "public-disk" route

#### 5. Menampilkan Isi File



This is local example content

Gambar 16 using the "retrieve-local-file", it shows the text inside the "local-example.txt" file



This is public example content


Gambar 17using the "retrieve-public-file", it shows the text inside the "public-example.txt" file

#### 6. Mendownload File

```
Route::get('/download-local-file', function () {
    return Storage::download('local-example.txt', 'local file');
});

Route::get('/download-public-file', function () {
    return Storage::download('public/public-example.txt', 'public file');
});
```

Gambar 18 Route for file download locally and publicly



Gambar 19 Result of running said routes

## 7. Menampilkan URL, Path dan Size dari File

```
Route::get('/file-url', function () {

// Just prepend "/storage" to the given path and return a relative URL

$url = Storage::url('local-example.txt');
return $url;

Route::get('/file-size', function () {

$size = Storage::size('local-example.txt');
return $size;


});

Route::get('/file-path', function () {

$path = Storage::path('local-example.txt');
return $path;

});
```

Gambar 20 Routes for showing file URL, Size, and Location




Gambar 21 Result for running each Routes

# 8. Menyimpan File via Form


```
Route::get('/upload-example', function () {
    return view('upload_example');
};
Route::post('/upload-example', function (Request $request) {
    $path = $request->file('avatar')->store('public');
    return $path;
})->name('upload-example');
```

Gambar 22 Route for displaying upload page and it's pathing

Gambar 23 Code for Upload Page




Gambar 24 Upload page display with a chosen file



public/amnAxfVxbeHuLtnudZM1ms8FUdwRkp67jUrQciso.png

Gambar 25 Result after picking a file and uploading it




Gambar 26 Uploaded file kept into public folder with data intact


#### 9. Menghapus File pada Storage

```
Route::get('/delete-local-file', function (Request $request) {
Storage::disk('local')->delete('local-example.txt');
return 'Deleted';
});
Route::get('/delete-public-file', function (Request $request) {
Storage::disk('public')->delete('public-example.txt');
return 'Deleted';
});
```


Gambar 27 Routes added for file deletion




Gambar 28 Local file deleted using 'delete-local-file' URL



Gambar 29 Result of deletion



Gambar 30Local file deleted using 'delete-public-file' URL



Gambar 31 Result of deletion

#### 10. Menerapkan Fitur Upload pada Web Data Master Employee




Gambar 32 Migration file created

```
* 2024_06_11_114033_add_filename_column_into_employees_table.php X
💏 web.php
database > migrations > 🐄 2024_06_11_114033_add_filename_column_into_employees_table.php > 😭 class
       use Illuminate\Database\Migrations\Migration;
       use Illuminate\Database\Schema\Blueprint;
       use Illuminate\Support\Facades\Schema;
       return new class extends Migration
           public function up(): void
               Schema::table('employees', function (Blueprint $table) {
                   $table->string('original_filename')->after('position_id')->nullable();
                   $table->string('encrypted_filename')->after('original_filename')->nullable();
 19
            * Reverse the migrations.
           public function down(): void
               Schema::table('employees', function (Blueprint $table) {
                   $table->dropColumn('encrypted_filename');
                   $table->dropColumn('original_filename');
       };
```


Gambar 33 Code given for migrate file

Gambar 34 File migrated

Gambar 35 enctype method added




Gambar 36 Display before added code



Gambar 37 Display after added code

Gambar 38 Added code to EmployeeController on store() method for file upload



Gambar 39 Contents of Employee Data before saving


```
✓ storage
✓ app
✓ public
✓ files
✓ 7ztpFhmK0KR08jVs4HPYL...
♦ .gitignore
□ amnAxfVxbeHuLtnudZM1m...
♦ .gitignore
> framework
> logs
```

Gambar 40 Successfully added

```
85 Route::get('download-file/{employeeId}', [
96 EmployeeController::class, 'downloadFile'
97 ])->name('employees.downloadFile');
```


Gambar 41 Route for ability to download a file

Gambar 42 Download function added onto Employee Data Profile




Gambar 43 Display after adding download function






Gambar 45 New options for changing the CV file and it's between deleting and changing the file



Gambar 46 Before deletion of CV file



Gambar 47 CV deleted by checking the check box and then save

# 12. Tugas

https://github.com/ShrikeHolder/Modul-9