Simulation and Optimisation of Offshore Renewable Energy Arrays for Minimal Life-Cycle Costs

R. Kuipers

October 10, 2019

The problem

- Focus on modern windfarms, 100+ wind turbines, lifespan of about 20-30 years, costs of installation in range of £100 million
- Optimize logistics of operations on offshore windfarms (OWFs) in each phase of the life-cycle:
 - Installation
 - Maintenance
 - Decommission
- Logisitical descisions consists of layout, vessel scheduling, routing, number and types of vessels
- Small optimisations can have significant effects on costs, as vessels can cost upwards of £100.000 per day
- Methods used are optimisation and simulation



Key challenges

- Long lead up for many decisions means no last-minute scheduling
- Maritime weather conditions can be unpredictable
- Looking at the whole life-cycle includes a lot of different types of decisions
- Location-specific circumstances can have a big effect on weather conditions and duration of tasks
- Phases are not independent, maintenance starts at the same time installation starts

Existing literature

- Various attempts to improve the installation phase, through integer programming and local search, combined with simulation
- A lot of research has been done in various areas of maintenance, including supply chain management, mitigating failure rate, condition based maintenance
- Not a lot of research has been done on decommission projects, but they are similar in structure to installation projects
- No research at all has been found that looks at the entire life-cycle and how the different phases affect each other

Current Progress

•

Future Work

