

Trapped Charged Data Analysis: Task View

Sebastian Kreutzer

(last update: 2018-12-31)

About

In analogy of the CRAN task view lists, this list is a collection of freely available software for the broader framework trapped charged dating (e.g., luminescence and ESR data analysis). Software tools are ordered alphabetically within the task sections. The collection is not limited to R packages.

Your software is missing? Please let me know via <https://github.com/RLumSK/luminescence-tv/issues>

Data analysis tasks

Age calculation

- **DRAC** Dose rate and luminescence age calculator (v1.2 | Windows, Linux, macOS) <http://www.aber.ac.uk/en/dges/research/quaternary/luminescence-research-laboratory/dose-rate-calculator/> Durcan, J.A., King, G.E., Duller, G.A.T., 2015. *DRAC: Dose Rate and Age Calculator for trapped charge dating. Quaternary Geochronology* 28, 54–61. doi: <https://doi.org/10.1016/j.quageo.2015.03.012>

Chronological modelling

- **ArchaeoChron** Provides a list of functions for the Bayesian modeling of archaeological chronologies. The Bayesian models are implemented in ‘JAGS’ (‘JAGS’ stands for Just Another Gibbs Sampler. It is a program for the analysis of Bayesian hierarchical models using Markov Chain Monte Carlo (MCMC) simulation. See <http://mcmc-jags.sourceforge.net/> and “JAGS Version 4.3.0 user manual”, Martin Plummer (2017) <https://sourceforge.net/projects/mcmc-jags/files/Manuals/>). The inputs are measurements with their associated standard deviations and the study period. The output is the MCMC sample of the posterior distribution of the event date with or without radiocarbon calibration. (v0.1 | Windows, Linux, macOS) <https://CRAN.R-project.org/package=ArchaeoChron>
- **ArchaeoPhases** Provides a list of functions for the statistical analysis of archaeological dates and groups of dates. It is based on the post-processing of the Markov Chains whose stationary distribution is the posterior distribution of a series of dates. Such output can be simulated by different applications as for instance ‘ChronoModel’ (see <http://www.chronomodel.fr>), ‘Oxcal’ (see <https://c14.arch.ox.ac.uk/oxcal.html>) or ‘BCal’ (see <http://bcal.shef.ac.uk/>). The only requirement is to have a csv file containing a sample from the posterior distribution. (v1.3 | Windows, Linux, macOS) <https://CRAN.R-project.org/package=ArchaeoPhases>
- **BayLum** Bayesian analysis of luminescence data and C-14 age estimates. Bayesian models are based on the following publications: Combes, B. & Philippe, A. (2017) doi:10.1016/j.quageo.2017.02.003 and Combes et al (2015) doi:10.1016/j.quageo.2015.04.001. This includes, amongst others, data import, export, application of age models and palaeodose model. (v0.1.3 | Windows, Linux, macOS) <https://CRAN.R-project.org/package=BayLum> Philippe, A., Guérin, G., Kreutzer, S., 2019. *BayLum - An R package for Bayesian analysis of OSL ages: An introduction. Quaternary Geochronology* 49, 16–24. doi: <https://doi.org/10.1016/j.quageo.2018.05.009>
- **ChronoModel** Chronological Modelling of Archaeological Data using Bayesian Statistics with an advanced graphical user interface (v1.5 | Windows, macOS) <https://chronomodel.com>

- **RChronoModel** Provides a list of functions for the statistical analysis and the post-processing of the Markov Chains simulated by ChronoModel (see <http://www.chronomodel.fr> for more information). ChronoModel is a friendly software to construct a chronological model in a Bayesian framework. Its output is a sampled Markov chain from the posterior distribution of dates component the chronology. The functions can also be applied to the analyse of mcmc output generated by Oxcal software. (v0.4 | Windows, Linux, macOS) <https://CRAN.R-project.org/package=RChronoModel>

Dose rate modelling

- **DosiVox** A Geant 4-based software for dosimetry simulations relevant to luminescence and ESR dating techniques (v2018-12-03 | Linux) <http://www.iram-at-crp2a.cnrs.fr/spip/spip.php?article144&lang=fr>
- **DosiVox2D** A Geant 4-based software for dosimetry simulations relevant to luminescence and ESR dating techniques; simplified version in comparison to DosiVox (v2018-12-03 | Linux) <http://www.iram-at-crp2a.cnrs.fr/spip/spip.php?article144&lang=fr>
- **RCarb** Translation of the ‘MATLAB’ program ‘Carb’ (Nathan and Mauz 2008 doi:10.1016/j.radmeas.2007.12.012; Mauz and Hoffmann 2014) for dose rate modelling for carbonate-rich samples in the context of trapped charged dating (e.g., luminescence dating) applications. (v0.1.2 | Windows, Linux, macOS) <https://CRAN.R-project.org/package=RCarb>

ESR data analysis

- **ESR** R package ESR for plotting and analysing ESR spectra in dating applications (v2018-12-06 | Windows, Linux, macOS) <https://github.com/tzerk/ESR>
- **MCDoseE** Dose response curve fitting, dose evaluation for ESR dating (v | MatLab) <https://www.sciencedirect.com/science/article/pii/S1871101417300626?via%3Dihub>
- **Joannes-Boyau, R., Duval, M., Bodin, T., 2017. MCDoseE 2.0 A new Markov Chain Monte Carlo program for ESR dose response curve fitting and dose evaluation. Quaternary Geochronology 44, 1–25. doi: https://doi.org/10.1016/j.quageo.2017.11.003**

Gamma-ray spectrometry

- **gammaSpec** A collection of functions to analyse gamma spectra (v2017-07-17 | Windows, Linux, macOS) <https://github.com/tzerk/gammaSpec>

Luminescence data analysis

- **Analyst** The standard programme to analyse luminescence data (v4.57 | Windows) <http://users.aber.ac.uk/ggd/>
- **Duller, G.A.T., 2015. The Analyst software package for luminescence data: overview and recent improvements. Ancient TL 33, 35–42.**
- **Luminescence** A collection of various R functions for the purpose of Luminescence dating data analysis. This includes, amongst others, data import, export, application of age models, curve deconvolution, sequence analysis and plotting of equivalent dose distributions. (v0.8.6 | Windows, Linux, macOS) <https://CRAN.R-project.org/package=Luminescence>
- **Kreutzer, S., Schmidt, C., Fuchs, M.C., Dietze, M., Fischer, M., Fuchs, M., 2012. Introducing an R package for luminescence dating analysis. Ancient TL 30, 1–8.**
- **numOSL** Package for optimizing regular numeric problems in optically stimulated luminescence dating, such as: equivalent dose calculation, dose rate determination, growth curve fitting, decay curve decomposition, statistical age model optimization, and statistical plot visualization. (v2.6 | Windows, Linux, macOS) <https://CRAN.R-project.org/package=numOSL>
- **Peng, J., Dong, Z., Han, F., Long,**

H., Liu, X., 2013. R package numOSL: numeric routines for optically stimulated luminescence dating. *Ancient TL* 31, 41–48.

- **PTanalyse** Proprietary software to analyse TR-OSL data (v1.51 | Windows) https://www.nutech.dtu.dk/english/products-and-services/radiation-instruments/tl_osl_reader/software
- **RLanalyse** Proprietary software to analyse radiofluorescence data (BIN/BINX-file input required) (v1.3 | Windows) https://www.nutech.dtu.dk/english/products-and-services/radiation-instruments/tl_osl_reader/software
- **tgcd** Deconvolving thermoluminescence glow curves according to the general-order empirical expression or the semi-analytical expression derived from the one trap- one recombination (OTOR) model using a modified Levenberg-Marquardt algorithm. It provides the possibility of setting constraints or fixing any of parameters. It offers an interactive way to initialize parameters by clicking with a mouse on a plot at positions where peak maxima should be located. The optimal estimate is obtained by “trial-and-error”. It also provides routines for simulating first-order, second-order, and general-order glow peaks (curves). (v2.0 | Windows, Linux, macOS) <https://CRAN.R-project.org/package=tgcd> Peng, J., Dong, Z., Han, F., 2016. *tgcd: An R package for analyzing thermoluminescence glow curves*. *SoftwareX* 1–9. doi: <https://doi.org/10.1016/j.softx.2016.06.001>
- **TLdating** A series of function to make thermoluminescence dating using the MAAD or the SAR protocol. This package completes the R package “Luminescence.” (v0.1.3 | Windows, Linux, macOS) <https://CRAN.R-project.org/package=TLdating> Strebler, D., Burow, C., Brill, D., Brckner, H., 2017. *Using R for TL dating*. *Quaternary Geochronology* 37, 97–107. doi: <https://doi.org/10.1016/j.quageo.2016.09.001>

Luminescence data visualisation

- **Viewer** Proprietary software to visualise luminescence data recorded in BIN/BINX-files (v4.4 | Windows) https://www.nutech.dtu.dk/english/products-and-services/radiation-instruments/tl_osl_reader/software
- **Viewer+** Proprietary software to visualise luminescence data recorded in BIN/BINX-files; sucessor of Viewer (v1.43 | Windows) https://www.nutech.dtu.dk/english/products-and-services/radiation-instruments/tl_osl_reader/software

Miscellaneous

- **XRFanalyse** Proprietary software to analyse XRF data recorded with a Risø OSL/TL attachment (v1.12 | Windows) https://www.nutech.dtu.dk/english/products-and-services/radiation-instruments/tl_osl_reader/software

Modelling

- **KMS** Collection of functions to simulate kinetic models for quartz luminescence production (v2018-07-11 | Windows, Linux, macOS) <https://github.com/pengjunUCAS/KMS> Peng, J., Pagonis, V., 2016. *Simulating comprehensive kinetic models for quartz luminescence using the R program KMS*. *Radiation Measurements* 86, 63–70. doi: <https://doi.org/10.1016/j.radmeas.2016.01.022>
- **RLumModel** A collection of functions to simulate luminescence signals in quartz and Al₂O₃ based on published models. (v0.2.3 | Windows, Linux, macOS) <https://CRAN.R-project.org/package=RLumModel> Friedrich, J., Kreutzer, S., Schmidt, C., 2016. *Solving ordinary differential equations to understand luminescence: “RLumModel” an advanced research tool for simulating luminescence in quartz using R*. *Quaternary Geochronology* 35, 88–100. doi: <https://doi.org/10.1016/j.quageo.2016.05.004>

Plotting

- **RLumShiny** A collection of ‘shiny’ applications for the R package ‘Luminescence’. These mainly, but not exclusively, include applications for plotting chronometric data from e.g. luminescence or radiocarbon dating. It further provides access to bootstraps tooltip and popover functionality and contains the ‘jscolor.js’ library with a custom ‘shiny’ output binding. (v0.2.1 | Windows, Linux, macOS) <https://CRAN.R-project.org/package=RLumShiny> Burow, C., Kreutzer, S., Dietze, M., Fuchs, M.C., Fischer, M., Schmidt, C., Brückner, H., 2016. *RLumShiny - A graphical user interface for the R Package ‘Luminescence’*. *Ancient TL* 34, 22–32.

Teaching

- **LumReader** A series of functions to estimate the detection windows of a luminescence reader based on the filters and the photomultiplier (PMT) selected. These functions also allow to simulate a luminescence experiment based on the thermoluminescence (TL) or the optically stimulated luminescence (OSL) properties of a material. (v0.1.0 | Windows, Linux, macOS) <https://CRAN.R-project.org/package=LumReader>

Visualisation

- **DensityPlotter** Java application for Kernel Density Estimation plots (v8.4 | Windows, Linux, macOS) <https://www.ucl.ac.uk/~ucfbpve/densityplotter/> Vermeesch, P., 2012. *On the visualisation of detrital age distributions*. *Chemical Geology*, v.312-313, 190-194, doi: 10.1016/j.chemgeo.2012.04.021 0
- **RadialPlotter** Java software to create radial plots (v9.4 | Windows, Linux, macOS) <https://www.ucl.ac.uk/~ucfbpve/radialplotter/> Vermeesch, P., 2009, *RadialPlotter: a Java application for fission track, luminescence and other radial plots*, *Radiation Measurements*, 44, 4, 409-410