

Practical No : 05

Practical Title: Setup your own cloud for Software as a Service (SaaS) over the existing LAN in your laboratory. In this assignment you have to write your own code for cloud controller using open-source technologies to implement with HDFS. Implement the basic operations may be like to divide the file in segments/blocks and upload/ download file on/from cloud in encrypted form.

Objectives:

- To set your own cloud for SaaS over existing LAN
- To implement the basic operations may be like to divide the file in segments/blocks

Hardware Requirements :

- Pentium IV with latest configuration

Software Requirements :

- Ubuntu 20.04, VMwareESXi cloud

Theory:

Here we are installing VMwareESXi cloud


- Host/NodeESXi installation:-
- **ESXiHardwareRequirements:-**
 - ESXi6.7requiresahostmachinewithatleasttwoCPUcores.
 - ESXi6.7supports64-bitx86processors
 - ESXi6.7requirestheNX/XDbit to be enabled for the CPU in the BIOS.
 - ESXi6.7requiresaminimumof4GBofphysicalRAM.Itisrecommended to provide atleast 8 GB of RAM to run virtual machines in typical productionenvironments.
 - Tosupport64-bitvirtualmachines,support for hardware virtualization (IntelVT-xor AMDRVI) mustbeenabledonx64CPUs.
 - One or more Gigabit or faster Ethernet controllers. For a list of supportednetwork adapter models.
 - SCSI disk oralocal,non-network,RAIDLUN with unpartitioned space for the virtualmachines.

ForSerialATA(SATA), a disk connected through supported SAS controller or supported on board SATA controllers. SATA disks are considered remote not local. These disks are not used as a scratch partition by default be cause they are seen as remote.




ESXiInstaller:


Accept Agreement:




Select storage :



Select Keyboard Layout :




Set NodeESXi Root Password :



Installation complete (Reboot) CLI interface to configuration



CLI Interface to Configuration:



Configure Management Network




Set IPV4




Set DNSeriver :

Restart Management Network





GUIAccess :**ClusterSetup**

- **CreatingDatacenter**
- **CreatingCluster**
- **Adding Hosts incluster**
- **Resourcesafteraddingcluster.**
- **DRS**
- **Failover**

VCenter Access:


Create Datacenter:




Create clus

Assign clus




Add host .:**Add host IP :****Enter host credentials :**




Hot summary :

Lock Down mode:

Add Host In Pool:



Finish:



Host View and View Config:**Cluster View and Configuration:**

Task Name	Target	Status	Initiator	Queued For	Start Time	Completion TL	Server
Configuring vSphere HA	172.14.5.245	6%	System	156 ms	02/21/2019, 3:04:54 PM		vsphere.avcoe.c...
Add host	AVCOE-CL...	✓ Completed	VSPHERE.LOCA...	undefined	02/21/2019, 3:04:48 PM	02/21/2019, 3:04:54 PM	vsphere.avcoe.c...
Configuring	172.14.5.245	✓ Completed	Custom	84 ms	02/21/2019,	02/21/2019,	vsphere.avcoe.c...

Task Name	Target	Status	Initiator	Queued For	Start Time	Completion TL	Server
Configuring vSphere HA	172.14.5.245	✓ Completed	System	156 ms	02/21/2019, 3:04:54 PM	02/21/2019, 3:05:34 PM	vsphere.avcoe.c...
Add host	AVCOE-CL...	✓ Completed	VSPHERE.LOCA...	undefined	02/21/2019, 3:04:48 PM	02/21/2019, 3:04:54 PM	vsphere.avcoe.c...
Configuring	172.14.5.245	✓ Completed	Custom	84 ms	02/21/2019,	02/21/2019,	vsphere.avcoe.c...

Conclusion: Like this we have configure V Sphere Private Cloud