

CADDY SEATING SYSTEM



01 CUSTOMER DETAILS

CLIENT NAME / REF:

ORDER DATE:

CONTACT NAME:

PHONE:


EMAIL:

ADDRESS:

RESET FORM



Base Price: CADDY-MSS ☐



Max. Client Weight: 136 kg

Please **fill in all the measurements** as they are essential for building the correct seating system

Weight kg
A - Pelvic Width cm
B - Seat Depth L R cm
C - Footrest Height L R cm
D - Shoulder Height cm
E - Thoracic Height cm
F - Thoracic Width cm
G - Shelf Length cm

02 WHEELCHAIR INFORMATION

MAKE/MODEL WIDTH: DEPTH:

MAKE/MODEL WIDTH: DEPTH:

Please refer to the **Lateral Pelvic Width Index** on the last page to ensure compatibility.

03

INTERFACE OPTIONS



Standard Slot Interface
used on canvas based manual wheelchairs only

CADDY-201 ☒ INCLUDED



Positive Locking Interface
used on both manual and powered wheelchairs

CADDY-202 ☐



Standard Hook Set
Seat board adjuster hook set,
user weight limit of up to 57kg


CADDY-205 ☒ INCLUDED



Heavy Duty Hook Set
Seat board adjuster hook set,
user weight limit of up to 136kg

CADDY-205-HD ☐

Secondary Seat Interface




Flat Pan Seat Rail

To suit Standard Slot Interface

CADDY-203-201 ☐

To suit Positive Locking Interface

CADDY-203-202 ☐



Rectangular Seat Rail

To suit Standard Slot Interface

CADDY-204-201 ☐

To suit Positive Locking Interface

CADDY-204-202 ☐

Backrest Interface
Tubes and Clamps

For 19 mm push handle tubing

L4-P53-19 ☐

For 22 mm push handle tubing

L4-P53-22 ☐

For 25 mm push handle tubing

L4-P53-25 ☐

04

COLOUR OPTIONS



☐ BLACK SIDES



☐ BLACK MIDDLE

Additional Cover Set

CADDY-MSS-CV ☐

COLOUR:

Choose Colour



FRESH ORANGE



OCEAN BLUE



LIME GREEN



CHILLI RED



CANDY PINK



COSMIC PURPLE



ALL BLACK



05 CUSHIONS


Please specify the sacral (S) height and depth dimensions. For 3-piece cushions, also specify the lumbar (L) dimensions.

Sacral (S)

H: cm D: cm

Lumbar (L)


H: cm D: cm



Overall backrest height will be made using shoulder height measurement +7.5cm for height growth adjustment.


Backrest Cushion

Fully Padded Backrest ☐ NO COST




2 Piece Flat Cushion

CADDY-401 ☒ INCLUDED




3 Piece Flat Cushion

CADDY-402 ☐



2 Piece Curved Cushion


CADDY-403 ☐



3 Piece Curved Cushion

CADDY-404 ☐

Seat Cushion




Adjustable Flat Seat Cushion

CADDY-301 ☒ INCLUDED

CADDY-301-P ☐

CADDY-301-G ☐




Adjustable Centre Seat Cushion

CADDY-303 ☐

CADDY-303-P ☐

CADDY-303-G ☐



Adjustable Contoured Seat Cushion

CADDY-302 ☐

CADDY-302-P ☐

CADDY-302-G ☐

Seat Foam Options

STANDARD

Adjustable Evazote foam core with a VISCO elastic foam topper

PUDGEE

Adjustable Evazote foam core with a PUDGEE FOAM topper

GEL


Adjustable Evazote foam core with a GEL and VISCO elastic foam topper

Ensure **shelf length (G)** on page 1 is accurate, as each seat pad is custom made to this measurement.

Additional 2.5cm Low Density Blue Foam ☐ NO COST Pelvic Obliquity Pad L R ☐ NO COST


Shoulder & Tricep

If selecting shoulder and tricep pads together make sure there is enough space to be fitted above armrests if in use.

**Shoulder Support**


50mm adjuster link
7.5cm x 10cm

L4-P42-50-S ☐

**Shoulder Support**


50mm adjuster link
10cm x 15cm

L4-P42-50-L ☐

**Tricep Support**

25mm adjuster link
7.5cm x 10cm


L4-P43-25-S ☐

**Tricep Support**

25mm adjuster link
10cm x 15cm


L4-P43-25-L ☐

Lateral Thoracic

**Fixed Flat Pad**


+ Cover

CADDY-411 ☒ INCLUDED

**Fixed Curved Pad**


+ Cover

CADDY-412 ☐

**Swing Away Flat**


+ Cover

CADDY-413 ☐

**Swing Away Cover**

+ Cover

CADDY-414 ☐

**Swing Away Flat**

25mm adjuster link + Cover


CADDY-415 ☐

Choose thoracic pad size:

☐ 7.5 x 12.5 cm ☐ 7.5 x 15 cm ☐ 7.5 x 17.5 cm

☐ 10 x 15 cm ☐ 10 x 17.5 cm ☐ 10 x 20 cm

Custom size:

**Swing Away Flexible**


Wrap Around with Buckle Clamp

CADDY-416 ☐

Choose wrap around pad size

☐ 7.5 x 15 cm ☐ 7.5 x 20 cm ☐ 10 x 20 cm ☐ 10 x 25 cm

07 TRUNK SUPPORT



All units are displayed in mm


Sternum Harness

	A	B	C	D	E
S	270	225	130	60	130
M	330	255	155	60	150
L	460	260	200	60	200

H012-PG ☐ S ☐

H004-PG ☐ M ☐

H005-PG ☐ L ☐



All units are displayed in mm


Dynamic Harness

	A	B	C	D
S	110	180	160	45
M	145	230	200	50
L	175	260	230	60

H009-PG ☐ S ☐

H010-PG ☐ M ☐

H011-PG ☐ L ☐



All units are displayed in mm


Slimline Harness

	A	B	C	D	E
S	360	230	170	30	140
M	420	250	190	30	160
L	470	260	200	30	180

H014-PG ☐ S ☐

H015-PG ☐ M ☐

H016-PG ☐ L ☐



All units are displayed in mm

Shoulder Harness


	A	B	C
S	300	95	45
M	330	115	65
L	430	145	75

H006-PG ☐ S ☐

H007-PG ☐ M ☐

H008-PG ☐ L ☐

08 PELVIC SUPPORT




Pelvic Pads

Short Adjustable

CADDY-310 ☐ INCLUDED

Select height:

☐ 7.5 cm ☐ 10 cm ☐ 12.5 cm



Pelvic Pads

Full Length

CADDY-330 ☐

Select height:

☐ 10 cm ☐ 12.5 cm ☐ 15 cm

Extension beyond seat cushion (included):

Select the appropriate bracket to achieve the required seat width reduction



☐ Straight Bracket
No reduction



☐ 2.5 cm Bracket
5 cm reduction



☐ 5 cm Bracket
10 cm reduction

*Not compatible with contour cushions

Individual Padding

Webbing & Buckle

S	150 x 40mm	25mm
M	170 x 60mm	40mm
L	230 x 70mm	40mm

2 Point Belts



Padded Pelvic Belt
Metal Buckle | Side Pull

BMB-001-S-PG	S	☐
BMB-001-M-PG	M	☐
BMB-001-L-PG	L	☐



Padded Pelvic Belt
Plastic Buckle | Dual Pull

BPB-004-S-PG	S	☐
BPB-004-M-PG	M	☐
BPB-004-L-PG	L	☐



Padded Pelvic Belt
Non Slip Buckle | Side Pull

BPB-013-S-PG	S	☐
--------------	---	--------------------------



Padded Pelvic Belt
Anti Tamper | Side Pull

BAT-007-S-PG	S	☐
BAT-012-M-PG	M	☐
BAT-010-L-PG	L	☐

4 Point Belts



Padded Pelvic Belt
Metal Buckle | Side Pull

BMB-002-S-PG	S	☐
BMB-002-M-PG	M	☐
BMB-002-L-PG	L	☐



Padded Pelvic Belt
Plastic Buckle | Dual Pull

BPB-005-S-PG	S	☐
BPB-005-M-PG	M	☐
BPB-005-L-PG	L	☐



Padded Pelvic Belt
Non Slip Buckle | Side Pull

BPB-014-S-PG	S	☐
--------------	---	--------------------------



Padded Pelvic Belt
Anti Tamper | Side Pull

BAT-008-S-PG	S	☐
BAT-013-M-PG	M	☐
BAT-011-L-PG	L	☐

Pelvic Stabiliser Belt



Pelvic Stabiliser Belt
20mm Buckle | Side Pull

BPB-004-XXS-PG	XXS	☐
----------------	-----	--------------------------



Pelvic Stabiliser Belt
25mm Buckle | Side Pull

BMB-004-XS-PG	XS	☐
BMB-004-S-PG	S	☐
BMB-004-M-25-40-PG	M	☐
BMB-004-L-25-40-PG	L	☐




Pelvic Stabiliser Belt
40mm Buckle | Side Pull



BMB-004-M-PG	M	☐
BMB-004-L-PG	L	☐

Individual Padding

XXS	125 x 98mm
XS	175 x 128mm
S	195 x 158mm
M	205 x 188mm
L	225 x 220mm

**Knee Abductors**


CADDY-320

☐**Select reduction bracket:**☐**Straight Bracket**
No reduction☐**2.5 cm Bracket**
5 cm reduction☐**5 cm Bracket**
10 cm reduction**Leg Abductor Pommel**
Slide In + **Cover**


8 - 10 cm

SHORTL3-P67-S-S-CV ☐ **S**L3-P67-S-M-CV ☐ **M**L3-P67-S-L-CV ☐ **L**

11 - 16 cm

TALLL3-P67-L-S-CV ☐ **S**L3-P67-L-M-CV ☐ **M**L3-P67-L-L-CV ☐ **L****Leg Abductor Pommel**
Flip Down + **Cover**L3-P50-S-CV ☐ **S**L3-P50-M-CV ☐ **M**L3-P50-L-CV ☐ **L****Length Width Height**

S	9.3 cm	6.6 cm	9 cm
M	11.3 cm	8.2 cm	10 cm
L	12.8 cm	9.1 cm	10 cm

**Adjustable Pommel**
Slide inL3-P68-L-# ☐**Select height:**

- ☐ 7.5 cm
- ☐ 10 cm

Select width:

- ☐ 90 cm
- ☐ 110 cm
- ☐ 170 cm

Foot supports are only available for wheelchairs fitted with compatible footrests.**Anklesures (pair)**
+ Fitting Kit**Hook & Loop****Buckle Fastening****XS** ø 49 - 64mm AS001 ☐AS001B ☐**S** ø 51 - 68mm AS002 ☐AS002B ☐**M** ø 56 - 75 mm AS003 ☐AS003B ☐**L** ø 75 - 94mm AS004 ☐AS004B ☐**XL** ø 94 - 110mm AS005 ☐AS005B ☐**Foot Caps with Straps****S** 190 x 89 mm 476B52=SK010 ☐**M** 230 x 114 mm 476B52=SK015 ☐**L** 250 x 140 mm 476B52=SK020 ☐

10

HEAD SUPPORT

Custom pad size:

☐ Curved ☐ Flat



Integrated Extension Headrest

Fully adjustable for height, depth and tilt.


L8-P46

☐

Modular Headrests

Headrests and mounts can also be ordered separately to suit existing equipment.

Choose Mount



Headrest boss

13mm & 16mm stems

L4-P44

☐


Stem Mount

4pt Fixing - 13mm stems

L3-P05-F3-A

☐

Not Required ☐

Choose Headrest Size:

SMALL ☐

LARGE ☐



☐ **Add Headrest Cover**

Type A or Type D only

Choose Headrest Type



S

L

Width

Height

Depth

21 cm

9.5 cm

9.5 cm

27.5 cm

11.5 cm

12 cm

Type A Headrest



S

L

Width

Height

Depth

19.5 cm

10 cm

5 cm

30 cm

15 cm

7.5 cm

Type D Headrest



S

L

Width

Height

Depth

26.5 cm

7.5 cm

Adjustable

42 cm

7.5 cm

Adjustable

Type G Headrest

Single Height



S

L

Width

Height

Depth

26.5 cm

15 cm

Adjustable

42 cm

15 cm

Adjustable

Type G Headrest

Double Height

Choose Stem



ANGLE ADJUST ☐



STANDARD ☐



MULTI-AXIS ☐



MULTI-AXIS ☐

Headrest Code:

Cover Code:

10

HEAD SUPPORT

Rollercoaster Headrests


The Chailey Rollercoaster Headrest provides a unique, highly effective and clinically proven head support, with multiple stem mounting options and easy hand wheel adjustments. The headrest can remain in place during transfers by raising the arms.

Choose Mount



Mount Type A
Single 13mm stems


CMB001 ☐



Mount Type B
Double 13mm stems

CMB002 ☐

Not Required ☐



Choose Headrest Size

	A	B
SMALL ☐	29 cm	6 - 11 cm
LARGE ☐	37 cm	10 - 16 cm



Chin Prompt

RCHS-30 **SMALL** ☐

RCHS-31 **LARGE** ☐

Choose Stem Type

Select either a link configuration or a stem configuration to complete the headrest setup.


Stem Combo

Horizontal
Stem Size:

200mm ☐

300mm ☐

400mm ☐



Link Combo

Link Size:

150mm ☐

125mm ☐

100mm ☐

75mm ☐

50mm ☐



Stem type:


SINGLE ☐

DOUBLE ☐

or

Part Number:

11 TRAYS




Moulded Plastic Tray
with slide in brackets

L5-P51-S **S** ☐

L5-P51-M **M** ☐

L5-P51-L **L** ☐



Small Medium Large

A	56cm	56cm	61cm
B	51cm	56cm	61cm
C	33cm	36cm	43cm
D	15cm	20cm	22.5cm

12 FOOTREST

Once Piece Footboard
Removable

L6-RMB56 ☐



Custom size:

WIDTH: cm

DEPTH: cm

13 LATERAL PELVIC WIDTH INDEX

USER PELVIC WIDTH

WHEELCHAIR WIDTH	Straight Bracket		2.5 cm Offset		5 cm Offset	
	Min	Max	Min	Max	Min	Max
10" 25 cm	15 cm	22.5 cm	10 cm	17.5 cm	5 cm	12.5 cm
11" 27.5 cm	17.5 cm	25 cm	12.5 cm	20 cm	7.5 cm	15 cm
12" 30 cm	20 cm	27.5 cm	15 cm	22.5 cm	10 cm	17.5 cm
13" 32.5 cm	22.5 cm	30 cm	17.5 cm	25 cm	12.5 cm	20 cm
14" 35 cm	25 cm	32.5 cm	20 cm	27.5 cm	15 cm	22.5 cm
15" 37.5 cm	27.5 cm	35 cm	22.5 cm	30 cm	17.5 cm	25 cm
16" 40 cm	30 cm	37.5 cm	25 cm	32.5 cm	20 cm	27.5 cm
17" 42.5 cm	32.5 cm	40 cm	27.5 cm	35 cm	22.5 cm	30 cm
18" 45 cm	35 cm	42.5 cm	30 cm	37.5 cm	25 cm	32.5 cm
19" 47.5 cm	37.5 cm	45 cm	32.5 cm	40 cm	27.5 cm	35 cm
20" 50 cm	40 cm	47.5 cm	35 cm	42.5 cm	30 cm	37.5 cm

14 NOTES