

VIRTUS SEATING SYSTEM

NHS prices. Valid from 05/06/2026



01 CUSTOMER DETAILS

CLIENT NAME / REF:

ORDER DATE:

CONTACT NAME:

PHONE:

EMAIL:


ADDRESS:

RESET FORM



VIRTUS

Please **fill in all the measurements** as they are essential for building the correct seating system



Weight kg

A - Pelvic Width cm

B - Seat Depth L R cm

C - Footrest Height L R cm

*D - Shoulder Height cm

E - Thoracic Height cm

F - Thoracic Width cm

G - Shelf Length cm

H - Footplate Length cm

Max. Client Weight:

HI/LO BASE 90kg

MOBILITY BASE 135kg

*Minimum Shoulder Height for **Dynamic Backrest:**

S1 30cm S2 37.5cm

S3 47.5cm S4 47.5cm

02 SIZE CHART

	Size 1	Size 2	Size 3	Size 4
WHEELCHAIR SIZE	36	40	45	50
SEAT DEPTH	19 - 37 cm	26 - 45 cm	34 - 52 cm	34 - 52 cm
PELVIC WIDTH	21 - 32 cm	25 - 36 cm	30 - 41 cm	35 - 46 cm
THORACIC WIDTH	19 - 36 cm	25 - 40 cm	31 - 46 cm	35 - 51 cm
SACRAL PAD HEIGHT	10 cm	12.5 cm	15 cm	15 cm

03 CHOOSE YOUR SEATING UNIT

The Virtus is available with either a **fixed or dynamic backrest**. The dynamic backrest maintains pelvic stability when movement is enabled, with resistance selected to match the user's extension strength.

Please select the size of your Virtus, the type of backrest and your resistance level if you selected a dynamic backrest. The product code and price will be generated automatically.

1. Choose the Size

Size 1 ☐

Size 2 ☐

Size 3 ☐

Size 4 ☐

Upper Backrest Reinforcement
(min height 47.5 cm)

L8-P48 ☐

2. Choose the backrest option



Fixed Backrest

☐


Dynamic Backrest

☐

3. Choose the resistance level

LOW ☐

MEDIUM ☐

HIGH ☐

Product Code:

WHEELBASE SIZE REQUIREMENT

Select User Seat Depth	Size 1	Size 2	Size 3	Size 4
A ☐ 22.5 - 30 cm	36 x 36 cm	40 x 36 cm	45 x 36 cm	50 x 36 cm
B ☐ 26 - 33.5 cm	36 x 39.5 cm	40 x 39.5 cm	45 x 39.5 cm	50 x 39.5 cm
C ☐ 29.5 - 37 cm	36 x 43 cm	40 x 43 cm	45 x 43 cm	50 x 43 cm
D ☐ 33.5 - 41 cm	36 x 47 cm	40 x 47 cm	45 x 47 cm	50 x 47 cm
E ☐ 37.5 - 45 cm	36 x 51 cm	40 x 47 cm	45 x 51 cm	50 x 51 cm
F ☐ 41 - 48.5 cm	36 x 54.5 cm	40 x 54.5 cm	45 x 54.5 cm	50 x 54.5 cm
G ☐ 44.5 - 52 cm	36 x 58 cm	40 x 58 cm	45 x 58 cm	50 x 58 cm


04

CHOOSE YOUR BASE

BOTH CAN BE SELECTED

High Low Base

Virtus Powered Hi-Lo Base

User weight 90kg | 20° tilt
25cm height rangeVIRTUS-HI-LO ☐

Manual Hi-Lo Base

User weight 60kg (incl. Seat)
-10° - 30° tiltVIR-HLF-01 ☐

Oxygen Cylinder Carrier

QR-OX-C ☐

Medical Vent Tray

L1-P14 ☐

INTERFACE

Please choose an option

Fixed, non-removable (inclusive) ☒

Detachable Interface

HILO-VIR-310 ☐Mobility Base ☐

MAKE/MODEL

WIDTH:

DEPTH:

MAKE/MODEL


WIDTH:

DEPTH:

EXTRA NOTES:

INTERFACE

Please choose an option

Primary Mobility Interface
for use with the primary baseSlotted interface 22mm tube clamps VIRTUS-311 ☐Slotted interface 25mm tube clamps VIRTUS-312 ☐Blank interface 22mm tube clamps VIRTUS-313 ☐Blank interface 25mm tube clamps VIRTUS-314 ☐Additional Mobility Interface
for use with a second baseSlotted interface 22mm tube clamps VSP-315 ☐Slotted interface 25mm tube clamps VSP-316 ☐Blank interface 22mm tube clamps VSP-317 ☐Blank interface 25mm tube clamps VSP-318 ☐Slotted Interface
for manual basesBlank Interface
for powered bases

05 CUSHIONS

Overall backrest height will be made using shoulder height measurement +7.5cm for height growth adjustment.

DYNAMIC BACKREST

(S) Sacral Pad Height:

S1 10cm **S2** 12.5cm **S3** 15cm **S4** 15cm

FIXED BACKREST

(S) Sacral Pad Height:

DEFAULT ☒

CUSTOM cm



Further customisation available on request for Sacral (S) and Lumbar (L) height and depth on a fixed backrest:

Custom Sacral

H: cm D: cm


Custom Lumbar

H: cm D: cm




Backrest Cushion

Fully Padded Backrest ☐ NO COST




2 Piece Flat Cushion

VIRTUS-401 ☒ INCLUDED




3 Piece Flat Cushion

VIRTUS-402 ☐



2 Piece Curved Cushion


VIRTUS-403 ☐



3 Piece Curved Cushion

VIRTUS-404 ☐

Seat Cushion




Adjustable Flat Seat Cushion

VIRTUS-301 ☒ INCLUDED

VIRTUS-301-P ☐

VIRTUS-301-G ☐



Adjustable Contoured Seat Cushion

VIRTUS-302 ☐

VIRTUS-302-P ☐

VIRTUS-302-G ☐

Seat Foam Options

STANDARD

Adjustable Evazote foam core with a VISCO elastic foam topper

PUDGE

Adjustable Evazote foam core with a PUDGE FOAM topper

GEL

Adjustable Evazote foam core with a GEL and VISCO elastic foam topper

The seat pad is made to the clients **shelf length (G)** measurements so please make sure to fill in the accurate details on the form on page 1.

Additional 2.5cm Low Density Blue Foam ☐ NO COST

Pelvic Obliquity Pad **L** **R** NO COST

06

CHOOSE YOUR COVER COLOUR & STYLE

Cover set is inclusive at time of order

Choose your colour

OCEAN BLUE ☐

FRESH ORANGE ☐

CANDY PINK ☐

LIME GREEN ☐

CHILLI RED ☐

COSMIC PURPLE ☐

ALL BLACK ☐

Choose your fabric

SPACER ☐

Full cover set in
Spacer fabric (default)

DARTEX ☐

Waterproof Dartex
(black only) in middle,
Spacer fabric on sides

Choose your style



BLACK SIDES



BLACK MIDDLE


Additional Cover Set

VIRTUS-MSS-CV ☐

07

TRUNK SUPPORT


Shoulder & Tricep



Shoulder Support

50mm adjuster link
7.5cm x 10cm


L4-P42-50-S ☐



Shoulder Support

50mm adjuster link
10cm x 15cm


L4-P42-50-L ☐



Tricep Support

25mm adjuster link
7.5cm x 10cm

L4-P43-25-S ☐




Tricep Support

25mm adjuster link
10cm x 15cm

L4-P43-25-L ☐


Lateral Thoracic



Fixed Flat Pad

+ Cover


VIRTUS-411 ☒ INCLUDED



Swing Away Flat

+ Cover


VIRTUS-413 ☐



Swing away Curved

+ Cover

VIRTUS-414 ☐




Swing Away Flat

25mm adjuster link + Cover

VIRTUS-415 ☐

Choose thoracic pad size: ☐ 7.5 x 12.5 cm ☐ 7.5 x 15 cm ☐ 7.5 x 17.5 cm ☐ 10 x 15 cm ☐ 10 x 17.5 cm



Swing Away Flexible

Wrap Around with Buckle Clamp


VIRTUS-416 ☐

Custom size:

Choose wrap around pad size

☐ 7.5 x 15 cm ☐ 7.5 x 20 cm ☐ 10 x 20 cm ☐ 10 x 25 cm

07 TRUNK SUPPORT



All units are displayed in mm


Sternum Harness

	A	B	C	D	E
S	270	225	130	60	130
M	330	255	155	60	150
L	460	260	200	60	200

H012-PG ☒ S ☐

H004-PG ☒ M ☐

H005-PG ☒ L ☐



All units are displayed in mm


Dynamic Harness

	A	B	C	D
S	110	180	160	45
M	145	230	200	50
L	175	260	230	60

H009-PG ☒ S ☐

H010-PG ☒ M ☐

H011-PG ☒ L ☐



All units are displayed in mm


Slimline Harness

	A	B	C	D	E
S	360	230	170	30	140
M	420	250	190	30	160
L	470	260	200	30	180

H014-PG ☒ S ☐

H015-PG ☒ M ☐

H016-PG ☒ L ☐



All units are displayed in mm

Shoulder Harness


	A	B	C
S	300	95	45
M	330	115	65
L	430	145	75

H006-PG ☒ S ☐

H007-PG ☒ M ☐


H008-PG ☒ L ☐

08 ARM SUPPORT



Removable Armrest Height Adjustable

VSP-502 ☐



Fixed Armrest Backrest Mount

VSP-501 ☐




Fully Padded Tray

VSP-521-1 ☒ S1 ☐

VSP-521-2 ☒ S2 ☐

VSP-521-3 ☒ S3 ☐

VSP-521-4 ☒ S4 ☐



Moulded Plastic Tray

VSP-520-1 ☒ S1 ☐

VSP-520-2 ☒ S2 ☐

VSP-520-3 ☒ S3 ☐


VSP-520-4 ☒ S4 ☐

Select one:

☒ Black

☒ Clear

Contoured tray comes with slide in brackets. Armrest required.



Size 1 Size 2 Size 3 Size 4

A	56cm	56cm	61cm	66cm
B	51cm	56cm	61cm	61cm
C	33cm	36cm	43cm	43cm
D	15cm	20cm	22.5cm	25cm

Individual Padding

Webbing & Buckle

S
M
L150 x 40mm
170 x 60mm
230 x 70mm25mm
40mm
40mm

2 Point Belts

**Padded Pelvic Belt**
Metal Buckle | Side PullBMB-001-S-PG **S** ☐
BMB-001-M-PG **M** ☐
BMB-001-L-PG **L** ☐**Padded Pelvic Belt**
Plastic Buckle | Dual PullBPB-004-S-PG **S** ☐
BPB-004-M-PG **M** ☐
BPB-004-L-PG **L** ☐**Padded Pelvic Belt**
Non Slip Buckle | Side PullBPB-013-S-PG **S** ☐**Padded Pelvic Belt**
Anti Tamper | Side PullBAT-007-S-PG **S** ☐
BAT-012-M-PG **M** ☐
BAT-010-L-PG **L** ☐

4 Point Belts

**Padded Pelvic Belt**
Metal Buckle | Side PullBMB-002-S-PG **S** ☐
BMB-002-M-PG **M** ☐
BMB-002-L-PG **L** ☐**Padded Pelvic Belt**
Plastic Buckle | Dual PullBPB-005-S-PG **S** ☐
BPB-005-M-PG **M** ☐
BPB-005-L-PG **L** ☐**Padded Pelvic Belt**
Non Slip Buckle | Side PullBPB-014-S-PG **S** ☐**Padded Pelvic Belt**
Anti Tamper | Side PullBAT-008-S-PG **S** ☐
BAT-013-M-PG **M** ☐
BAT-011-L-PG **L** ☐

Pelvic Stabiliser Belt


**Pelvic Stabiliser Belt**
20mm Buckle | Side PullBPB-004-XXS-PG **XXS** ☐**Pelvic Stabiliser Belt**
25mm Buckle | Side PullBMB-004-XS-PG **XS** ☐
BMB-004-S-PG **S** ☐
BMB-004-M-25-40-PG **M** ☐
BMB-004-L-25-40-PG **L** ☐**Pelvic Stabiliser Belt**
40mm Buckle | Side PullBMB-004-M-PG **M** ☐
BMB-004-L-PG **L** ☐

Individual Padding

XXS
XS
S
M
L125 x 98mm
175 x 128mm
195 x 158mm
205 x 188mm
225 x 220mm

Pelvic Support Pads

***Not compatible with contour adjustable anti-thrust cushion and full length pelvic pads**




Pelvic Pad
Short Adjustable

VIRTUS-321 ☒ INCLUDED

Select height:

☐ 10 cm ☐ 12.5 cm




Pelvic Pad
Full length

VIRTUS-331 ☐

Extension beyond seat cushion (included):

10 LEG SUPPORT

***Not compatible with contour adjustable anti-thrust cushion**



Leg Abductor Pommel
Slide In + Cover

8 - 10 cm SHORT	L3-P67-S-S-CV	☒	☐
	L3-P67-S-M-CV	☒	☐
	L3-P67-S-L-CV	☒	☐
11 - 16 cm TALL	L3-P67-L-S-CV	☒	☐
	L3-P67-L-M-CV	☒	☐
	L3-P67-L-L-CV	☒	☐




Leg Abductor Pommel
Flip Down + Cover

L3-P50-S-CV	☒	☐
L3-P50-M-CV	☒	☐
L3-P50-L-CV	☒	☐

Length Width Height

S	9.3 cm	6.6 cm	9 cm
M	11.3 cm	8.2 cm	10 cm
L	12.8 cm	9.1 cm	10 cm



Adjustable Pommel
Slide in


L3-P68-L-# ☐

Select height:

☐ 7.5 cm
☐ 10 cm


Select width:

☐ 90 cm
☐ 110 cm
☐ 170 cm



Knee Abductors

VSP-341 ☐



	A	B	C
☐ Small	20 cm	12.5 cm	7.5 cm
☐ Large	22.5 cm	15 cm	10 cm



Anklestraps (pair)
+ Fitting Kit

	Hook & Loop		Buckle Fastening	
XS ø 49 - 64mm	AS001	☐	AS001B	☐
S ø 51 - 68mm	AS002	☐	AS002B	☐
M ø 56 - 75 mm	AS003	☐	AS003B	☐
L ø 75 - 94mm	AS004	☐	AS004B	☐
XL ø 94 - 110mm	AS005	☐	AS005B	☐



Foot Caps with Straps

S 190 x 89 mm	476B52=SK010	☐
M 230 x 114 mm	476B52=SK015	☐
L 250 x 140 mm	476B52=SK020	☐

11

HEAD SUPPORT

Custom pad size:

☐ Curved ☐ Flat

Integrated Extension Headrest
Fully adjustable for height, depth and tilt.


L8-P46

☐

Modular Headrests

Headrests and mounts can also be ordered separately to suit existing equipment.

Choose Mount

**Headrest boss**

13mm & 16mm stems

L4-P44

☐**Stem Mount**

4pt Fixing - 13mm stems

L3-P05-F3-A

☐**Not Required** ☐

Choose Headrest Size:

SMALL ☐LARGE ☐

☐ **Add Headrest Cover**

Type A or Type D only

Choose Headrest Type



S

L

Type A Headrest

Width	Height	Depth
21 cm	9.5 cm	9.5 cm
27.5 cm	11.5 cm	12 cm



S

L

Type D Headrest

Width	Height	Depth
19.5 cm	10 cm	5 cm
30 cm	15 cm	7.5 cm



S

L

Type G Headrest

Single Height

Width	Height	Depth
26.5 cm	7.5 cm	Adjustable
42 cm	7.5 cm	Adjustable



S

L

Type G Headrest

Double Height

Width	Height	Depth
26.5 cm	15 cm	Adjustable
42 cm	15 cm	Adjustable

Choose Stem

**ANGLE ADJUST** ☐**STANDARD** ☐**MULTI-AXIS** ☐**MULTI-AXIS** ☐

Headrest Code:

Cover Code:

11

HEAD SUPPORT

Rollercoaster Headrests

The Chailey Rollercoaster Headrest provides a unique, highly effective and clinically proven head support, with multiple stem mounting options and easy hand wheel adjustments. The headrest can remain in place during transfers by raising the arms.


Choose Mount



Mount Type A

Single 13mm stems

CMB001

☐



Mount Type B

Double 13mm stems

CMB002

☐

Not Required

☐


Choose Headrest Size

	A	B
SMALL	☐ 29 cm	☐ 6 - 11 cm
LARGE	☐ 37 cm	☐ 10 - 16 cm



Chin Prompt

RCHS-30

SMALL

☐

RCHS-31

LARGE

☐

Choose Stem Type

Select either a link configuration or a stem configuration to complete the headrest setup.

Stem Combo

Horizontal Stem Size:


200mm

☐

300mm

☐

400mm

☐


STANDARD

☐

MULTI-AXIS

☐

MULTI-AXIS

☐

Link Combo

Link Size:

150mm

☐

125mm

☐

100mm

☐

75mm

☐

50mm

☐


Stem type:

SINGLE

☐

DOUBLE

☐

or

Part Number:

12 FOOTRESTS

Please configure your footrest.
The full product codes and total price
will be generated automatically.

Footplate type:

STANDARD

ONE PIECE ☐

INDIVIDUAL ☐

DYNAMIC

ONE PIECE ☐

INDIVIDUAL ☐

Dynamic footrests come with double stem and are fixed only.

Stem type:

SINGLE ☐

DOUBLE ☐

Fixing type:

FIXED ☐

FLIP UP ☐

Stem size:

SMALL ☐

MEDIUM ☐

LARGE ☐

Stem angle:

90° ☐

for hi-lo base

100° ☐

for mobility base

Footplate depth:

250mm ☐


300mm ☐

Footboard:

SLOTTED ☐

for footcaps


BLANK ☐




Single Stem
One Piece



Single Stem
Individual



Double Stem
Dynamic One Piece



Double Stem
Dynamic Individual

SEAT TO FOOTREST

Stem Size	SMALL	MEDIUM	LARGE
Standard	21.5 - 35.5cm	32.5 - 47.5cm	39.5 - 53cm
Dynamic	16.5 - 30.5cm	27.5 - 42.5cm	34.5 - 48cm

Footrest Code:

13 NOTES

13 NOTES