```
No.     Time           Source                Destination           Protocol Length Info
    168 42.924855      192.168.0.102         23.34.43.128          ICMP     74     Echo (ping) request  id=0x0001, seq=1/256, ttl=64
(reply in 169)
Frame 168: Packet, 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface \Device\NPF_{2664A710-3C29-4263-8FDE-
F22170972F79}, id 0
Ethernet II, Src: Intel_6a:9c:f8 (48:f1:7f:6a:9c:f8), Dst: SignalinksCo_21:43:ea (5c:e8:d3:21:43:ea)
Internet Protocol Version 4, Src: 192.168.0.102, Dst: 23.34.43.128
Internet Control Message Protocol
    Type: Echo (ping) request (8)
    Code: 0
    Checksum: 0x4d5a [correct]
    [Checksum Status: Good]
    Identifier (BE): 1 (0x0001)
    Identifier (LE): 256 (0x0100)
    Sequence Number (BE): 1 (0x0001)
    Sequence Number (LE): 256 (0x0100)
    [Response frame: 169]
    Data (32 bytes)
0000  61 62 63 64 65 66 67 68 69 6a 6b 6c 6d 6e 6f 70   abcdefghijklmnop
0010  71 72 73 74 75 76 77 61 62 63 64 65 66 67 68 69   qrstuvwabcdefghi
No.     Time           Source                Destination           Protocol Length Info
    169 43.160023      23.34.43.128          192.168.0.102         ICMP     74     Echo (ping) reply    id=0x0001, seq=1/256, ttl=65
(request in 168)
Frame 169: Packet, 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface \Device\NPF_{2664A710-3C29-4263-8FDE-
F22170972F79}, id 0
Ethernet II, Src: SignalinksCo_21:43:ea (5c:e8:d3:21:43:ea), Dst: Intel_6a:9c:f8 (48:f1:7f:6a:9c:f8)
Internet Protocol Version 4, Src: 23.34.43.128, Dst: 192.168.0.102
Internet Control Message Protocol
    Type: Echo (ping) reply (0)
    Code: 0
    Checksum: 0x555a [correct]
    [Checksum Status: Good]
    Identifier (BE): 1 (0x0001)
    Identifier (LE): 256 (0x0100)
    Sequence Number (BE): 1 (0x0001)
    Sequence Number (LE): 256 (0x0100)
    [Request frame: 168]
    [Response time: 235.168 ms]
    Data (32 bytes)
0000  61 62 63 64 65 66 67 68 69 6a 6b 6c 6d 6e 6f 70   abcdefghijklmnop
0010  71 72 73 74 75 76 77 61 62 63 64 65 66 67 68 69   qrstuvwabcdefghi
No.     Time           Source                Destination           Protocol Length Info
    171 43.937823      192.168.0.102         23.34.43.128          ICMP     74     Echo (ping) request  id=0x0001, seq=2/512, ttl=64
(reply in 173)
Frame 171: Packet, 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface \Device\NPF_{2664A710-3C29-4263-8FDE-
F22170972F79}, id 0
Ethernet II, Src: Intel_6a:9c:f8 (48:f1:7f:6a:9c:f8), Dst: SignalinksCo_21:43:ea (5c:e8:d3:21:43:ea)
Internet Protocol Version 4, Src: 192.168.0.102, Dst: 23.34.43.128
Internet Control Message Protocol
    Type: Echo (ping) request (8)
    Code: 0
    Checksum: 0x4d59 [correct]
    [Checksum Status: Good]
    Identifier (BE): 1 (0x0001)
    Identifier (LE): 256 (0x0100)
    Sequence Number (BE): 2 (0x0002)
    Sequence Number (LE): 512 (0x0200)
    [Response frame: 173]
    Data (32 bytes)
0000  61 62 63 64 65 66 67 68 69 6a 6b 6c 6d 6e 6f 70   abcdefghijklmnop
0010  71 72 73 74 75 76 77 61 62 63 64 65 66 67 68 69   qrstuvwabcdefghi
No.     Time           Source                Destination           Protocol Length Info
    173 44.173276      23.34.43.128          192.168.0.102         ICMP     74     Echo (ping) reply    id=0x0001, seq=2/512, ttl=65
(request in 171)
Frame 173: Packet, 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface \Device\NPF_{2664A710-3C29-4263-8FDE-
F22170972F79}, id 0
Ethernet II, Src: SignalinksCo_21:43:ea (5c:e8:d3:21:43:ea), Dst: Intel_6a:9c:f8 (48:f1:7f:6a:9c:f8)
Internet Protocol Version 4, Src: 23.34.43.128, Dst: 192.168.0.102
Internet Control Message Protocol
    Type: Echo (ping) reply (0)
    Code: 0
    Checksum: 0x5559 [correct]
    [Checksum Status: Good]
    Identifier (BE): 1 (0x0001)
    Identifier (LE): 256 (0x0100)
    Sequence Number (BE): 2 (0x0002)
    Sequence Number (LE): 512 (0x0200)
    [Request frame: 171]
    [Response time: 235.453 ms]
    Data (32 bytes)
0000  61 62 63 64 65 66 67 68 69 6a 6b 6c 6d 6e 6f 70   abcdefghijklmnop
0010  71 72 73 74 75 76 77 61 62 63 64 65 66 67 68 69   qrstuvwabcdefghi
No.     Time           Source                Destination           Protocol Length Info
    174 44.959074      192.168.0.102         23.34.43.128          ICMP     74     Echo (ping) request  id=0x0001, seq=3/768, ttl=64
(reply in 178)
Frame 174: Packet, 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface \Device\NPF_{2664A710-3C29-4263-8FDE-
F22170972F79}, id 0
```

```
Ethernet II, Src: Intel_6a:9c:f8 (48:f1:7f:6a:9c:f8), Dst: SignalinksCo_21:43:ea (5c:e8:d3:21:43:ea)
Internet Protocol Version 4, Src: 192.168.0.102, Dst: 23.34.43.128
Internet Control Message Protocol
    Type: Echo (ping) request (8)
    Code: 0
    Checksum: 0x4d58 [correct]
    [Checksum Status: Good]
    Identifier (BE): 1 (0x0001)
    Identifier (LE): 256 (0x0100)
    Sequence Number (BE): 3 (0x0003)
    Sequence Number (LE): 768 (0x0300)
    [Response frame: 178]
    Data (32 bytes)
0000  61 62 63 64 65 66 67 68 69 6a 6b 6c 6d 6e 6f 70   abcdefghijklmnop
0010  71 72 73 74 75 76 77 61 62 63 64 65 66 67 68 69   qrstuvwabcdefghi
No.     Time           Source                Destination           Protocol Length Info
    178 45.188921      23.34.43.128          192.168.0.102         ICMP     74     Echo (ping) reply    id=0x0001, seq=3/768, ttl=65
(request in 174)
Frame 178: Packet, 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface \Device\NPF_{2664A710-3C29-4263-8FDE-
F22170972F79}, id 0
Ethernet II, Src: SignalinksCo_21:43:ea (5c:e8:d3:21:43:ea), Dst: Intel_6a:9c:f8 (48:f1:7f:6a:9c:f8)
Internet Protocol Version 4, Src: 23.34.43.128, Dst: 192.168.0.102
Internet Control Message Protocol
    Type: Echo (ping) reply (0)
    Code: 0
    Checksum: 0x5558 [correct]
    [Checksum Status: Good]
    Identifier (BE): 1 (0x0001)
    Identifier (LE): 256 (0x0100)
    Sequence Number (BE): 3 (0x0003)
    Sequence Number (LE): 768 (0x0300)
    [Request frame: 174]
    [Response time: 229.847 ms]
    Data (32 bytes)
0000  61 62 63 64 65 66 67 68 69 6a 6b 6c 6d 6e 6f 70   abcdefghijklmnop
0010  71 72 73 74 75 76 77 61 62 63 64 65 66 67 68 69   qrstuvwabcdefghi
No.     Time           Source                Destination           Protocol Length Info
    180 45.967606      192.168.0.102         23.34.43.128          ICMP     74     Echo (ping) request  id=0x0001, seq=4/1024, ttl=64
(reply in 181)
Frame 180: Packet, 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface \Device\NPF_{2664A710-3C29-4263-8FDE-
F22170972F79}, id 0
Ethernet II, Src: Intel_6a:9c:f8 (48:f1:7f:6a:9c:f8), Dst: SignalinksCo_21:43:ea (5c:e8:d3:21:43:ea)
Internet Protocol Version 4, Src: 192.168.0.102, Dst: 23.34.43.128
Internet Control Message Protocol
    Type: Echo (ping) request (8)
    Code: 0
    Checksum: 0x4d57 [correct]
    [Checksum Status: Good]
    Identifier (BE): 1 (0x0001)
    Identifier (LE): 256 (0x0100)
    Sequence Number (BE): 4 (0x0004)
    Sequence Number (LE): 1024 (0x0400)
    [Response frame: 181]
    Data (32 bytes)
0000  61 62 63 64 65 66 67 68 69 6a 6b 6c 6d 6e 6f 70   abcdefghijklmnop
0010  71 72 73 74 75 76 77 61 62 63 64 65 66 67 68 69   qrstuvwabcdefghi
No.     Time           Source                Destination           Protocol Length Info
    181 46.195954      23.34.43.128          192.168.0.102         ICMP     74     Echo (ping) reply    id=0x0001, seq=4/1024, ttl=65
(request in 180)
Frame 181: Packet, 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface \Device\NPF_{2664A710-3C29-4263-8FDE-
F22170972F79}, id 0
Ethernet II, Src: SignalinksCo_21:43:ea (5c:e8:d3:21:43:ea), Dst: Intel_6a:9c:f8 (48:f1:7f:6a:9c:f8)
Internet Protocol Version 4, Src: 23.34.43.128, Dst: 192.168.0.102
Internet Control Message Protocol
    Type: Echo (ping) reply (0)
    Code: 0
    Checksum: 0x5557 [correct]
    [Checksum Status: Good]
    Identifier (BE): 1 (0x0001)
    Identifier (LE): 256 (0x0100)
    Sequence Number (BE): 4 (0x0004)
    Sequence Number (LE): 1024 (0x0400)
    [Request frame: 180]
    [Response time: 228.348 ms]
    Data (32 bytes)
0000  61 62 63 64 65 66 67 68 69 6a 6b 6c 6d 6e 6f 70   abcdefghijklmnop
0010  71 72 73 74 75 76 77 61 62 63 64 65 66 67 68 69   qrstuvwabcdefghi
No.     Time           Source                Destination           Protocol Length Info
    188 46.991822      192.168.0.102         23.34.43.128          ICMP     74     Echo (ping) request  id=0x0001, seq=5/1280, ttl=64
(reply in 189)
Frame 188: Packet, 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface \Device\NPF_{2664A710-3C29-4263-8FDE-
F22170972F79}, id 0
Ethernet II, Src: Intel_6a:9c:f8 (48:f1:7f:6a:9c:f8), Dst: SignalinksCo_21:43:ea (5c:e8:d3:21:43:ea)
Internet Protocol Version 4, Src: 192.168.0.102, Dst: 23.34.43.128
Internet Control Message Protocol
    Type: Echo (ping) request (8)
    Code: 0
```

```
    Checksum: 0x4d56 [correct]
    [Checksum Status: Good]
    Identifier (BE): 1 (0x0001)
    Identifier (LE): 256 (0x0100)
    Sequence Number (BE): 5 (0x0005)
    Sequence Number (LE): 1280 (0x0500)
    [Response frame: 189]
    Data (32 bytes)
0000  61 62 63 64 65 66 67 68 69 6a 6b 6c 6d 6e 6f 70   abcdefghijklmnop
0010  71 72 73 74 75 76 77 61 62 63 64 65 66 67 68 69   qrstuvwabcdefghi
No.     Time           Source                Destination           Protocol Length Info
    189 47.219745      23.34.43.128          192.168.0.102         ICMP     74     Echo (ping) reply    id=0x0001, seq=5/1280, ttl=65
(request in 188)
Frame 189: Packet, 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface \Device\NPF_{2664A710-3C29-4263-8FDE-
F22170972F79}, id 0
Ethernet II, Src: SignalinksCo_21:43:ea (5c:e8:d3:21:43:ea), Dst: Intel_6a:9c:f8 (48:f1:7f:6a:9c:f8)
Internet Protocol Version 4, Src: 23.34.43.128, Dst: 192.168.0.102
Internet Control Message Protocol
    Type: Echo (ping) reply (0)
    Code: 0
    Checksum: 0x5556 [correct]
    [Checksum Status: Good]
    Identifier (BE): 1 (0x0001)
    Identifier (LE): 256 (0x0100)
    Sequence Number (BE): 5 (0x0005)
    Sequence Number (LE): 1280 (0x0500)
    [Request frame: 188]
    [Response time: 227.923 ms]
    Data (32 bytes)
0000  61 62 63 64 65 66 67 68 69 6a 6b 6c 6d 6e 6f 70   abcdefghijklmnop
0010  71 72 73 74 75 76 77 61 62 63 64 65 66 67 68 69   qrstuvwabcdefghi
No.     Time           Source                Destination           Protocol Length Info
    190 48.001561      192.168.0.102         23.34.43.128          ICMP     74     Echo (ping) request  id=0x0001, seq=6/1536, ttl=64
(reply in 191)
Frame 190: Packet, 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface \Device\NPF_{2664A710-3C29-4263-8FDE-
F22170972F79}, id 0
Ethernet II, Src: Intel_6a:9c:f8 (48:f1:7f:6a:9c:f8), Dst: SignalinksCo_21:43:ea (5c:e8:d3:21:43:ea)
Internet Protocol Version 4, Src: 192.168.0.102, Dst: 23.34.43.128
Internet Control Message Protocol
    Type: Echo (ping) request (8)
    Code: 0
    Checksum: 0x4d55 [correct]
    [Checksum Status: Good]
    Identifier (BE): 1 (0x0001)
    Identifier (LE): 256 (0x0100)
    Sequence Number (BE): 6 (0x0006)
    Sequence Number (LE): 1536 (0x0600)
    [Response frame: 191]
    Data (32 bytes)
0000  61 62 63 64 65 66 67 68 69 6a 6b 6c 6d 6e 6f 70   abcdefghijklmnop
0010  71 72 73 74 75 76 77 61 62 63 64 65 66 67 68 69   qrstuvwabcdefghi
No.     Time           Source                Destination           Protocol Length Info
    191 48.240953      23.34.43.128          192.168.0.102         ICMP     74     Echo (ping) reply    id=0x0001, seq=6/1536, ttl=65
(request in 190)
Frame 191: Packet, 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface \Device\NPF_{2664A710-3C29-4263-8FDE-
F22170972F79}, id 0
Ethernet II, Src: SignalinksCo_21:43:ea (5c:e8:d3:21:43:ea), Dst: Intel_6a:9c:f8 (48:f1:7f:6a:9c:f8)
Internet Protocol Version 4, Src: 23.34.43.128, Dst: 192.168.0.102
Internet Control Message Protocol
    Type: Echo (ping) reply (0)
    Code: 0
    Checksum: 0x5555 [correct]
    [Checksum Status: Good]
    Identifier (BE): 1 (0x0001)
    Identifier (LE): 256 (0x0100)
    Sequence Number (BE): 6 (0x0006)
    Sequence Number (LE): 1536 (0x0600)
    [Request frame: 190]
    [Response time: 239.392 ms]
    Data (32 bytes)
0000  61 62 63 64 65 66 67 68 69 6a 6b 6c 6d 6e 6f 70   abcdefghijklmnop
0010  71 72 73 74 75 76 77 61 62 63 64 65 66 67 68 69   qrstuvwabcdefghi
No.     Time           Source                Destination           Protocol Length Info
    193 49.041141      192.168.0.102         23.34.43.128          ICMP     74     Echo (ping) request  id=0x0001, seq=7/1792, ttl=64
(reply in 195)
Frame 193: Packet, 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface \Device\NPF_{2664A710-3C29-4263-8FDE-
F22170972F79}, id 0
Ethernet II, Src: Intel_6a:9c:f8 (48:f1:7f:6a:9c:f8), Dst: SignalinksCo_21:43:ea (5c:e8:d3:21:43:ea)
Internet Protocol Version 4, Src: 192.168.0.102, Dst: 23.34.43.128
Internet Control Message Protocol
    Type: Echo (ping) request (8)
    Code: 0
    Checksum: 0x4d54 [correct]
    [Checksum Status: Good]
    Identifier (BE): 1 (0x0001)
    Identifier (LE): 256 (0x0100)
    Sequence Number (BE): 7 (0x0007)
```

```
    Sequence Number (LE): 1792 (0x0700)
    [Response frame: 195]
    Data (32 bytes)
0000  61 62 63 64 65 66 67 68 69 6a 6b 6c 6d 6e 6f 70   abcdefghijklmnop
0010  71 72 73 74 75 76 77 61 62 63 64 65 66 67 68 69   qrstuvwabcdefghi
No.     Time           Source                Destination           Protocol Length Info
    195 49.262688      23.34.43.128          192.168.0.102         ICMP     74     Echo (ping) reply    id=0x0001, seq=7/1792, ttl=65
(request in 193)
Frame 195: Packet, 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface \Device\NPF_{2664A710-3C29-4263-8FDE-
F22170972F79}, id 0
Ethernet II, Src: SignalinksCo_21:43:ea (5c:e8:d3:21:43:ea), Dst: Intel_6a:9c:f8 (48:f1:7f:6a:9c:f8)
Internet Protocol Version 4, Src: 23.34.43.128, Dst: 192.168.0.102
Internet Control Message Protocol
    Type: Echo (ping) reply (0)
    Code: 0
    Checksum: 0x5554 [correct]
    [Checksum Status: Good]
    Identifier (BE): 1 (0x0001)
    Identifier (LE): 256 (0x0100)
    Sequence Number (BE): 7 (0x0007)
    Sequence Number (LE): 1792 (0x0700)
    [Request frame: 193]
    [Response time: 221.547 ms]
    Data (32 bytes)
0000  61 62 63 64 65 66 67 68 69 6a 6b 6c 6d 6e 6f 70   abcdefghijklmnop
0010  71 72 73 74 75 76 77 61 62 63 64 65 66 67 68 69   qrstuvwabcdefghi
No.     Time           Source                Destination           Protocol Length Info
    198 50.057366      192.168.0.102         23.34.43.128          ICMP     74     Echo (ping) request  id=0x0001, seq=8/2048, ttl=64
(reply in 199)
Frame 198: Packet, 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface \Device\NPF_{2664A710-3C29-4263-8FDE-
F22170972F79}, id 0
Ethernet II, Src: Intel_6a:9c:f8 (48:f1:7f:6a:9c:f8), Dst: SignalinksCo_21:43:ea (5c:e8:d3:21:43:ea)
Internet Protocol Version 4, Src: 192.168.0.102, Dst: 23.34.43.128
Internet Control Message Protocol
    Type: Echo (ping) request (8)
    Code: 0
    Checksum: 0x4d53 [correct]
    [Checksum Status: Good]
    Identifier (BE): 1 (0x0001)
    Identifier (LE): 256 (0x0100)
    Sequence Number (BE): 8 (0x0008)
    Sequence Number (LE): 2048 (0x0800)
    [Response frame: 199]
    Data (32 bytes)
0000  61 62 63 64 65 66 67 68 69 6a 6b 6c 6d 6e 6f 70   abcdefghijklmnop
0010  71 72 73 74 75 76 77 61 62 63 64 65 66 67 68 69   qrstuvwabcdefghi
No.     Time           Source                Destination           Protocol Length Info
    199 50.287633      23.34.43.128          192.168.0.102         ICMP     74     Echo (ping) reply    id=0x0001, seq=8/2048, ttl=65
(request in 198)
Frame 199: Packet, 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface \Device\NPF_{2664A710-3C29-4263-8FDE-
F22170972F79}, id 0
Ethernet II, Src: SignalinksCo_21:43:ea (5c:e8:d3:21:43:ea), Dst: Intel_6a:9c:f8 (48:f1:7f:6a:9c:f8)
Internet Protocol Version 4, Src: 23.34.43.128, Dst: 192.168.0.102
Internet Control Message Protocol
    Type: Echo (ping) reply (0)
    Code: 0
    Checksum: 0x5553 [correct]
    [Checksum Status: Good]
    Identifier (BE): 1 (0x0001)
    Identifier (LE): 256 (0x0100)
    Sequence Number (BE): 8 (0x0008)
    Sequence Number (LE): 2048 (0x0800)
    [Request frame: 198]
    [Response time: 230.267 ms]
    Data (32 bytes)
0000  61 62 63 64 65 66 67 68 69 6a 6b 6c 6d 6e 6f 70   abcdefghijklmnop
0010  71 72 73 74 75 76 77 61 62 63 64 65 66 67 68 69   qrstuvwabcdefghi
No.     Time           Source                Destination           Protocol Length Info
    200 51.076382      192.168.0.102         23.34.43.128          ICMP     74     Echo (ping) request  id=0x0001, seq=9/2304, ttl=64
(reply in 201)
Frame 200: Packet, 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface \Device\NPF_{2664A710-3C29-4263-8FDE-
F22170972F79}, id 0
Ethernet II, Src: Intel_6a:9c:f8 (48:f1:7f:6a:9c:f8), Dst: SignalinksCo_21:43:ea (5c:e8:d3:21:43:ea)
Internet Protocol Version 4, Src: 192.168.0.102, Dst: 23.34.43.128
Internet Control Message Protocol
    Type: Echo (ping) request (8)
    Code: 0
    Checksum: 0x4d52 [correct]
    [Checksum Status: Good]
    Identifier (BE): 1 (0x0001)
    Identifier (LE): 256 (0x0100)
    Sequence Number (BE): 9 (0x0009)
    Sequence Number (LE): 2304 (0x0900)
    [Response frame: 201]
    Data (32 bytes)
0000  61 62 63 64 65 66 67 68 69 6a 6b 6c 6d 6e 6f 70   abcdefghijklmnop
0010  71 72 73 74 75 76 77 61 62 63 64 65 66 67 68 69   qrstuvwabcdefghi
```

```
No.     Time           Source                Destination           Protocol Length Info
    201 51.302655      23.34.43.128          192.168.0.102         ICMP     74     Echo (ping) reply    id=0x0001, seq=9/2304, ttl=65
(request in 200)
Frame 201: Packet, 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface \Device\NPF_{2664A710-3C29-4263-8FDE-
F22170972F79}, id 0
Ethernet II, Src: SignalinksCo_21:43:ea (5c:e8:d3:21:43:ea), Dst: Intel_6a:9c:f8 (48:f1:7f:6a:9c:f8)
Internet Protocol Version 4, Src: 23.34.43.128, Dst: 192.168.0.102
Internet Control Message Protocol
    Type: Echo (ping) reply (0)
    Code: 0
    Checksum: 0x5552 [correct]
    [Checksum Status: Good]
    Identifier (BE): 1 (0x0001)
    Identifier (LE): 256 (0x0100)
    Sequence Number (BE): 9 (0x0009)
    Sequence Number (LE): 2304 (0x0900)
    [Request frame: 200]
    [Response time: 226.273 ms]
    Data (32 bytes)
0000  61 62 63 64 65 66 67 68 69 6a 6b 6c 6d 6e 6f 70   abcdefghijklmnop
0010  71 72 73 74 75 76 77 61 62 63 64 65 66 67 68 69   qrstuvwabcdefghi
No.     Time           Source                Destination           Protocol Length Info
    202 52.080542      192.168.0.102         23.34.43.128          ICMP     74     Echo (ping) request  id=0x0001, seq=10/2560, ttl=64
(reply in 203)
Frame 202: Packet, 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface \Device\NPF_{2664A710-3C29-4263-8FDE-
F22170972F79}, id 0
Ethernet II, Src: Intel_6a:9c:f8 (48:f1:7f:6a:9c:f8), Dst: SignalinksCo_21:43:ea (5c:e8:d3:21:43:ea)
Internet Protocol Version 4, Src: 192.168.0.102, Dst: 23.34.43.128
Internet Control Message Protocol
    Type: Echo (ping) request (8)
    Code: 0
    Checksum: 0x4d51 [correct]
    [Checksum Status: Good]
    Identifier (BE): 1 (0x0001)
    Identifier (LE): 256 (0x0100)
    Sequence Number (BE): 10 (0x000a)
    Sequence Number (LE): 2560 (0x0a00)
    [Response frame: 203]
    Data (32 bytes)
0000  61 62 63 64 65 66 67 68 69 6a 6b 6c 6d 6e 6f 70   abcdefghijklmnop
0010  71 72 73 74 75 76 77 61 62 63 64 65 66 67 68 69   qrstuvwabcdefghi
No.     Time           Source                Destination           Protocol Length Info
    203 52.304726      23.34.43.128          192.168.0.102         ICMP     74     Echo (ping) reply    id=0x0001, seq=10/2560, ttl=65
(request in 202)
Frame 203: Packet, 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface \Device\NPF_{2664A710-3C29-4263-8FDE-
F22170972F79}, id 0
Ethernet II, Src: SignalinksCo_21:43:ea (5c:e8:d3:21:43:ea), Dst: Intel_6a:9c:f8 (48:f1:7f:6a:9c:f8)
Internet Protocol Version 4, Src: 23.34.43.128, Dst: 192.168.0.102
Internet Control Message Protocol
    Type: Echo (ping) reply (0)
    Code: 0
    Checksum: 0x5551 [correct]
    [Checksum Status: Good]
    Identifier (BE): 1 (0x0001)
    Identifier (LE): 256 (0x0100)
    Sequence Number (BE): 10 (0x000a)
    Sequence Number (LE): 2560 (0x0a00)
    [Request frame: 202]
    [Response time: 224.184 ms]
    Data (32 bytes)
0000  61 62 63 64 65 66 67 68 69 6a 6b 6c 6d 6e 6f 70   abcdefghijklmnop
0010  71 72 73 74 75 76 77 61 62 63 64 65 66 67 68 69   qrstuvwabcdefghi
```