## **LOGISTIC REGRESSION**

```
In [2]: import re
         from sklearn.datasets import load digits
         from sklearn.model_selection import train_test_split
         import numpy as np
          import matplotlib.pyplot as plt
          import seaborn as sns
         from sklearn import metrics
 In [3]: digits=load_digits()
         print("Image Data Shape",digits.data.shape)
         print("Label Data Shape",digits.target.shape)
        Image Data Shape (1797, 64)
        Label Data Shape (1797,)
 In [9]: plt.figure(figsize=(20,4))
         for index,(image,label) in enumerate(zip(digits.data[0:5],digits.target[0:5])):
             plt.subplot(1,5,index+1)
             plt.imshow(np.reshape(image,(8,8)),cmap=plt.cm.gray)
             plt.title("Training:%i\n"%label, fontsize=10)
                                                                 Training:3
                                                                                  Training:4
In [11]: from sklearn.model selection import train test split
         X train, X test, y train, y test=train test split(digits.data, digits.target, test si
In [12]: print(X_train.shape)
        (1257, 64)
In [13]: print(y_train.shape)
        (1257,)
In [14]: print(X_test.shape)
        (540, 64)
In [15]: print(y_test.shape)
        (540,)
In [17]: from sklearn.linear_model import LogisticRegression
         logisticRegr=LogisticRegression(max_iter=10000)
         logisticRegr.fit(X_train,y_train)
         print(logisticRegr.predict(X_test))
```

In [18]: score=logisticRegr.score(X\_test,y\_test)
 print(score)

0.9537037037037037

In [ ]: