


HTML FULL COURSE

by Raja Najaf Khan

LEGAL NOTICE & TERMS OF USE

This PDF document is intended strictly for personal use and individual learning purposes only. Unauthorized duplication, modification, or re-branding of this content under another name for commercial sale or distribution is strictly prohibited. Any attempt to sell or exploit this material without explicit permission will result in serious legal consequences.



Author's Signature

Lesson - 1: Introduction to HTML

1.What is HTML CSS JS

Sab se pehle to HTML ki full form hoti hai **Hyper Text Markup Language**. Or CSS ki full form hoti hai **Cascading Style Sheets**. Or JS ki full form hoti hai **Java Script**. Ab ham samajte hai ke in sab ka kam kya hai.

1.HTML

HTML ka kam hota hai website ka structure banana.

2.CSS

CSS ka kam hota hai website ko khobsorat banana.

3.JS

JS ka kam hota hai website main functions add karna.

2.Easy Example os HTML CSS JS Use

Ab log sab se pehle ek ghar ki taraf dekho ke sab se pehle os ka structure banta hai jo ke photo.1 main nazar a raha hai phir is ko khobsorat banane ke lye is main paints kye jate hai.Ab is main kon sa button dabane par light chale gi konsa button dabane par fan chale ga ye sab functions add karne ke lye ham JS add karte hai.Basicaly asal main koch or hota hai kahi ap sach na samajna khair ye bohot hi easy example thi.



Photo.1:HTML



Photo.2:CSS



Photo.3:JS

3.Website kam kese karti hai?

Darasal chrome html ko parta hai or os hisab se website ban jati hai jesa mene kaha HTML use hota hai structure bnane ke lye CSS style dene ke lye or JS function add karne ke lye.

4.Tags kya hote hai?

Ap logo ko boilerplate of HTML ke bare main pata hoga khair os main ap ko tags nazar aye ge kuch ese **<!DOCTYPE html>** Ye bhi ek tag hai or **<html>** ye bhi ek tag hai jis ka ek ending tag hai **</html>** ab hota yo hai ke har tag apna ek specific kam kar raha hai for example **<h1>Hi</h1>** ye h1 tag hai or is ka kam hota hai heading ko screen main print karna jo bold hota hai or thora bara hota hai ab mujhe yaqen hai ke ap ko pata chal gya hoga ke tags kya hote hai.Abhi ham ye jante hai ke boilerplate main jo tags dikhaye gaye hai wo kya kam karte hai.

1.1.Boilerplate of HTML

```
<!DOCTYPE html>
<html lang="en">
```

```
<head>
  <meta charset="UTF-8">
  <meta name="viewport"
content="width=device-width,initial-scale=1.0">
  <title>Title</title>
</head>
<body>

</body>
</html>
```

1.Use of <!DOCTYPE html>

Ye darasal chrome ko ye batata hai ke ham advance html use kar rahe hai jo ke hai **HTML5**

2.Use of <html lang="en">

Is ka use is tarha ho raha hai ke html ke andar ek attribute hai lang="en" jo ye batata hai ke is ki language english hone wali hai or khair html ke andar hi sara content ata hai.

3.Use of <head>

Is ke andar wo chize ati hai jo ke kuch kam to kare gi par website ke opar print nhi hogi ye agge ja kar dekhe ge ke is ke andar ki chizo ka kya use hai. Abhi filhal ap **meta** tag ko chor do wo agge ja kar dekhe ge

4.Use of <title>

Ye use hota hai hamare website ka title dikhane ke lye joke main page par nazar nhi ata hai.

5.Use of <body>

Is main wo content aye ga jo main page par show karwana hai.

1.2.Type of Tags

Tags ki 2 types hoti hai **Paired Tags** and **Unpaired Tags**

1.Paired Tags

Ye wo tags hote hai jin ka ek opening tag hota hai or ek closing tag like:

<tagName>Anything</tagName>

2.Unpaired Tags

Wo tag jinho ke opening tag to hota hai par closing tag nhi hota like : **<tagName>** Khair in sab ke bare main ham agge chal kar sikhe ge. Abhi ham kuch tags sikhe ge darasal tags bohot sare hote hai par hame sirf wo sikhne hote hai jo important hote hai or har jagah use hote hai to abhi ham milte hai Lesson Number 2 main.

Lesson - 2: Learn about same tags

Comments

Tags ke bare main janne se pehle comments ke bare main jan lo ke comments kya hote hai darasal ham body tag ke andar jo kuch bhi likhe wo print hota hai par hame kuch aisa likhna ho ke jo hamara code dekh raha ho to wo dekh le yani comments par le os main likhe hoye to ham comments ka use karte hai or os ka structure kuch aisa hota hai

<!-- Anything here -->

1.Paragraph Tag

paragraph tag ek paired tag hota hai or is ke beach main jo likha jaye wo paragraph ki form main show hoga jis ki ek example niche hai.

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Title</title>
</head>
<body>
```

```
<p>Hi this is a paragraph tag.</p>
</body>
</html>
```

Output:

Hi this is a paragraph tag.

2.Heading Tags

Heading ke 6 tags hote hai jo niche dikhaye gaye hai

```
<h1>Anything</h1> <h2>Anything</h2> <h3>Anything</h3> <h4>Anything</h4>
<h5>Anything</h5> <h6>Anything</h6>
```

In sab ka pehle to ap example dekhe.

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width,
initial-scale=1.0">
  <title>Title</title>
</head>
<body>
  <h1>Heading 1</h1>
  <h2>Heading 2</h2>
  <h3>Heading 3</h3>
  <h4>Heading 4</h4>
  <h5>Heading 5</h5>
  <h6>Heading 6</h6>
</body>
</html>
```

Output:**Heading 1****Heading 2****Heading 3****Heading 4****Heading 5****Heading 6****3. Heading tags ka use**

Agar ap ko kisi chiz par note likhna par gya jese ek chiz ke opar note niche likha hoa hai to os main kya hota hai ek main heading phir os ke points phir os ke points ke points likhe jate hai.

4. Span tag ka use

span tag ko bhi ap ek p tag hi samjo kyo ke ye bhi text print karta hai or p tag bhi bas Difference ye hai ke p tag apne agge ki sari jagah ko le leta hai jese mene ek p tag banaya Hi dosra banaya Whats Up to dosre text niche a jaye ga par span main esa nhi hota hai darasal p ek block element hota hai or span inline tag hota hai. in ki list bohot bari hoti hai ap kidhr bhi ja kar dekh sakte hai inline or block tags kon kon se hote hai in ki ek example niche di gayi hai.

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width,
initial-scale=1.0">
  <title>Title</title>
</head>
<body>
  <p>Hi</p>
  <p>Guys!</p>
  <span>Hi</span>
  <span>Guys!</span>
</body>
```



```
</html>
```

Output:

```
Hi  
Guys  
Hi Guys!
```

5.br Tag

br ek unpaired tag hota hai or ye ek line break create karta hai jis ki example niche hai

```
<!DOCTYPE html>  
<html lang="en">  
<head>  
  <meta charset="UTF-8">  
  <meta name="viewport" content="width=device-width,  
initial-scale=1.0">  
  <title>Title</title>  
</head>  
<body>  
  <p>Hi this is a<br>Br tag.</p>  
</body>  
</html>
```

Output:

```
Hi this is a  
Br tag.
```

6.hr Tag

Ye bhi ek unpaired tag hai or ye line to break karta hai par ek line bhi bana deta hai jis ki example niche hai.

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width,
initial-scale=1.0">
  <title>Title</title>
</head>
<body>
  <p>Hi this is a</p>
  <hr>
  <p>Hr tag.</p>
</body>
</html>
```

Output:

Hi this is a

Hr tag

7. b, i, u and strong Tags

These actually give design to text. An example is given below.

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width,
initial-scale=1.0">
  <title>Title</title>
</head>
<body>
  <p>This is <b>bold text</b>.</p>
  <p>This is <strong>important text</strong>.</p>
```

```

<p>This is <i>italic text</i>.</p>
<p>This is <u>underlined text</u>.</p>
</body>
</html>

```

Output:



This is **bold text**.

This is **important text**.

This is *italic text*.

This is underlined text.

8. Anchor Tag

Anchor Tag ko `<a>` se zahir kya jata hai is ka proper structure hota hai: `<a href="Any-Link">AnyText</a>`. Is main `a` ke andar `href` hai jise attribute kehte hai wo attribute jo ek tag ke andar aate hai ye bhi ek specific kam karte hai ab `a` tag ka ye kam hai ke is main pehle to koy link dali jaye ban main kuch bhi likha jaye koy word bhi ab jab user os word ko dabaye ga to wo os link main ponch jaye ga is ki ek example niche di gayi hai. khair drc ke sath ek or attribute use kya gya hai jo hai `target` to is ke andar likha hua hai `_blank` matlab ye is tarha kare ga ke link ko alag tab main open kare ga.

```

<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width,
initial-scale=1.0">
  <title>Title</title>
</head>
<body>
  <a href="https://www.google.com" target="_blank">Google</a>
</body>
</html>

```

Output:[Google](#)**9. div Tag**

div tag ke bare main ap ko agge chal zyada ache se samaj aye ga darasal is ke andar kayi sare tags a sakte hai or ye ek block type element hai is ki example dene ki zarorat ni hai ham log jab is keopar detail se pare ge to example de de ge.

10. sup and sub tags

Ap ek bar ye dekho 1×10^{-12} is main mene -12 ko 10 ke opar kese likha to is ka jawab hai sup tag ka use karke or ab ap ye dekho H_2O ab mene 2 ko H ke niche kese likha to is ka jawab hai sub tag ki madad se jab bhi esi situation aye ke ap ko HTML main chemical farmula likhna ho ya math main kuch ese 1×10^{-12} likhna ho to hamesha sub or sup tag ka use karna.

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width,
initial-scale=1.0">
  <title>Title</title>
</head>
<body>
  <p>1x10<sub>-12</sub></p>
  <p>H<sup>2</sup></p>
</body>
</html>
```

Output:

1×10^{-12} H_2O

11. button Tag

Is ke name se hi pata chalta hai ke ye button print kare ga ao example main dekh lo.

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width,
initial-scale=1.0">
  <title>Title</title>
</head>
<body>
  <p>This is a Button</p>
  <button>Click Me!</button>
</body>
</html>
```

Output:

This is a Button

Click Me!

12. img Tag

Ap log socho ke agar ap ko kabhi apni website main koy image dikhani ho to wo kese dikhao ge to os ke lye hi img tag hai image ko website main show karwane ke lye is ka ek opening tag hota hai closing tag nhi hota hai is main img ke andar kuch attributes ate hai jese `src=""` is main image ka ya to link dal do agar online othai hai to nhi to agar local hai to os ka name likh do. Khair is ke sath oe bhi attributes ate hai jese alt attribute is ke andar wo text likhte hai jo tab show karwana hai jab user ke website main image show na ho rrahi ho or ek attribute width name ka hota hai is main ham ye likh sakte hai

ke image ka size kya ho. for example mere pass lion.jpg ek img hai use show karwane ke liye main ye karunga.

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width,
initial-scale=1.0">
  <title>Title</title>
</head>
<body>
  
</body>
</html>
```

13. video Tag

Ab ap ko image nhi balki video show karwani hai to ap video tag ka use kar sakte hai is ka ek opening tag or ek closing tag hota hai or in dono ke darmyan ham wo likhte hai jo user ko tab dikhe jab os ke website pe ye video work na kare khair is main bhi src attribute ka use kya hai video ko jorne ke liye or user video ko control kar sake is ke liye **controls** attribute ka use karte hai khair or bhi attributes hote hai jese autoplay ye ye kam karta hai ke user jese hi website main enter hota hai to video chal parti hai or ap log is ke size ko bhi set kar sakte ho width attribute ki madad se.

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width,
initial-scale=1.0">
  <title>Title</title>
</head>
<body>
  <video src="tiger.mp4" width="356" controls>
```

```
</body>
</html>
```

14. Ek HTML se dosre HTML main jane ka tariqa

Sab se pehle to hame kabhi website banate waqt ek nhi balke 4 HTML ki zarorat par sakti hai to ek bat hai ke main HTML jo hoga os se ham dosre HTML main kese jaye to is ki example ap ko niche mile gi.

File name is index.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width,
initial-scale=1.0">
  <title>Title</title>
</head>
<body>
  <p>This file name is index.html</p>
  <p>Click this <a href="/about.html">About</a> if you want to see
about this website.</p>
</body>
</html>
```

File name is about.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width,
initial-scale=1.0">
```

```
<title>Title</title>
</head>
<body>
  <p>This file name is about.html</p>
  <p>This will make you a Web Designer</p>
  <p>If you want to go back click here <a
href="/index.html">Home</a></p>
</body>
</html>
```

Explanation

Is main ye ho raha hai ke ek file hai index.html or ek hai about.html ap jab bhi koy website host karo ge to ek index.html wali file zaror bana chrome ise hi pehle show karwata hai phir ap os main or html bana sakte ho idhar odhar jane ke lye yaha anchor tag ke andar href main file ka name likhte hai shoro main hamesha / lagana zarori hai or agar ap os html file main jana chahte hai jo ke kisi folder ke andar hai to ap ko os folder ka name bhi batana ho ga for example about.html ek main name ke folder main hai ab os main jane ke lye sab se pehle **main/about.html** is tarha kare ge.

Practicals

Q1.p, h1, button, a, img, i,b,u in tags ka use kar ke achi si website banao.

Q2.Ek choti si website banao jis main images ho wo image kisi chiz ko ho jise ap bechna chaho ge os ke niche os ki price lagani hai or ye batana hai ke wese kitne piece or pare hai.

Q3.Ek website banao jis main ye karo ke p tag ke andar sab se pehle Hi likho or phir 12 bar space dabao or phir Guys likho ab is ka output dekho ab batao kya 12 bar space dene hoyi ya nhi or ab tum p tag ki jagah pre tag ka use karo or ye same kam karo or ab result batao.

Lesson - 3: Lists

1.Starting

Man lo ap ko kafi sari chizo ki list dikhani hai to HTML main kese dikhao ge to is ke lye hote hai 3 tags 1. 2. 3.<dl></dl>

1.Ordered List

Ordered list main sab se pehle likhte hai ol tag phir os ke andar li tag likhte hai li ka matlab hai list jo dikhani hai ab is ki example niche di gayi hai.

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width,
initial-scale=1.0">
  <title>Title</title>
</head>
<body>
  <p>This is an Order List</p>
  <ol>
    <li>Boil Water: Take one cup of water in a pan.</li>
    <li>Add Basics: Put in sugar and tea leaves.</li>
    <li>Crush Spices: Crush ginger and add it to the water.</li>
    <li>Let it Boil: Let the mixture boil well for about 2-3
minutes. This gets the flavour out.</li>
    <li>Add Milk: Pour in the milk.</li>
    <li>Simmer Gently: Let it simmer for another 1-2 minutes.</li>
    <li>Strain It: Turn off the gas and strain the tea into a
cup.</li>
    <li>Enjoy Hot: Your hot tea is ready! Enjoy it with a
biscuit.</li>
  </ol>
</body>
</html>
```

Output:

This is an Order List

1. Boil Water: Take one cup of water in a pan.
2. Add Basics: Put in sugar and tea leaves.
3. Crush Spices: Crush ginger and add it to the water.
4. Let it Boil: Let the mixture boil well for about 2-3 minutes. This gets the flavour out.
5. Add Milk: Pour in the milk.
6. Simmer Gently: Let it simmer for another 1-2 minutes.
7. Strain It: Turn off the gas and strain the tea into a cup.
8. Enjoy Hot: Your hot tea is ready! Enjoy it with a biscuit.

2.Unordered List

Ye wo list hoti hai jis main order maine nhi rakhta jaise shoping list hoti hai os main koy order nhi hota ke pehle ye lena hai phir ye lena hai balke jo mil jaye bas wo lena hota hai is ko ul tag ke andar li tag ki form main likhte hai example niche di gayi hai.

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width,
initial-scale=1.0">
  <title>Title</title>
</head>
<body>
  <p>This is an Unordered List</p>
  <ul>
    <li>Milk</li>
    <li>Bread</li>
    <li>Eggs</li>
    <li>Potatoes</li>
    <li>Onions</li>
    <li>Tea Powder</li>
    <li>Biscuits</li>
  </ul>
</body>
</html>
```

Output:

This is an Unordered List

- Milk
- Bread
- Eggs
- Potatoes
- Onions
- Tea Powder
- Biscuits

3.Defination List

Is ke name se hi pata chal raha hai ki kisi ki defination dikhane ke lye ye use hoga is ko likhne ka tariqa thora alag hai.Sab se pehle dl tag dale ge phir os ke andar dt tag dale ge jo ke ek word ko le ga phir dd tag main ham os ki detail matlab defination dale ge.Jis ki ek example nice hai.

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width,
initial-scale=1.0">
  <title>Title</title>
</head>
<body>
  <p>This is a Definition List</p>
  <dl>
    <dt>HTML</dt>
    <dd>HyperText Markup Language is a simple language to create a
webpage.</dd>
    <dt>Chemistry</dt>
    <dd>Chemistry is the scientific study of matter and the changes it
undergoes.</dd>
    <dt>Physics</dt>
    <dd>Physics is the natural science that studies matter, energy,
space, and time, and how they relate to one another.</dd>
```

```
</dl>  
</body>  
</html>
```

Output:

This is a Definition List

HTML
HyperText Markup Language is a simple language to create a webpage.

Chemistry
Chemistry is the scientific study of matter and the changes it undergoes.

Physics
Physics is the natural science that studies matter, energy, space, and time, and how they relate to one another.

Practicals

Q1. Ap logo ne ye karna hai ke ap jab school jate ho to sab se pehle kis subject ka parhate hai phir second konsa hota hai sab ki ordered list banani hai.

Q2. Ap log shopping karne jao to kya kya lao ge os ki list banao.

Q3

1.Vibration

2.Reverse Reaction

3.Equilibrium Constant

In sab ki tarif kare

Lesson - 4: HTML Tables

1. Table ka kya use hota hai HTML main?

Is ka use is liye hota hai ke kisi ke data ko dikhana ho table ki form main dikhate hai chalo mano ke students ka data hai sab se pehle un ka name likha hoga agge un ki age phir agge class phir agge fee to is ko table ki form main dikhate hai or waha kafi sara data ata hai.

2. Table ko kese banaye?

Is ki shorowat table tag se hoti hai or sara kuch isi ke andar ata hai phir is ke head se shoro kare ge jo hoga <thead> ye paired tag hota hai is main sab se pehle likha jaye ga Name RollNO Class Fee phir ata hai <tbody> yaha phir sare students ka data likha jaye ga jese Ali 35 7th 2300rs or bhi students ho ge ab in ko ese hi nhi likh sakte in ko likhne ka ek tariqa ho ga jo niche example code main dikhaya gya hai.

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width,
initial-scale=1.0">
  <title>Title</title>
</head>
<body>
  <h2>This is a Table</h2>
  <table border="1">
    <thead>
      <tr>
        <th>Name</th> <th>RollNo</th> <th>Class</th> <th>Fee</th>
      </tr>
    </thead>
    <tbody>
      <tr>
        <td>Ali</td> <td>35</td> <td>7th</td> <td>2300rs</td>
```

```

    </tr>
    <tr>
      <td>Ahmed</td> <td>12</td> <td>5th</td> <td>1300rs</td>
    </tr>
    <tr>
      <td>Abdulah</td> <td>56</td> <td>9th</td> <td>3200rs</td>
    </tr>
  </tbody>
</table>
</body>
</html>

```

Output:

This is an Table

Name	RollNo	Class	Fee
Ali	35	7th	2300rs
Ahmed	12	5th	1300rs
Abdulah	56	9th	3200rs

3.Darna mat is ko dekh kar

Ha bhai is ko dekh kar darna mat ke tumhe ye yad nhi ho paye ga main samjata ho tumhe dekho shorowat hoti hai table tag se sara kuch is ke andar ana hai phir os ke baad head tag lagta hai jo ke name RollNo dikhata hai simple ye is ka head hota hai is lye thead main a raha hai phir thead main ek tag ata hai tr ab ye kya hai ap log socho ge to ye hai table row ke ek row main kya kya hoga phir th main likha gya hai kya kya hoga jese Name RollNo wegara phir os ke baad thead tag khatam ho jata hai or tbody tag shoro hota hai darasal ye table ki body hogi jaha sara data nazar aye ga jese Ali 35 7th 2300 wegara tbody ke andar tr aye ga i aye ga ye row ko zahir karta hai phir tr ke andar td tag a raha hai jo ke table data ko represent karta hai jese Ali 35 7th 2300rs wegara ek ek kar ke td tag main aye ge phir or student ka data likhna ho to phir se tr tag ke andar td likhe ge waha or student ka data dal le ge. Mujhe omed hai ab ap ko HTML main Table banana muskil nhi lage ga. Khair ek chiz jo main batana bhol gya ke table tag ke andar border="1" kyo lagaya to is ka jawab hai ke is lye lagaya ke is ke as pas lines lag jaye nhi to ye bohot ajeeb dikhta hai.

4.Advance Table

Ab mano ko ap logo ke ek student ka sab se pehle Roll No likhna hai phir head main 2 row ho bas 2 ek ho RollNO or dosri ho Name to ham ne RollNo main to Roll Number store karna hai par Name wale main 2 name store karne hai ek first or 2 last to wo kese karo chalo niche example dekh lo.

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width,
initial-scale=1.0">
  <title>Title</title>
</head>
<body>
  <h2>This is an Advanced Table</h2>
  <table border="1">
    <thead>
      <tr>
        <th>RollNo</th> <th colspan="2">Name</th>
      </tr>
    </thead>
    <tbody>
      <tr>
        <td>35</td> <td>Ali</td> <td>Haider</td>
      </tr>
      <tr>
        <td>12</td> <td>Ahmed</td> <td>Shah</td>
      </tr>
      <tr>
        <td>56</td> <td>Abdulah</td> <td>Khubaib</td>
      </tr>
    </tbody>
  </table>
</body>
</html>
```

Output:**This is an Advanced Table**

RollNo	Name	
35	Ali	Haider
12	Ahmed	Shah
56	Abdulah	Khubaib

5.Colspan="2" Kyo use kya

Ye ye batata hai ke is ek row main kitna data aye mene 2 keh dya to 2 aya.

6.Another Problem

Ab dekho hame ek insan ka name dikhana hai or os ke phone numbers bhi dikhane hai matlab ek conatct information wala table banana hai to ye kaise banaye ao example code main dekhte hai.

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width,
initial-scale=1.0">
  <title>Title</title>
</head>
<body>
  <h2>This is another table</h2>
  <table border="1">
    <tbody>
      <tr>
        <th>Name:</th>
        <td>Ali Ahmed</td>
      </tr>
```



```

        <tr>
            <th rowspan="2">Telephone:</th>
            <td>5558889997</td>
        </tr>
        <tr>
            <td>5555988865</td>
        </tr>
    </tbody>
</table>
</body>
</html>

```

Output:

This is another table

Name:	Ali Ahmed
Telephone:	5558889997
	5555988865

7.Is main kya ho raha hai

Is ko aram se samjo sab se pehle table tag ke andar sab kuch aye ga phir thead aye ga jaha pore table ka title aye ga or colspan 2 hai matlab ye 2 column ki jagah le raha hai phir thead tag khatam hota hai phir tbody tag shoro hota hai jaha th main Name likha jata hai phir os ka data dya jata hai jo ke hai Ali Ahmed phir nayi tr shoro hoti hai jaha th ke andar ek attribute dala jata hai jo hai rowspan="2" yani ke ye 2 rows ki jagah ko le ga oe phir niche td main pehle number likha jata hai phir nayi tr yani row banate hai jaha dosra number likhte hai.Omed hai ab ap ko samaj a gya hoga.

Practicals

Q1.Ap logo ne dye gaye data ke lye table bana hai.

1.Ali Ahmed Class 7th

2.Shahrukh Khan 9th

3.Abdul Rehman 10th

4.Amir Shah 8th

5.Lyaqat Khan 9th

Q2.Ab isi table ko column main likho.

Lesson - 5: Detail about Input tags

1.Input kitne types ke hote hai?

Input tag 24 types ke hote hai par ham kuch hi tags ke bare main parhe ge to chalo start karte hai. sab se pehle ham input ke sath label tag ko lagate hai ye lagana zarori hota hai wese na lagao tab bhi chale ga par is ka asli use ap ko agge chal kar pata chale ga

2.Input Tag ka basic structure

Is ka structure kuch esa hota hai:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width,
initial-scale=1.0">
  <title>Title</title>
</head>
<body>
  <label for="name">Name:</label>
  <input type="text" id="name">
</body>
</html>
```

Output:

Name:

3.Ye kya hai?

Is ko is tarha samjo ke label tag input ke sath jora rehta hai is ka asli use agge chal kar pata chale ga label tag ke andar ek attribute hai for os main wo chiz likhna jo input tag ke andar ek attribute hai id os main jo likho ge yani id or for jo label main hai dono ke name same hone chayie or input main ek or attribute hai type ka or yaha bohot si types a sakti hai jin ko ham janne wale hai.

4.Sab se pehle Advance Chiz

Agar ap input tag ke andar ek or attribute add karte ho placeholder name ka to app os main wo likho jo ap ko show karwana hai phir jab user dekhe ga to ose pata chal jaye ga jab wo likhne lage ga to wo gayab ho jaye ga abhi agar ap ko samaj nhi a rahi to khod dekh lo.

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width,
initial-scale=1.0">
  <title>Title</title>
</head>
<body>
  <label for="name">Name:</label>
  <input type="text" id="name" placeholder="Enter your name">
</body>
</html>
```

Output:

Name:

5.Input type "tel"

Agar app input ke attribute type main text ki jagah tel dal do to ye user se os ka phone number le ga chalo niche dekh lo.

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width,
initial-scale=1.0">
  <title>Title</title>
</head>
```

```
<body>
  <label for="phone-num">Phone Number:</label>
  <input type="tel" id="Phone-num" placeholder="Enter your Phone
Number">
</body>
</html>
```

Output:

Phone Number:

6.Input type "email"

Ye user se email le ga niche khod dekh lo.

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width,
initial-scale=1.0">
  <title>Title</title>
</head>
<body>
  <label for="Email">Email:</label>
  <input type="email" id="Email" placeholder="Enter your Email">
</body>
</html>
```

Output:

Email:

7.Input type "password"

Jab hame password ke lye kuch bana ho ke user waha apna password dale to ham input os ke attribute type ko password main set karte hain niche dekho.

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width,
initial-scale=1.0">
  <title>Title</title>
</head>
<body>
  <label for="Password">Password:</label>
  <input type="password" id="Password" placeholder="Enter your
Password">
</body>
</html>
```

Output:

Password:

8.Input type "date"

8.Input type "date"

Acha agar ap ko user se os ki date of birth leni ho to kese lo ge to is ka jawab hai input ke attribute ki value ko date main set karke niche dekho.

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width,
initial-scale=1.0">
  <title>Title</title>
</head>
<body>
  <label for="DOB">DOB:</label>
  <input type="date" id="DOB" placeholder="Enter your DOB">
</body>
</html>
```

Output:

DOB:

9.Select and option Tags

Ab ham select or option Tags ke bare main parhe ge manlo ap ne user se pochna hai ke os ka gender kya hai to wo kese chose kare ga os ke lye ye selcet or option tag hai pehle examle code dekho baad main bat kare ge.

```
<!DOCTYPE html>
```

```
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width,
initial-scale=1.0">
  <title>Title</title>
</head>
<body>
  <h1>Select your gender</h1>
  <label for="gender">Gender:</label>
  <select id="gender">
    <option value="male">Male</option>
    <option value="female">Female</option>
    <option value="other">Other</option>
  </select>
</body>
</html>
```

Output:

Select your gender

Gender:

10.Yaha Kya ho raha hai?

Is main bhi ham ne label tag ka use kya hai or ab ham select tag ke bare main jante hai darasal ye ek chiz banata hai jaha option hote hai or user onhe select kar sakta hai phir select tag ke andar hi option tags banaye jate hai jin main option dale jate hai mere khyal se ab ap samaj gaye ho ge.Khair har option tag ke andar mene value di hai take jab end main user sumbit kare to data value ke hisab se set ho jaye.

11.Input type "radio"

Ab man lo ek banda kisi chiz ka subscription le raha hai to wo ya to basic le ga ya to premium ya phir vip le ga wo sare ek sath nhi le sakta bas abb is ke bare main ham dekhe ge ap niche ek example code dekhe.


```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width,
initial-scale=1.0">
  <title>Title</title>
</head>
<body>
  <h1>Select your Plan</h1>
  <input type="radio" id="basic" value="basic" name="subscription">
  <label for="basic">Basic</label>
  <input type="radio" id="premium" value="premium"
name="subscription">
  <label for="premium">Premium</label>
  <input type="radio" id="vip" value="vip" name="subscription">
  <label for="vip">VIP</label>
</body>
</html>
```

Output:

Select your Plan

☐ Basic ☐ Premium ☐ VIP

12.Yaha kya ho raha hai?

Yaha ab ap ko label ka asli use pata chale ga darasal pehle likha input type di radio phir id di basic phir value di basic phir name dya subscription jo ke sab ko same hi dya hai phir ab samjo ke name kyo dya wo is lye dya kyo ki sab input ke name same the to rule ke mutabiq ek hi name select ho ga so adha logic samaj gaye ab value is lye di ke jab user ne ye select kya to value kya store karni thi is lye so ab tum sab samaj gaye phir label main for main wo value dali jo ke input ke id attribute main thi ab user agar text main bhi click karta hai to os ka option select ho jaye ga kyo ki wo text input se label hai ap mujhe pora yaqeen hai ke ap ko sab samaj a gya.

13.Input type "checkbox"

Ab ap jab bhi koy ap install karte ho to dekhte ho ge ke ap ke samne ata hai "I agree to the term and condition" or os ko check karna hota hai tabhi agge jate hai to ye bhi same hai niche khod hi dekh lo.

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width,
initial-scale=1.0">
  <title>Title</title>
</head>
<body>
  <input type="checkbox" id="term">
  <label for="term">I agree to the terms and condition</label>
</body>
</html>
```

Output:


14.What is textarea tag

Is ko ap yo samjo ke is main user kuch bhi likh sakta hai. Is ki example niche hai. Lekin is main ap log rows attribute bhi use kar sakte ho ke ye kitne rows ka ho or ap log cols attribute ka bhi use kar sakte ho ke ye kitne columns ka ho.

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width,
initial-scale=1.0">
  <title>Title</title>
```

```
</head>
<body>
  <textarea placeholder="Enter your comment!" rows="5"></textarea>
</body>
</html>
```

Output:



Project Number 1

1.Ham log esa project bana rahe hai jo user se data le ga or ose ek file main.php main store kare ga khair asal main esa hoga nhi ap ko php sikhna hoga lekin ham log example ke lye dekh sakte hai ham log yaha form tag ka use kare ge jis ke andar baki sab tag aye ge or ham har input select tag ke andar required attribute ka use kare ge jo ye dikhaye ga ke ye chiz fil karni hi karni hai nhi to sumbit nhi hoga data.yad rakhna har input apne ek div main a raha hai yani har kisi ka apna ek div tag hai yaha ap ko div ka use karna bhi a jaye ga.

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width,
initial-scale=1.0">
  <title>Title</title>
</head>
<body>
<form action="main.php">
  <!-- Input type="text" to take Name from user -->
  <div>
    <label for="name">Name:</label>
    <input type="text" id="name" placeholder="Enter your name"
required>
  </div>
  <!-- Input type="tel" to take Phone Number from user -->
  <div>
    <label for="phone-num">Phone Number:</label>
    <input type="tel" id="Phone-num" placeholder="Enter your Phone
Number" required>
  </div>
  <!-- Input type="password" to take Password from user -->
  <div>
    <label for="Password">Password:</label>
    <input type="password" id="Password" placeholder="Enter your
Password" required>
  </div>
  <!-- Input type="date" to take Date of Birth from user -->
  <div>
    <label for="DOB">DOB:</label>
    <input type="date" id="DOB" placeholder="Enter your DOB"
required>
  </div>
  <!-- To take user's gender -->
  <div>
    <h1>Select your gender</h1>
    <label for="gender">Gender:</label>
    <select id="gender" required>
```

```

        <option value="male">Male</option>
        <option value="female">Female</option>
        <option value="other">Other</option>
    </select>
</div>
<!-- Input type="radio" to take user's plan -->
<div>
    <h1>Select your Plan</h1>
    <input type="radio" id="basic" value="basic"
name="subscription">
    <label for="basic">Basic</label>
    <input type="radio" id="premium" value="premium"
name="subscription" required>
    <label for="premium">Premium</label>
    <input type="radio" id="vip" value="vip" name="subscription"
required>
    <label for="vip">VIP</label>
</div>
<!-- Input type="checkbox" to get agreement from user -->
<div>
    <input type="checkbox" id="term" required>
    <label for="term">I agree to the terms and condition</label>
</div>
<!-- Use of textarea Tag to take Comment from user -->
<div>
    <label for="comment">Comment</label>
    <textarea id="comment" placeholder="Enter your comment!"
rows="5"></textarea>
</div>
<!-- Everything will be submitted to a file by clicking this
button! -->
<div>
    <button type="submit">Submit</button>
</div>
</form>
</body>
</html>

```

Output:

Name:

Phone Number:

Password:

DOB: 

Select your gender

Gender: 

Select your Plan

- ☐ Basic ☐ Premium ☐ VIP
- ☐ I agree to the terms and condition

Comment

Practicals

Q1.Ek project banao jaha sare input types use karni hai jo ap ne abhi tak sikhi hai.

6. What is SEO (Search Engine Optimization)

Jab bhi hum koi website banate hain to hum chahte hain ke wo Google ya kisi bhi search engine par dikhai de. Lekin ye tabhi mumkin hota hai jab hum apni website ka SEO theek se karein. SEO ka matlab hota hai Search Engine Optimization. Ye aise tareeqe hain jinke zariye hum apni website ko search engine ke liye behtar banate hain taa ke wo upar dikhai de.

SEO kyu zaroori hai?

Agar aap chahte ho ke log aapki website tak asani se pahunch sakein to SEO karna bohot zaroori hai. Agar SEO nahi karte to aapki website search result mein peeche chali jati hai aur log use dekh nahi pate.

SEO ke basic points

- Website ke **title** ko hamesha unique aur clear rakho.
- **meta description** likho taa ke Google samjhe ke page kis baare mein hai.
- **Keywords** use karo jo log search karte hain.
- Website fast load honi chahiye.
- Images mein **alt** attribute likhna zaroori hai.

Example

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width,
initial-scale=1.0">
  <title>My Awesome Website</title>
  <meta name="description" content="This website teaches HTML in
Urdu and English in a very simple way.">
  <meta name="keywords" content="HTML, Urdu HTML, Learn HTML, Web
```

```
Design">
</head>
<body>
  <h1>Welcome to My Website</h1>
  <p>This is an example of SEO in HTML.</p>
</body>
</html>
```

Explanation

Is main meta tag ke andar attributes use kya hai name="" is main ham ne ek jagha description dala hai ye chrome ko batata hai ke hamari website kis bare main hai content ke andar phir description likhna hai.name="Keywords" ye ye karta hai ke agar koy search kare Learn HTML in Urdu to yaha Keywords use hoyr hai jese Learn Urdu to Keywords ye karta hai ke batata hai chrome ko ke agar koy ye Keywords search kare to hamari website dikha dena.

Use of header, main, footer tags in SEO

Website ke contetn ko 3 hiso main bant do ek hoga os ka Head ek hogi Main Body ek hoga Footer ab in ko kese use karna hai dekho isi website ko dekhe opar jakar title likha hoa hai Full HTML corse by Raja Najaf Khan or sath main ek button hai or niche bhi buttons hai to is ko maine header tag ke andar likha hai baki jo sare lesson tum dekh rahe ho ise mene main tag ke andar likha hai or main ke andar ek tag ata hai section tag is ke andar ap alag alag section dal sakte ho jese mene main ke andar 6 section banaye hai ab tum khod hi samaj jao khair footer main ham apne bare main information likhte hai youtube ka link dala hota hai ya to copyright lagaya hota hai.Is ka strucutre niche hai.

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width,
initial-scale=1.0">
  <title>Title</title>
</head>
<body>
```



```
<header>
  <!-- Here you can write your website title or anything you want
to show at the top -->
</header>
<main>
  <!-- This is where the main content will appear -->
  <section>
    <!-- You can divide your content into multiple sections -->
  </section>
</main>
<footer>
  <!-- Here you can add your YouTube link, other links, or copyright
text -->
</footer>
</body>
</html>
```

Mubarak Ho!

Agar ap log yaha tak a gaye or ap ko sab kuch ache se a gya hai to ap log HTML sih choke ho or ab ap log agge barh sakte ho CSS ya JS ki taraf.