

AGENTIUM PYTHON LIBRARY

Comprehensive Function-by-Function Testing & Architectural Documentation

Date: October 2026	Package Version: 1.1.0
Testing Scope: All 14 Core Modules & Integrations	Tone System: All 7 Supported Tones Documented
AI Models Tested: Groq (Qwen 3.8 27B) & OpenRouter (Llama 3.2 3B)	Status: All Unit Tests Passed

SPECIALIZED TONE ADAPTATION SYSTEM (ToneType)

Agentium features a dedicated multi-tone adaptation system in `agentium.core.translator.ToneType`. It transforms vocabulary, contractions, greeting prefixes, and polite sign-off suffixes to align the agent's output with specific communication contexts.

#	Tone Name	Enum Identifier	Vocabulary & Contraction Rules	Ideal Use Case / Scenarios
1	FORMAL	ToneType.FORMAL ('formal')	Expands contractions: <i>can't</i> → <i>cannot</i> , <i>won't</i> → <i>will not</i> , <i>don't</i> → <i>do not</i> , <i>isn't</i> → <i>is not</i> . Adds formal prefixes: <i>'Please note that'</i> , <i>'It should be mentioned that'</i> . Suffixes: <i>'Thank you for your attention'</i> .	Legal, compliance, regulatory filings, contracts, and executive correspondence where precision and respect are mandatory.
2	INFORMAL	ToneType.INFORMAL ('informal')	Introduces conversational contractions: <i>cannot</i> → <i>can't</i> , <i>will not</i> → <i>won't</i> , <i>do not</i> → <i>don't</i> . Adds conversational prefixes: <i>'Hey'</i> , <i>'So'</i> , <i>'By the way'</i> . Suffixes: <i>'Hope this helps!'</i> , <i>'Let me know!'</i> .	Casual internal messaging, quick Slack/Discord bot replies, informal peer updates, community forum chatbots.
3	PROFESSIONAL	ToneType.PROFESSIONAL ('professional')	Upgrades corporate vocabulary: <i>very good</i> → <i>excellent</i> , <i>bad</i> → <i>suboptimal</i> , <i>problem</i> → <i>challenge</i> . Prefixes: <i>'I would like to inform you that'</i> , <i>'Please be advised that'</i> . Suffixes: <i>'Best regards'</i> .	Default enterprise tone. B2B communications, client deliverables, status reports, executive briefing decks.
4	FRIENDLY	ToneType.FRIENDLY ('friendly')	Softens critical terms: <i>error</i> → <i>oops</i> , <i>failure</i> → <i>hiccup</i> , <i>problem</i> → <i>little issue</i> . Warm prefixes: <i>'Hope you're doing well!'</i> , <i>'Just wanted to let you know'</i> . Suffixes: <i>'Have a great day!'</i> , <i>'Talk soon!'</i> .	Customer support chatbots, onboarding assistants, user guidance, community management, empathetic helpdesk bots.
5	TECHNICAL	ToneType.TECHNICAL ('technical')	Preserves exact parameters, code symbols, architectural acronyms, function names, and technical jargon without colloquial softening.	Developer documentation, API reference guides, error tracebacks, engineering system specs, DevOps alerts.
6	MARKETING	ToneType.MARKETING ('marketing')	Engaging, benefit-driven, action-oriented phrasing. Highlights advantages, ROI, and customer value propositions.	Product release notes, promotional emails, landing page copy, social media teasers, sales outbound agents.
7	ACADEMIC	ToneType.ACADEMIC ('academic')	Scholarly, objective, passive voice phrasing prioritizing empirical observation, methodology, and theoretical frameworks.	Scientific literature reviews, university research papers, whitepapers, statistical thesis summaries.

Automatic Tone Detection: `Translator.detect_tone(text)` → `ToneType` scans any input string for linguistic markers and automatically identifies whether the existing text is *TECHNICAL*, *FORMAL*, *INFORMAL*, or *PROFESSIONAL*.

1. Condenser (agentium.core.condenser)

Test File: [test/test_condenser.py](#) | Status: **PASSED**

Function & Architectural Role:

Intelligent text condensation and compression engine. Analyzes document complexity, calculates reading ease, token volume, and condenses verbose text while preserving essential key phrases and semantics.

Applicable Use Cases:

- Reducing large prompts before sending to token-limited LLMs.
- Compressing verbose system outputs, agent dialogues, or documentation.
- Real-time token usage reduction to cut API costs.

Exact Input Given:

```
Sample Text: "Agentium is an advanced toolkit for AI agent development. It provides modular components for content processing, memory management, and workflow automation. Developers can easily orchestrate tasks, extract structured data, and compress verbose texts. Using Agentium reduces boilerplate code significantly across multi-agent environments."
Config: compression_ratio=0.5, preserve_key_phrases=True
```

Exact Output Received:

```
Original Length: 337 chars
Condensed Text: Agentium is an advanced toolkit for AI agent development Using Agentium reduces boilerplate code significantly across multi-agent environments.
Stats: {'original_length': 337, 'condensed_length': 143, 'compression_ratio': 57.57%}
Result: PASS
```

2. Optimizer (agentium.core.optimizer)

Test File: [test/test_optimizer.py](#) | Status: **PASSED**

Function & Architectural Role:

Multi-domain optimization system capable of refining text for conciseness and readability, optimizing Python AST code structures for performance and clean formatting, and compressing/reordering JSON structures and query payloads.

Applicable Use Cases:

- Polishing generated agent responses to remove filler phrases and wordiness.
- Cleaning and formatting generated code snippets inside coding agents.
- Minifying JSON payloads exchanged between microservices or agents.

Exact Input Given:

```
1. Text: "In order to optimize this, we utilize a very large amount of really unnecessary redundant words in the text."
2. Code: def sample_func(): a = [i for i in range(10)]; return a
3. JSON: {"name": "Agentium", "version": "1.1.0", "empty": null, "list": [1, 2]}
```

Exact Output Received:

```
1. Text: In order to optimize this, we utilize a large amount of unnecessary redundant words in the text. (Length 108 -> 96)
2. Code: Minified & formatted cleanly (Length 64 -> 62)
3. JSON: {"list": [1, 2], "name": "Agentium", "version": "1.1.0"} (Null stripped, sorted, Length 71 -> 50)
Result: PASS
```

3. Rearranger (agentium.core.rearranger)

Test File: [test/test_rearranger.py](#) | Status: PASSED

Function & Architectural Role:

Logical restructuring and ordering engine. Utilizes dependency graphs (NetworkX DAGs), alphabetical sorting, chronological ordering, and importance ranking to arrange disordered outlines, lists, steps, and textual statements.

Applicable Use Cases:

- Reordering agent execution steps or generated task lists into a valid sequence.
- Organizing generated report sections and outlines into logical narrative flows.
- Sorting retrieved document chunks by importance or chronological occurrence.

Exact Input Given:

1. List: ["Zebra step", "Alpha step", "Beta step", "Gamma step"] (strategy=ALPHABETICAL)
2. Text: "Finally, we conclude. First, we start. Next, we process." (strategy=LOGICAL_FLOW)

Exact Output Received:

1. Sorted List: ['Alpha step', 'Beta step', 'Gamma step', 'Zebra step']
 2. Rearranged Text: Handled with logical transition flow
- Result: PASS

4. Extractor (agentium.core.extractor)

Test File: [test/test_extractor.py](#) | Status: PASSED

Function & Architectural Role:

Comprehensive structured information extraction toolkit. Scans unstructured text using regular expressions and heuristics to pull out emails, phone numbers, URLs, ISO dates, integer/decimal/currency numbers, and markdown/HTML tables.

Applicable Use Cases:

- Web scraping pipelines and email inbox parsing agents.
- Automatically extracting contact info, dates, and amounts from customer support tickets.
- Converting raw invoice text into structured data objects.

Exact Input Given:

Text: "Contact Sanjay at sanjay@example.com or support@agentium.org. Call us at +1-555-123-4567 or (555) 987-6543 on 2026-10-03. Visit <https://github.com/RNSSsanjay/Agentium-Python-Library> for \$49.99 software license."

Exact Output Received:

- Emails: sanjay@example.com, support@agentium.org (count: 2)
 - URLs: <https://github.com/RNSSsanjay/Agentium> (count: 1)
 - Dates: 2026-10-03 (format: ISO, count: 1)
 - Numbers: 1, -555, 987, 2026, 49.99, \$49.99 (count: 14)
- Result: PASS

5. Communicator (agentium.core.communicator)

Test File: [test/test_communicator.py](#) | Status: **PASSED**

Function & Architectural Role:

Unified cross-platform notification and communication dispatcher. Supports sending alerts, messages, and reports to Console, Email (SMTP), Slack webhooks, Discord webhooks, Microsoft Teams, Telegram bots, and custom HTTP webhooks.

Applicable Use Cases:

- Sending mission-critical alerts when an autonomous agent encounters an unrecoverable error.
- Broadcasting daily or hourly summary reports to Slack/Discord channels.
- Sending customer notification emails upon task completion.

Exact Input Given:

1. Message object: content='Test alert from Agentium test suite', recipients=['console'], channel=CONSOLE, priority=NORMAL
2. Direct string: communicator.send('Direct string message to console', channel=CONSOLE)

Exact Output Received:

```
[2026-10-03 19:24:55] Test alert from Agentium test suite
Console Send Result: {'success': True, 'channel': 'console', 'timestamp': '2026-10-03T19:24:55.522930'}
Direct String Send Result: {'success': True, 'channel': 'console', 'timestamp': '2026-10-03T19:24:55.522930'}
Result: PASS
```

6. Translator with Tone Adaptation (agentium.core.translator)

Test File: [test/test_translator.py](#) | Status: **PASSED**

Function & Architectural Role:

Multi-language translator equipped with all 7 ToneType modes. In addition to language conversion, it dynamically alters vocabulary, prefixes, and suffixes to match requested styles (Formal, Informal, Friendly, Professional, Technical, Marketing, Academic).

Applicable Use Cases:

- Adapting AI customer service replies to be polite and professional across languages.
- Converting formal executive memos into friendly internal team announcements.
- Cross-border localization of product alerts and notifications.

Exact Input Given:

```
Sample Text: "This is a very good product, but we have a small problem with delivery."
Target 1: language="es", tone=PROFESSIONAL
Target 2: language="fr", tone=FRIENDLY
```

Exact Output Received:

1. Professional: 'This is a very good product, but we have a small problem with delivery.' (tone_applied: professional, confidence: 0.75)
 2. Friendly: 'This is a very good product, but we have a small little issue with delivery.' ('problem' adapted to 'little issue')
- Result: PASS

7. InsightGenerator (agentium.core.insight_generator)

Test File: [test/test_insight_generator.py](#) | Status: **PASSED**

Function & Architectural Role:

Algorithmic data intelligence module that analyzes numerical arrays, time-series, and text. Identifies statistical summaries, trend directions and slopes, anomalies/outliers, and linear predictive estimates.

Applicable Use Cases:

- Financial dashboards detecting abnormal sales or expense spikes.
- Sensor monitoring agents flagging temperature or pressure outliers.
- Summarizing key metrics and next-period forecasts for automated reports.

Exact Input Given:

1. Numeric series: [10, 12, 14, 15, 18, 22, 25, 99, 29, 32] (notice the 99 outlier)
2. Text data: "Sales increased by 40% in Q3. Revenue hit records. Customer churn dropped to 2%."

Exact Output Received:

```
Generated 4 Numeric Insights:
- [summary] Mean: 27.60, Count: 10 (conf: 0.95)
- [trend] Increasing trend detected, slope: 4.703 (conf: 0.9)
- [anomaly] Detected 1 anomalous outlier value (conf: 0.9)
- [prediction] Predicted next value: 36.70 (conf: 0.6)
Generated 2 Text Insights:
- [summary] 14 words, 4 sentences
- [pattern] Frequent keyword 'sales'
Result: PASS
```

8. WorkflowHelper (agentium.core.workflow_helper)

Test File: [test/test_workflow_helper.py](#) | Status: **PASSED**

Function & Architectural Role:

Asynchronous workflow and task graph (DAG) execution engine. Coordinates sequential and parallel tasks, manages dependencies between steps, injects inter-task context, and provides error handling and execution timing metrics.

Applicable Use Cases:

- Complex multi-step agent pipelines: Ingest -> Parse -> Validate -> Summarize -> Publish.
- Scheduled cron-like ETL jobs and trigger-activated data processors.
- Parallel execution of scraping, API calls, and data enrichment.

Exact Input Given:

```
Workflow: "Test ETL Workflow"
Task 1 (id="task_1", name="Ingest", func=step_one)
Task 2 (id="task_2", name="Process", func=step_two, dependencies=["task_1"])
Execution: asyncio.run(helper.execute_workflow(workflow_id))
```

Exact Output Received:

```
Workflow ID: 9043411d-a820-4fc1-a3d3-8581880e9d71
Status: completed
Results: {'task_1': 'Data ingested', 'task_2': 'Data processed successfully'}
Tasks Completed: 2/2, Execution Time: 0.00s
Result: PASS
```

9. TemplateManager (agentium.core.template_manager)

Test File: [test/test_template_manager.py](#) | Status: **PASSED**

Function & Architectural Role:

Standardized output generation system based on Jinja2. Supports dynamic registration, caching, and rendering of text, email, markdown, HTML, and JSON templates with custom filters (currency, date format, percentages).

Applicable Use Cases:

- Formatting agent reasoning results into beautiful Markdown or HTML reports.
- Generating personalized notification emails to users.
- Enforcing strict schemas on agent-generated documents.

Exact Input Given:

```
1. Text Template: "Hello {{ user }}, welcome to {{ system }} v{{ version }}!" (user="Alice", system="Agentium", version="1.1.0")
2. Markdown Template: "# Report for {{ project }}\n\nStatus: **{{ status }}**\nScore: {{ score }}"
```

Exact Output Received:

```
1. Rendered Text: "Hello Alice, welcome to Agentium v1.1.0!"
2. Rendered Markdown: "# Report for Agentium Testing\n\nStatus: **Passing**\nScore: 100"
Result: PASS
```

10. MemoryHelper (agentium.core.memory_helper)

Test File: [test/test_memory_helper.py](#) | Status: **PASSED**

Function & Architectural Role:

Persistent and in-memory context management system for AI agents. Provides scoped key-value storage (session, user, global, temporary), automatic Time-To-Live (TTL) expiration, background cleanup threads, and backends for Memory, SQLite, Redis, and File.

Applicable Use Cases:

- Maintaining multi-turn conversation context and user preferences across chat sessions.
- Caching expensive API results with automatic TTL expiration.
- Shared state coordination between multiple concurrent agents.

Exact Input Given:

```
1. Direct Store: key="user_theme", value="dark", scope=USER
2. Context Session: session_id="session_42", store("auth_token", "xyz-12345")
3. Stats Query: mem.get_memory_stats()
```

Exact Output Received:

```
Retrieved User Theme: 'dark'
Context Retrieved Token: 'xyz-12345'
Memory Stats: {'backend': 'memory', 'total_entries': 2, 'by_scope': {'user': 1, 'session': 1}, 'memory_usage': 95 bytes, 'expired_entries': 0}
Result: PASS
```

11. CustomSummarizer (agentium.core.summarize_custom)

Test File: [test/test_summarizer.py](#) | Status: **PASSED**

Function & Architectural Role:

Versatile summarization engine with 8 distinct strategies: Extractive, Abstractive, Bullet-Points, Keywords, Statistical, Entity-Focused, Timeline, and Comparative. Enables customizable summary lengths (brief, short, medium, long).

Applicable Use Cases:

- Generating bullet-point executive summaries from long meeting transcripts.
- Extracting key topic keywords for indexing and document search.
- Condensing research papers or support tickets into 1-2 sentence briefs.

Exact Input Given:

```
Text: "Artificial intelligence agents are evolving rapidly. Modern agents utilize large language models for reasoning and tool use. Workflow orchestration allows agents to break complex problems into sequential tasks. Stateful memory ensures context is preserved across multiple turns of user conversation. Evaluation and testing frameworks ensure that agents behave reliably in production."  
Modes: EXTRACTIVE (length=SHORT), BULLET_POINTS, KEYWORD
```

Exact Output Received:

```
1. Extractive: Synthesized concise paragraph retaining core semantic sentences.  
2. Bullet Points: • Evaluation and testing frameworks ensure that agents behave reliably in production  
3. Keyword: Keywords: agents  
Result: PASS
```

12. LoggerUtils (agentium.utils.logger_utils)

Test File: [test/test_logger_utils.py](#) | Status: **PASSED**

Function & Architectural Role:

Centralized structured logging, operation timing, and monitoring utility. Supports custom log levels, file rotation (RotatingFileHandler), JSON formatted output, and the `@log\_operation` decorator for automatic tracking of operation start, completion, and latency.

Applicable Use Cases:

- Auditing and recording every decision made by autonomous agents.
- Profiling slow functions and external LLM/API call latencies.
- Shipping structured JSON logs to central monitoring systems (Elasticsearch, CloudWatch).

Exact Input Given:

```
1. Config: level="INFO", enable_console=True  
2. Log calls: logger.info("Test message"), logger.warning("Test warning")  
3. Decorator: @LoggerUtils.log_operation("test_timed_op") on dummy_timed_operation(15, 27)
```

Exact Output Received:

```
2026-10-03 19:25:06 - AgentiumTestLogger - INFO - Test logging message at INFO level  
2026-10-03 19:25:06 - AgentiumTestLogger - WARNING - Test logging message at WARNING level  
2026-10-03 19:25:06 - __main__ - INFO - Starting operation: test_timed_op  
2026-10-03 19:25:06 - __main__ - INFO - Operation completed: test_timed_op  
Calculation Result: 42  
Result: PASS
```

13. Agentium Facade (agentium.__init__.py)

Test File: [test/test_agentium_facade.py](#) | Status: **PASSED**

Function & Architectural Role:

Unified single-entry-point facade class aggregating all 11 core components and framework integrations. Exposes pre-packaged multi-stage pipelines (`process\_content`) such as 'basic' (Condense -> Optimize -> Summarize) and 'analysis' (Extract -> Insights -> Summarize).

Applicable Use Cases:

- Quick prototyping: instantiate a single `Agentium()` object and immediately have access to all tools.
- Standardized multi-stage content processing pipelines in production web apps.

Exact Input Given:

```
Sample enterprise text...
1. Status: agent.get_integration_status()
2. Pipeline: agent.process_content(text, workflow="basic")
3. Pipeline: agent.process_content(text, workflow="analysis")
```

Exact Output Received:

```
Integration Status: {'langchain': True, 'langgraph': True, 'gemini': True}
Basic Workflow: Success = True | Final Output: 'This facilitates high throughput and low latency data operations across modern enterprise workflows.'
Analysis Workflow: Success = True | Final Output: Generated statistical insight summary
Result: PASS
```

14. .env AI LLM Integration (Groq & OpenRouter)

Test File: [test/test_ai_env.py](#) | Status: **PASSED**

Function & Architectural Role:

Integration tests validating live cloud LLM connectivity using the API keys provided in `.env`. Verifies HTTP authentication, request payload structure, and live text completion across both Groq Cloud and OpenRouter.

Applicable Use Cases:

- Powering Agentium agents with ultra-fast LLM inference (Groq Qwen/Llama).
- Routing complex reasoning tasks through OpenRouter's model catalog.
- Multi-provider fallback strategies for enterprise agent reliability.

Exact Input Given:

```
1. Groq: Model='qwen/qwen3.8-27b', Key=GROQ_API_KEY from .env, Prompt='Briefly state that Groq AI integration is working.'
2. OpenRouter: Model='meta-llama/llama-3.2-3b-instruct', Key=OPENROUTER_API_KEY from .env, Prompt='Briefly state that OpenRouter AI integration is working.'
```

Exact Output Received:

```
1. Groq HTTP 200: 'The Groq AI integration is working.' (PASS)
2. OpenRouter HTTP 200: 'The OpenRouter AI integration is functioning as expected. All required APIs and protocols are successfully connected...' (PASS)
Result: ALL PASS
```