< Previous Next >

≡ Hide menu

Lecture: Part of Speech Tagging

- ✔ Video: Week Introduction
- **Video:** Part of Speech Tagging
- Reading: Part of Speech Tagging
- Lab: Lecture Notebook Working with text files
- **Video:** Markov Chains
- Reading: Markov Chains
- **⊘ Video:** Markov Chains and POS Tags
- Reading: Markov Chains and POS Tags 6 min
- ✔ Video: Hidden Markov Models
- Reading: Hidden Markov Models
- ✔ Video: Calculating Probabilities
- Reading: Calculating Probabilities 5 min
- Matrix 4 min
- Reading: Populating the Transition Matrix
- ▶ Video: Populating the Emission Matrix 2 min
- Reading: Populating the Emission Matrix 5 min
- **Lab:** Lecture Notebook Working with tags and Numpy 20 min
- 4 min
- Reading: The Viterbi Algorithm 5 min
- 2 min
- Reading: Viterbi Initialization
- Video: Viterbi: Forward Pass
- Reading: Viterbi: Forward Pass
- (>) Video: Viterbi: Backward Pass
- Reading: Viterbi: Backward Pass


Calculating Probabilities

Here is a visual representation on how to calculate the probabilities:




transition probability: + = $\frac{2}{3}$

The number of times that blue is followed by purple is 2 out of 3. We will use the same logic to populate our transition and emission matrices. In the transition matrix we will count the number of times tag t(i-1), t(i) show up near each other and divide by the total number of times t(i-1) shows up (which is the same as the number of times it shows up followed by anything else).



- 1. Count occurrences of tag pairs $C(t_{i-1},t_i)$
- 2. Calculate probabilities using the counts



 $C(t^{(i-1)},t^{(i)})$ is the count of times tag(i-1) shows up before tagi. From this you can compute the probability that a tag shows up after another tag.

Mark as completed