

< Previous Next >


≡ Hide menu

Lecture: Part of Speech Tagging

- **Video:** Week Introduction 1 min
- **Video:** Part of Speech Tagging 2 min
- Reading: Part of Speech Tagging
- Lab: Lecture Notebook Working with text files
- Video: Markov Chains
- Reading: Markov Chains 3 min
- Video: Markov Chains and POS Tags 4 min
- Reading: Markov Chains and POS Tags 6 min
- **Video:** Hidden Markov Models 3 min
- Reading: Hidden Markov Models 6 min
- **Video:** Calculating Probabilities 3 min
- Reading: Calculating Probabilities 5 min
- ✓ Video: Populating the Transition Matrix
 4 min
- Reading: Populating the Transition Matrix
- ✔ Video: Populating the Emission Matrix2 min
- Reading: Populating the Emission Matrix5 min
- Lab: Lecture Notebook Working with tags and Numpy
 20 min
- **Video:** The Viterbi Algorithm 4 min
- Reading: The Viterbi Algorithm5 min
- Video: Viterbi: Initialization 2 min
- Reading: Viterbi Initialization5 min
- Video: Viterbi: Forward Pass
- Reading: Viterbi: Forward Pass 10 min
- Video: Viterbi: Backward Pass
- Reading: Viterbi: Backward Pass


The Viterbi Algorithm

The Viterbi algorithm makes use of the transition probabilities and the emission probabilities as follows.





To go from π to O you need to multiply the corresponding transition probability (0.3) and the corresponding emission probability (0.5), which gives you 0.15. You keep doing that for all the words, until you get the probability of an entire sequence.





Probability for this sequence of hidden states: 0.0003

You can then see how you will just pick the sequence with the highest probability. We will show you a systematic way to accomplish this (Viterbi!).

Mark as completed

🖒 Like

Dislike

□ Report an issue