PROFESSIONAL TRAINING REPORT

at

Sathyabama Institute of Science and Technology (Deemed to be University)

Submitted in partial fulfillment of the requirements for the award of Bachelor of Engineering in Computer Science and Engineering

By

KOMMANA BHANU SIVA KUMAR (Reg. No. 37110352)



DEPARTMENT OF COMPUTER SCINCE AND ENGINEERING SCHOOL OF COMPUTING

SATHYABAMA INSTITUTE OF SCINCE AND TECHNOLOGY (DEEMED TO BE UNIVERSITY)

JEPPIAAR NAGAR, RAJIV GANDHI SALAI,

CHENNAI – 600 119 ,TAMILNADU

AUGUST 2020



SATHYABAMA

INSTITUTE OF SCIENCE AND TECHNOLOGY (DEEMED TO BE UNIVERSITY)



Accredited with Grade "A" by NAAC

JEPPIAAR NAGAR, RAJIV GANDHI SHALAI, CHENNAI – 600 119

www.sathyabama.ac.in

DEPARTMENT OF COMPUTER SCIENCE AND ENGINEERING BONAFIDE CERTIFICATE

This is to certify that this Project Report is the bonafide work of **KOMMANA BHANU SIVA KUMAR (Reg. No. 37110352)** who carried out the project entitled "**LIFE STYLE STORE PAGE**" under our supervision from November 2019 to April 2020

Internal Guide
Dr. S. PRAYLA SHYRY, M.E., Ph.D.,

Head of the Department Dr. S. VIGNESHWARI, M.E., Ph.D.,

Submitted for Vivo voce Examination held on	

Internal Examiner

External Examiner

DECLERATION

I KOMMANA BHANU SIVA KUMAR (Reg. No. 37110352) hereby declare that the

Project Report entitled "LIFE STYLE STORE PAGE" done by me under the

guidance of Dr. S. PRAYLA SHYRY, M.E., Ph.D., is submitted in partial fulfillment

of the requirements for the award of Bachelor of Engineering degree in Computer

Science and Engineering

DATE:

PLACE:

SIGNATURE OF THE CANDIDATE

ACKNOWLEDGEMENT

I am pleased to acknowledge my sincere thanks to Board of management of SATHYABAMA for their kind encouragement in doing this project and for completing it successfully. I am grateful to them.

I convey my thanks to Dr. T. SASIKALA M.E., Ph.D., Dean, School of Computing and Dr. S. VIGNESHWARI M.E., Ph.D., Head of the Department, Department of Computer Science and Engineering for providing me the necessary support and details at the right time during the progressive reviews.

I would like to express my sincere and deep sense of gratitude to my Project Guide **Dr. S. PRAYLA SHYRY, M.E., Ph.D.,** for her valuable guidance, suggestions and constant encouragement paved way for the successful completion of my project work.

I wish to express my thanks to all Teaching and Non-teaching staff members of the Department of Computer Science and Engineering who were helpful in many ways for the completion of the project.

TRAINING CERTIFICATE



ABSTRACT

Life style web page is a form of electronic commerce which allows consumers to buy goods like watches, clothes etc.. over internet using web browsers in laptop, desktop, mobile and tablets. This project deals with developing website that's show about products available and there spec and cost price. It provides the user with a catalog of different types of products available for purchase in online shopping sites. The Life style web page is developed to allow consumer to know all about the products available at reasonable prices and the best product before going to buy it and also to view different types of products in one site. This page provides different products that you can see and buy it. And you should signup to that page before logging in. So you can buy things you need.

TABLE OF CONTENTS

CHAPTER.NO	TITLE	PAGE.NO
	ABSTRACT	V
	LIST OF FIGURES	vii
	LIST OF ABBREVIATIONS	ix
1	INTRODUCTION	
	1.1 ABOUT PAGE	1
	1.2 INTRODUCTION TO WEB PAGE	1
2	AIM AND SCOPE	
	2.1 AIM	2
	2.2 SCOPE	2
3	MATERIALS AND METHODS	
	3.1 INTRODUCTION UI DEVELOPMENT	3
	3.1.1 HTML	3
	3.1.2 CSS	3
	3.1.3 BOOTSTRAP	4
	3.2 PHP	5
	3.3 SQL	5
4	SYSTEM IMPLEMENTATION	
	4.1 LINKING BOOTSTRAP TO HTML	6
	4.2 LINKING JQUERY TO HTML	6
	4.3 CREATING SQL	7
5	CODE DESCRIPTION	
	5.1 INDEX PAGE	9
	5.2 PRODUCTS PAGE	9
	5.3 CART PAGE	10
	5.4 SETTINGS PAGE	10
6	SYSTEM REQUIREMENT	
	6.1 SOFTWARE REQUIREMENT	12
	6.2 HARDWARE REQUIREMENT	12

7	CONCLUSION	13
	APPENDIX	
	a) SOURCE CODE	15
	b) SCREENSHOTS	26

LIST OF FIGURES

FIGURE.NO	TITLE	PAGE.NO
4.3.1	CREATING DATA BASE	7
4.3.2	IMPORTING SQL	7
4.3.3	ASSIGNING VALUES	8
8.1	HOME PAGE	26
8.2	SIGNUP PAGE	26
8.3	LOGIN PAGE	27
8.4	SETTINGS PAGE	27
8.5	PRODUCTS PAGE	28
8.6	CART PAGE	28
8.7	CONFIRM PAGE	29
8.8	LOGOUT PAGE	29

LIST OF ABBREVIATIONS

ABBREVIATION		EXPANSION
SQL	-	Standardized Query Language
HTML	-	Hyper Text Markup Language
CSS	-	Cascading Style Sheet
PHP	-	Personal Home Page

INTRODUCTION

1.1 ABOUT PAGE

The project entitled "Life Style store page" enables customer to buy products and know about the different type of products available and there prices and they can buy from anywhere through online. This application advertises some of the products for shopping. To buy products, customer has to first sign up to the page if the customer is new to the site else they can directly log in to the page and they can consume there products. Customers can view about the products and the cost price of it and if want they can buy it. So any one can view the page and the products available there prices and all information they want but to buy a product they need to have account. Then they can buy products from anywhere through online.

1.2 INTRODUCTION TO WEB PAGE

Web page is a document that is suitable for the World Wide Web and web browsers. A web browser displays a web page on a monitor or mobile device. The web page is what displays, but the term also refers to a computer file, usually written in HTML or comparable markup language. Web browsers coordinate the various web resource elements for the written web page, such as style sheets, scripts, and images, to present the web page. Typical web pages provide hypertext that includes a navigation bar or a sidebar menu to other web pages via hyperlinks, often referred to as links. On a network, a web browser can retrieve a web page from a remote web server. On a higher level, the web server may restrict access to only a private network such as a corporate intranet or it provides access to the World Wide Web. On a lower level, the web browser uses the Hypertext Transfer Protocol (HTTP) to make such requests. A static web page is delivered exactly as stored, as web content in the web server's file system, while a dynamic web page is generated by a web application that is driven by server- side software or client-side scripting. Dynamic website pages help the browser (the client) to enhance the web page through user input to the server

AIM AND SCOPE

2.1 AIM

The aim is to provide different types of life style products available in the page so that the can view the products from anywhere anytime from any device through online. This makes easier for customers to buy things they want from there place at reasonable prices.

2.2 SCOPE

- Responsive web design, makes page look good on all devices by using HTML,PHP,SQL,CSS.
- To make the products available for customer through any device through online.
- To provide a platform for customers where they can view and buy different products.
- It will make easier for customer to bu a product.

MATERIALS AND METHODS

3.1 INTRODUCTION TO UI DEVELOPMENT

UI development means User Interface, which is required to creating a web site. Technologies that are mostly used to develop a User Interface are:

- HTML
- CSS
- PHP
- SQL

3.1.1 HTML

Hypertext Markup Language (HTML) is the standard markup language for creating web pages and web applications. With Cascading Style Sheets (CSS) and JavaScript it forms a triad of cornerstone technologies for the World Wide Web. Web browsers receive HTML documents from a webserver or from local storage and render them into multimedia web pages. HTML describes the structure of a web page semantically and originally included cues for the appearance of the document. HTML can embed programs written in a scripting language such as JavaScript which affect the behavior and content of web pages. Inclusion of CSS defines the look and layout of content. The World Wide Web Consortium (W3C), maintainer of both the HTML and the CSS standards, has encouraged the use of CSS over explicit presentational HTML since 1997.

3.1.2 CSS

CSS Cascading Style Sheets (CSS) is a style sheet language used for describing the presentation of a document written in a markup language. Although most often used to set the visual style of web pages and user interfaces written in HTML and XHTML, the language can be applied to any XML document, including plain XML, SVG and XUL, and is applicable to rendering in speech, or on other media. Along with HTML and JavaScript, CSS is a cornerstone technology used by most websites

to create visually engaging webpages, user interfaces for web applications, and user interfaces for many mobile applications.

Changes to the graphic design of a document (or hundreds of documents) can be applied quickly and easily, by editing a few lines in the CSS file they use, rather than by changing markup in the documents. The CSS specification describes a priority scheme to determine which style rules apply if more than one rule matches against a particular element. In this so-called cascade, priorities (or weights) are calculated and assigned to rules, so that the results are predictable. The CSS specifications are maintained by the World Wide Web Consortium (W3C). Internet media type (MIME type) text/css is registered for use with CSS by RFC 2318 (March 1998). The W3C operates a free CSS validation service for CSS documents.

Types of CSS:

- Inline CSS: In this CSS is applied in between the tags.
- External CSS: In this the CSS code is written on another page and is linked to the HTML page. It is advantageous to use this type of styling as we can use the same file to style various HTML pages. External CSS uses the extension.

3.1.3 BOOTSTRAP

Bootstrap is a free and open-source front-end web framework for designing websites and web applications. It contains HTML- and CSS-based design templates for typography, forms, buttons, navigation and other interface components, as well as optional JavaScript extensions. Unlike many web frameworks, it concerns itself with front-end development only.

Bootstrap is the second most-starred project on GitHub, with more than 107,000 stars and 48,000 forks. Bootstrap, originally named Twitter Blueprint, was developed by Mark Otto and Jacob Thornton at Twitter as a framework to encourage consistency across internal tools. Before Bootstrap, various libraries were used for interface development, which led to inconsistencies and a high maintenance burden.

3.2 PHP

PHP is an intuitive, server-side scripting language. Like any other scripting language, it allows developers to build logic into the creation of web page content and handle data returned from a web browser. PHP also contains a number of extensions that make it easy to interact with databases, extracting data to be displayed on a web page and storing information entered by a web site visitor back into the database.

PHP consists of a scripting language and an interpreter. Like other scripting languages, PHP enables web developers to define the behavior and logic they need in a web page. These scripts are embedded into the HTML documents that are served by the web server. The interpreter takes the form of a module that integrates into the web server, converting the scripts into commands the computer then executes to achieve the results defined in the script by the web developer.

3.3 **SQL**

Originally based upon relational algebra and tuple relational calculus, SQL consists of a data definition language, data manipulation language, and data control language. The scope of SQL includes data insert, query, update and delete, schema creation and modification, and data access control. Although SQL is often described as, and to a great extent is, a declarative language (4GL), it also includes procedural elements.

SQL was one of the first commercial languages for Edgar F. Codd's relational model, as described in his influential 1970 paper, "A Relational Model of Data for Large Shared Data Banks." Despite not entirely adhering to the relational model as described by Codd, it became the most widely used database language. SQL became a standard of the American National Standards Institute (ANSI) in 1986, and of the International Organization for Standardization (ISO) in 1987. Since then, the standard has been revised to include a larger set of features. Despite the existence of such standards, most SQL code is not completely portable among different database systems without adjustments.

SYSTEM IMPLEMENTATION

4.1 LINKING BOOTSTRAP TO HTML

- **Step 1:** To download bootstrap v3.4.1 visit the website
- https://getbootstrap.com/docs/3.4/ and Click the "Download Bootstrap"
- **Step 2:** Once the Download is completed, Copy the downloaded folder and paste it in project file
- Step 3: Then, after pasting the folder, link it by commands in HTML

page as follow, <html>

- <head>
- k rel="stylesheet" href="bootstrap/css/bootstrap.min.css" type="text/css">
- <script src="bootstrap/js/bootstrap.min.js"></script>
- </head>
- </html>

4.2 LINKING JQUERY TO HTML

- Step 1: Go to this link http://jquery.com/download/
- **Step 2:** Click on the "Download the compressed, production jQuery 3.4.1"
- **Step 3:** Then, press Ctrl+A to select all and copy then paste it to notepad then save it as "jquery.min.js"
- **Step 4:** Copy jquery.min.js file and paste in "js" folder which is in bootstrap folder
- **Step 5:** After all that process, link it to HTML page. Like follow
- <html>
- <head>
- k rel="stylesheet" href="bootstrap/css/bootstrap.min.css" type="text/css">
- <script src="bootstrap/js/jquery.min.js"></script>
- <script src="bootstrap/js/bootstrap.min.js"></script>
- </head>
- </html>

4.3 CREATING SQL

Step 1: Creating Database




Fig 4.3.1 creating database

Step 2: After creating database, import sql file in that database



Fig 4.3.2 importing sql file

Step 3: Then, assign values to table




Fig 4.3.1 assigning values to table

CODE DESCRIPTION

5.1 index page

In index.php file it contains header.php and footer.php and we have a initial page description code.Which contains the first basic page i.e., the content in the web page and shop now button that leads to products page.

And in header page we have lifestyle button, login and signup buttons. If it is already a logged in page then we have logout, settings and cart button. The lifestyle button refresh the page and sign up page asks some information like email, phone, address and name. That helps you to place orders and login to your account when you use. And you can login if you already have an account and you can add products into your cart and from cart you can checkout.

5.2 products page

In products page we have all the products available in the page and there prices and there specifications. And from the available products we can choose the best product and we can add them to the cart. We have different types of products and there specs and you can view all the products and you can buy them.

```
<img src="images/nikon.jpg" alt="camera">
<h3>Nikon</h3>
Price: <i class="fa fa-rupee"></i> 180,000
```

And when u press add to cart button then it adds the product in cart and it displays product added in the cart.

```
<?php if(!isset($_SESSION["email_id"])){ ?>
<a href="login.php" type="button" class="btn btn-primary">Add to cart</a>
<?php }else{ ?>
```

```
<?php if(check_if_added_to_cart(4)){ ?>
<a href="#" class="btn btn-success" disabled>Added to cart</a>
<?php }else{ ?>
<a href="cart-add.php?id=4" name="add" value="add" class"btn btn-primary">Add to cart</a>
<?php }</pre>
```

It will check whether the item you selected is already present in the cart or not.if it already in the cart then it shows added in cart or it will add to the cart.

5.3 cart page

The products that we added in the cart we can view the products added in the cart in my cart. We can view all the products with there id and cost and it will calculate the total cost of the products available in my cart and then if we want we can remove the products from cart and we can checkout and place the order.

```
<?php while($row = mysqli_fetch_array($result)){ ?>

<?php echo $row["id"] ?>
<?php echo $row["name"] ?>
<?php echo $row["name"] ?>
<?php $total += $row["price"]; echo $row["price"] ?>
<<td><?php $total += $row["price"]; echo $row["id"]; ?>">Remove</a>
```

5.4 settings page

In settings page we can change the account password we can set the new password. We have to login first then we have settings button and then we can change our password.

```
$user_id = $_SESSION["id"];
$email = $_SESSION["email_id"];
$new_password = md5(mysqli_real_escape_string($conn, $_POST["new_pass"]));
$retype_pass=md5(mysqli_real_escape_string($conn,
$_POST["retype_new_pass"]));
if($new_password != $retype_pass){
   echo "The passwords do not match. Try again.";}
else{
```

```
$query = "UPDATE users SET password = '$new_password' WHERE email =
'$email' AND id = '$user_id'";

$result = mysqli_query($conn, $query) or die(mysqli_error($conn));

header("location: settings.php");
}
```

SYSTEM REQUIREMENTS

6.1 SOFTWARE REQUIREMENTS

Operaying System Window 7 Onwards

Compiler: NetBeans IDE 8.2

Database: Any Database

Bootstrap: Version 3.4.1

jQuery: Version 3.4.1 PHP Version 3.4.1

SERVER WAMP,XAMPP

6.2 HARDWARE REQUIREMENTS

Processor: intel Pentium 2

RAM: 512MBHard Disk Drive: 10GB

• Video: 800X600, 256 colors

CONCLUSIONS

Technology has made significant progress over the years to provide consumers a better online shopping experience and will continue to do so for years to come. With the rapid growth of products and brands, people have speculated that online shopping will overtake in-store shopping. While this has been the case in some areas, there is still demand for brick and mortar stores in market areas where the consumer feels more comfortable seeing and touching the product being bought. However, the availability of online shopping has produced a more educated consumer that can shop around with relative ease without having to spend a large amount of time. In exchange, online shopping has opened up doors to many small retailers that would never be in business if they had to incur the high cost of owning a brick and mortar store. At the end, it has been a win-win situation for both consumer and sellers.

REFERENCES

- W3schools (Provides html, css and bootstrap examples for free) Link: https://www.w3schools.com
- Internshala
- You Tube

Link: https://www.youtube.com/watch?v=KkhdeeXJo6I

Bootstrap

Link: https://getbootstrap.com

APPENDIX

a)source code-

```
index.php-
<?php
      if(isset($_SESSION["email_id"])){
             header("location: products.php");
      require "./includes/common.php";
?>
<!DOCTYPE html>
<html>
   <head>
      <title>LifeStyle Stores</title>
             <!-- link to external CSS -->
             k rel="stylesheet" type="text/css" href="index.css">
  </head>
  <body>
      <?php
             require './includes/header.php';
      ?>
      <div id="banner-image">
         <div class="container">
             <div id="banner content">
               <h1>We sell lifestyle</h1>
               Flat 40% OFF
              <a href="products.php">
              <button class="btn btn-danger btn-lg active">Shop Now</button>
              </a>
             </div>
         </div>
      </div>
      <?php
             require './includes/footer.php';
             ?>
     </body>
</html>
header.php-
<nav class="nav navbar-inverse navbar-fixed-top">
  <div class="container">
      <div class="navbar-header">
      <button type="button" class="navbar-toggle" data-toggle="collapse" data-
target="#mynavBar">
```

```
<span class="icon-bar"></span>
      <span class="icon-bar"></span>
      <span class="icon-bar"></span>
      </button>
      <a href="index.php" class="navbar-brand">LifeStyle Stores</a>
  </div>
  <div class="collapse navbar-collapse" id="mynavBar">
  <?php
      if(isset($_SESSION["email_id"])){
   ?>
   ul class="nav navbar-nav navbar-right">
   <a href="cart.php"><span class="glyphicon glyphicon-shopping-cart"></a>
</span> Cart</a>
    <a href="settings.php"><span class="glyphicon glyphicon-user"></span>
Settings</a>
    <a href="logout.php"><span class="glyphicon glyphicon-log-out"></span>
Logout</a>
    <?php
      }else{
      ?>
    ul class="nav navbar-nav navbar-right">
    <a href="login.php"><span class="glyphicon glyphicon-log-in"></span>
Login</a>
      <a href="signup.php"><span class="glyphicon glyphicon-user"></span>
SignUp</a>
      <?php
      ?>
      </div>
  </div>
</nav>
footer.php-
<footer>
<div class="container">
      Copyright <span class="glyphicon glyphicon-copyright-mark"></span>
LifeStyle Stores.
      All Rights Reserved | Contact Us: +91 90000 00000
</div>
</footer>
```

cart.php-

```
<?php
  require './includes/common.php';
  if(!isset($_SESSION["email_id"])){
    header("location: login.php");
  }
?>
<!DOCTYPE html>
<html>
  <head>
    <title>My Cart</title>
    <!-- link to Bootstrap minified css-->
           <!-- link to external CSS -->
           k rel="stylesheet" type="text/css" href="index.css">
  </head>
 <body>
   <?php
     require './includes/header.php';
      $user_id = $_SESSION["id"];
      $query = "SELECT p.id, p.name, p.price FROM items p INNER JOIN
users_items up ON up.item_id = p.id WHERE up.user_id = '$user_id' AND
up.status = 'Added to cart'";
     $result = mysqli_query($conn, $query) or die(mysqli_error($conn));
      if(mysgli num rows($result) == 0){
        echo '<h4 class="container panel-margin">Add products to cart first.
Goto <a href="products.php">Products</a> page.</h4>';
      }else{
      total = 0;
    ?>
   <div class="container panel-margin">
      Item Number
           Item Name
           Price
           <?php while($row = mysqli_fetch_array($result)){ ?>
           <?php echo $row["id"] ?>
           <?php echo $row["name"] ?>
           <?php $total += $row["price"]; echo $row["price"] ?>
           <a href="cart-remove.php?id=<?php echo $row["id"];
?>">Remove</a>
```

```
<?php
   ?>
    <
         Total: <i class="fa fa-rupee"></i> <?php echo $total; ?>
      <a href="success.php" class="btn btn-primary">ConfirmOrder</a>
         </div>
    <?php
      }
       require './includes/footer.php';
    ?>
  </body>
</html>
cart_add.php-
<?php
  require './includes/common.php';
  $item_id = $_GET["id"];
  $user id = $ SESSION["id"];
  $query = "INSERT INTO users_items(user_id, item_id, status)
VALUES('$user_id', '$item_id', 'Added to cart')";
  $query_result = mysqli_query($conn, $query);
  header("location: products.php");
?>
login.php-
<?php
      require "./includes/header.php";
?>
<div class="container panel-margin">
      <div class="panel panel-default">
            <div class="panel-heading">
                   <h3 class="panel-title">Login to make purchase</h3>
            </div>
            <div class="panel-body">
                   <form action="login_submit.php" method="post">
                   <div class="form-group">
                         <input type="email" class="form-control" id="email"
name="email" placeholder="Email" required>
                   </div>
```

```
<div class="form-group">
                          <input type="password" class="form-control"</pre>
id="password" name="password" placeholder="Password" required>
                   </div>
                   <button type="submit" class="btn btn-primary">Login</button>
                   </form>
             </div>
             <div class="panel-footer">
             Don't have an account? Click <a href="signup.php">here</a> to
create one.
             </div>
      </div>
</div>
<?php
      require "./includes/footer.php";
?>
login_submit.php-
<?php
  require "./includes/common.php";
  $email = mysqli_real_escape_string($conn, $_POST["email"]);
  $password = mysqli_real_escape_string($conn, $_POST["password"]);
  $hashed_password = md5($password);
  $query = "SELECT * FROM users WHERE email = '$email' AND password =
'$hashed password'";
  $query_result = mysqli_query($conn, $query);
  if(mysqli_num_rows($query_result) == 0){
    echo "User account does not exists.";
  }else{
    $row = mysqli_fetch_array($query_result);
    $_SESSION["email_id"] = $email;
    $ SESSION["id"] = $row["id"];
    header("location: products.php");
  }
?>
signup.php-
<?php
      require "./includes/header.php";
?>
<div class="container panel-margin">
      <div class="panel panel-default">
             <div class="panel-heading">
                   <h2 class="panel-title">SignUp</h2>
```

```
</div>
             <div class="panel-body">
                    <form method="post" action="signup_script.php">
                    <div class="form-group">
                          <input type="text" class="form-control" name="name"
placeholder="Name" required>
                    </div>
                    <div class="form-group">
                          <input type="email" class="form-control" name="email"</pre>
placeholder="Email" required>
                    </div>
                    <div class="form-group">
                          <input type="password" class="form-control"
name="password" placeholder="Password" required>
                    </div>
                    <div class="form-group">
                          <input type="number" class="form-control"
name="contact" placeholder="Contact" required>
                    </div>
                    <div class="form-group">
                          <input type="text" class="form-control" name="city"
placeholder="City" required>
                    </div>
                    <div class="form-group">
                          <input type="text" class="form-control"
name="address" placeholder="Address" required>
                    </div>
                    <button type="submit" class="btn primary">Submit</button>
                    </form>
             </div>
             <div class="panel-footer">
                    Already have an account?Click <a href="login.html">here</a>
to create one.
             </div>
      </div>
</div>
<?php require "./includes/footer.php";</pre>
?>
signup_script.php-
<?php
  require "./includes/common.php";
  $email = mysqli_real_escape_string($conn, $_POST["email"]);
  $name = mysqli_real_escape_string($conn, $_POST["name"]);
  $password = mysqli_real_escape_string($conn, $_POST["password"]);
```

```
$contact = mysqli_real_escape_string($conn, $_POST["contact"]);
  $city = mysgli real escape string($conn, $ POST["city"]);
  $address = mysgli real escape string($conn, $ POST["address"]);
  $hashed_password = md5($password);
  $query1 = "SELECT id FROM users WHERE email = '$email' AND password =
'$hashed password'":
  $query1 = "INSERT INTO users (name, email, password, contact, city, address)
VALUES ('$name', '$email', '$hashed password', '$contact', '$city', '$address')";
  $result = mysqli_query($conn, $query1);
  if(mysqli_num_rows($result) > 0){
    echo "Email id already exists. Try another";
  }else{
    $result = mysqli_query($conn, $query2);
    $_SESSION["email_id"] = $email;
    $_SESSION["id"] = mysqli_insert_id($conn);
    header("location: products.php");
  }
?>
logout.php-
<?php
      require './includes/header.php';
?>
<div class="container panel-margin">
     <div class="alert alert-success">
         You have successfully logged out. Click <a href="index.php">here</a>
to go back to index page.
      </div>
 </div>
<?php
      require './includes/footer.php';
?>
settings.php-
<?php
      require './includes/header.php';
?>
<div class="container panel-margin">
      <div class="panel panel-default">
             <div class="panel-heading">
                   <h2 class="panel-title">Change Password</h2>
             </div>
             <div class="panel-body">
                   <form actiom="settings_script.php" method="post">
```

```
<div class="form-group">
                          <input type="password" class="form-control"</pre>
name="old pass" placeholder="Old Password" required>
                   </div>
                   <div class="form-group">
                          <input type="password" class="form-control"
name="new_pass" placeholder="New Password" required>
                   </div>
                   <div class="form-group">
                          <input type="password" class="form-control"</pre>
name="retype new pass" placeholder="Re-type New Password" required>
                   </div>
                   <button type="submit" class="btn-primary">Change</button>
                   </form>
              </div>
      </div>
</div>
<?php
      require './includes/footer.php';
?>
Setting_script.php-
<?php
      require './includes/common.php';
      if(!isset($ SESSION["email id"])){
             header("location: index.php");
      }else{
     $user_id = $_SESSION["id"];
     $email = $ SESSION["email id"];
     $new_password = md5(mysqli_real_escape_string($conn,
$_POST["new_pass"]));
     $retype_pass = md5(mysqli_real_escape_string($conn,
$_POST["retype_new_pass"]));
    if($new_password != $retype_pass){
       echo "The passwords do not match. Try again.";
    }else{
       $query = "UPDATE users SET password = '$new_password' WHERE
email = '$email' AND id = '$user id'";
       $result = mysqli_query($conn, $query) or die(mysqli_error($conn));
       header("location: settings.php");}
?>
```

success.php-

```
<?php
       require './includes/header.php';
       $user_id = $_SESSION["id"];
       $query = "SELECT item_id FROM users_items WHERE user_id =
'$user_id'";
       $result = mysqli_query($conn, $query) or die(mysqli_error($conn));
       while($row = mysqli_fetch_array($result)){
         $item_id = $row["item_id"];
         $query1 = "UPDATE users items SET status = 'Confirmed' WHERE
item_id = '$item_id'";
         $result1 = mysqli_query($conn, $query1) or die(mysqli_error($conn));
?>
<div class="container panel-margin">
       <div class="alert alert-success">
         Your order is confirmed. Thank you for shopping with us.
         <a href="products.php">Click here</a> to purchase any other item.
       </div>
 </div>
 <?php
       require './includes/footer.php';
 ?>
products.php-
<?php
      require './includes/header.php';
      require './includes/check-if-added.php';
?>
<div class="container panel-margin">
      <div class="jumbotron">
             <h1>Welcome to our LifeStyle Store!</h1>
             We have the best cameras, watches and shirts for you. No need
to hunt around, we have all in one place.
      </div>
      <div class="row text-center">
             <div class="col-md-3 col-sm-6">
                   <div class="thumbnail">
                          <img src="images/camera.jpg" alt="camera">
                          <div class="caption">
                                 <h3>Nikon 1</h3>
                                 Price: <i class="fa fa-rupee"></i>80,000
                                 <?php if(!isset($_SESSION["email_id"])){ ?>
```

```
<a href="login.php" type="button" class="btn btn-
primary">Add to cart</a>
                                 <?php }else{ ?>
                                 <?php if(check_if_added_to_cart(1)){ ?>
                                 <a href="#" class="btn btn-success"
disabled>Added to cart</a>
                                 <?php }else{ ?>
                                 <a href="cart-add.php?id=1" name="add"
value="add" class"btn btn-primary">Add to cart</a>
                                 <?php }
                                 } ?>
                          </div>
                    </div>
             </div>
             <div class="col-md-3 col-sm-6">
                    <div class="thumbnail">
                          <img src="images/canon.jpg" alt="camera">
                          <div class="caption">
                                 <h3>Canon</h3>
                                 Price: <i class="fa fa-rupee"></i120000</p>
                                 <?php if(!isset($_SESSION["email_id"])){ ?>
                                 <a href="login.php" type="button" class="btn btn-
primary">Add to cart</a>
                                 <?php }else{ ?>
                                 <?php if(check_if_added_to_cart(2)){ ?>
                                 <a href="#" class="btn btn-success"
disabled>Added to cart</a>
                                 <?php }else{ ?>
                                 <a href="cart-add.php?id=2" name="add"
value="add" class"btn btn-primary">Add to cart</a>
                                 <?php }
                                 } ?>
                          </div>
                    </div>
             </div>
             <?php
                    require './includes/footer.php';
             ?>
index.css-
#banner-image {
      padding-top: 75px;
      padding-bottom: 50px;
```

```
text-align: center;
       color: #f8f8f8;
       background: url("images/intro-bg_1.jpg");
       background-position: center;
       background-repeat: no-repeat;
       background-size: cover;
#banner_content {
       position: relative;
       padding-top: 6%;
       padding-bottom: 6%;
       margin: 12% auto;
      background-color: rgba(0, 0, 0, 0.7);
       max-width: 660px;
footer {
      position: fixed;
       padding: 10px 0;
       text-align: center;
       bottom: 0;
       background-color: #101010;
       color: #9d9d9d;
       width: 100%;
.panel-margin {
       margin-top: 80px;
       margin-bottom: 80px;
.text-centre {
       text-align: center;
}
```

b) SCREEN SHOTS-

Fig 8.1- Home page-





Fig 8.2- SignUP page-



Copyright (© LifeStyle Stores. All Rights Reserved | Contact Us: +91 90000 000

Fig 8.3- Login page-




Fig 8.4- Settings page-




Fig 8.5- Products page-




Fig 8.6- Cart page-




Fig 8.7- confirmed status-




Fig 8.8- logout page-

