COMMERCIAL PROPERTY INSURANCE BROKER SUBMISSION

Insured:

Apex Logistics REIT LLC

Multi-Location Industrial Portfolio | 4 Locations Across 4 States

Submission Detail	Information
Submission Date	March 17, 2026
Requested Effective Date	April 1, 2026
Policy Period	April 1, 2026 — March 31, 2027
Total Insured Value (TIV)	$82,240,000
Number of Locations	4 (Houston TX | Miami FL | Chicago IL | Los Angeles CA)
Expiring Annual Premium	$498,600
Target Premium Range	$470,000 – $510,000
Submitting Broker	Pinnacle Commercial Insurance Brokers LLC
Broker Contact	David R. Okonkwo, CIC | (312) 555-0177 | d.okonkwo@pinnaclecib.com

PINNACLE COMMERCIAL INSURANCE BROKERS LLC
200 W Monroe St, Suite 2100 | Chicago, IL 60606 | License No. IL-0443812

SECTION 1 — BROKER COVER LETTER

March 17, 2026

Dear Underwriter,

Pinnacle Commercial Insurance Brokers LLC is pleased to present this commercial property submission on behalf of Apex Logistics REIT LLC ("Apex" or the "Insured"), a privately-held industrial real estate investment trust headquartered in Chicago, Illinois. We have served as the Insured's exclusive property broker since 2019 and are seeking competitive renewal terms effective April 1, 2026.

Apex owns and manages a portfolio of modern fire-resistive and masonry non-combustible light industrial and warehouse facilities across four key U.S. logistics markets: Houston (TX), Miami (FL), Chicago (IL), and Los Angeles (CA). Properties range from 96,000 to 210,000 square feet and are fully leased to creditworthy tenants in last-mile logistics, e-commerce distribution, and third-party logistics (3PL) sectors.

Key submission highlights:

- Portfolio TIV of $82,240,000 across 4 locations — values based on independent replacement cost appraisals using Cotality Marshall & Swift RCT Express (November 2025). Cotality is the March 2025 rebrand of CoreLogic; Marshall & Swift remains the industry gold standard for commercial replacement cost estimation.
- Five-year loss history reflects two attritional losses totaling $70,200 — a 1.4% five-year loss ratio against $4,986,000 in cumulative premiums. Zero fire, liability, or CAT losses in the period.
- All four locations are 100% NFPA 13 wet-pipe sprinklered with UL-listed central station monitoring. Three of four locations maintain 24/7 licensed guard service.
- Roofs at LOC-2 (Miami, replaced 2022) and LOC-4 (Los Angeles, replaced 2019) are in excellent condition with current manufacturer warranties. All four locations carry current roof inspection reports.
- LOC-2 (Doral, FL — Miami-Dade County): The property fully complies with the Florida Building Code, 7th Edition (2023), effective December 31, 2023 — including HVHZ wind-speed design (185 mph, 3-sec gust per ASCE 7-22), impact-resistant glazing (Miami-Dade NOA-approved), and the 2022 roof replacement carrying Miami-Dade NOA No. 22-0411.03. Structural engineer re-certification and continuous load path verification completed 2024. Full FBC 7th Edition compliance package enclosed as Exhibit P.
- LOC-4 (Compton, CA): CAT-elevated profile driven by Very High wildfire exposure (CAL FIRE VHFHSZ score 82) and seismic PML of 20% (USGS LA County). Mitigants include FR Class 6 tilt-up construction, 100% NFPA 13 wet-pipe sprinklers, and a formal ISO 31000 ERM program. Phase II environmental assessment completed clean.
- LOC-3 (Cicero, IL): 1998-vintage MNC building with moderate deferred maintenance (dock door seals and parking lot). Remediation timeline enclosed. All Phase I environmental follow-up items resolved.
- Remarketing is voluntary. Expiring carrier (Travelers) issued a +12% portfolio-wide rate indication driven by reinsurance market conditions — not account-specific loss experience.

We are targeting a premium in the range of $470,000–$510,000 and request quotations by March 30, 2026.

Respectfully submitted,

David R. Okonkwo, CIC
Senior Vice President, Commercial Lines
Pinnacle Commercial Insurance Brokers LLC
Direct: (312) 555-0177 | d.okonkwo@pinnaclecib.com

SECTION 2 — INSURED ACCOUNT OVERVIEW

2.1 Named Insured & Entity Information

Field	Detail
Named Insured	Apex Logistics REIT LLC
Entity Type	Limited Liability Company (REIT structure)
State of Formation	Delaware (registered: IL, TX, FL, CA)
Federal Tax ID	On file with broker
Principal Office	200 S Michigan Ave, Suite 1800, Chicago, IL 60604
Website	www.apexlogisticsreit.com
Year Founded	2013
Ownership	Privately held — institutional LPs + management team (no public float)
Key Executive	Patricia N. Adeyemi, President & CEO
Portfolio Manager	Kevin S. Burrage, VP — Asset Management

2.2 Business Operations

Apex Logistics REIT LLC is an owner-operator of light industrial and last-mile distribution assets in major U.S. logistics corridors. The company acquires, develops, and manages Class-A and Class-B industrial properties for institutional and e-commerce distribution tenants.

Operating Metric	Value
Annual Gross Revenues (2025)	$14,180,000 (rental income)
Total Managed Square Footage	633,000 sq. ft. (all locations)
Number of Employees (Apex)	18 FTE
Tenant Count	11 active tenants across 4 locations
Average Tenant Lease Term	6.1 years
Portfolio Occupancy	97%
NAICS Code	531120 — Lessors of Nonresidential Buildings
Years in Business	12 (since 2013)

SECTION 3 — SCHEDULE OF LOCATIONS / STATEMENT OF VALUES

3.1 Location Summary

Loc #	Address	City	Occ. Type	Const. Class	Yr Built	Sq Ft	Bldg RCV	BPP	BI/EE	TIV
LOC-1	3200 Greens Rd	Houston, TX 77032	Lt. Ind./Whse	FR Class 6	2014	185,000	$16,200,000	$620,000	$2,100,000	$18,920
LOC-2	8500 NW 74th Ave	Doral, FL 33166	Lt. Ind./Whse	FR Class 6	2010	142,000	$18,500,000	$480,000	$2,400,000	$21,380
LOC-3	2401 S Laramie Ave	Cicero, IL 60804	Lt. Ind./Whse	MNC Class 4	1998	96,000	$7,800,000	$310,000	$980,000	$9,090
LOC-4	19200 S Alameda St	Compton, CA 90220	Lt. Ind./Whse	FR Class 6	2006	210,000	$28,400,000	$850,000	$3,600,000	$32,850
TOTAL						**633,000**	**$70,900,000**	**$2,260,000**	**$9,080,000**	**$82,240**

FR = Fire Resistive (ISO Class 6) | MNC = Masonry Non-Combustible (ISO Class 4) | BI/EE = 18 months (LOC-1,2,4); 12 months (LOC-3)

3.2 Valuation Methodology

Parameter	Detail
Valuation Basis	Replacement Cost Value (RCV) — Agreed Value endorsement (no coinsurance penalty)
Appraisal Platform	Cotality Marshall & Swift RCT Express — Portfolio Appraisal, November 2025
Platform Note	Cotality is the March 2025 rebrand of CoreLogic. Marshall & Swift remains the industry-standard replacement cost methodology — now operated under Cotality (cotality.com/products/marshall-swift). RCT Express is the carrier-grade commercial property estimation product.
Insurance-to-Value (ITV)	100% at all locations — ITV certification enclosed (Exhibit G)
Co-Insurance Clause	Agreed Value Endorsement — waiving co-insurance requirements at all locations
BPP Basis	Tenant improvement allowances owned by Insured; tenant personal property excluded
Business Income Basis	Actual Loss Sustained — 18 months (LOC-1, 2, 4); 12 months (LOC-3)
Inflation Guard	4% automatic annual increase — endorsed on expiring; renewal requested

SECTION 4 — PROPERTY CHARACTERISTICS & RISK QUALITY

4.1 Construction & Building Age

Loc	Construction Class	ISO Class	Year Built	Age	Key Construction Notes
LOC-1	Fire Resistive	Class 6	2014	11 yrs	Tilt-up reinforced concrete panels; full 2-hr fire rating; IBC 2012 compliant
LOC-2	Fire Resistive	Class 6	2010	15 yrs	Tilt-up concrete; Miami-Dade HVHZ construction; FBC 7th Ed. (2023) compliance confirmed — see Section 4.6
LOC-3	Masonry Non-Comb.	Class 4	1998	27 yrs	Brick/CMU perimeter walls; non-comb. steel roof deck; structural upgrades 2012, 2018, 2020
LOC-4	Fire Resistive	Class 6	2006	19 yrs	Tilt-up reinforced concrete; seismically detailed per CBC 2022 retrofit; full 2-hr fire rating

4.2 Roof Details

Loc	Type	Material	Installed	Age	Condition	Warranty / Certification
LOC-1	Low-slope	TPO 60-mil	2014	11 yrs	Good — Q1 2026 inspection scheduled	20-yr mfr. warranty
LOC-2	Low-slope	TPO 60-mil	2022	3 yrs	Excellent — replaced 2022; Miami-Dade NOA No. 22-0411.03	25-yr mfr. warranty; HVHZ rated
LOC-3	Low-slope	EPDM 45-mil	2015	10 yrs	Good — minor seam inspection noted	15-yr mfr. warranty
LOC-4	Low-slope	TPO 60-mil	2019	6 yrs	Excellent — current inspection	20-yr mfr. warranty

4.3 Building Systems — Electrical, Plumbing, HVAC

Loc	Electrical System	Age	Plumbing	Age	HVAC System	Age
LOC-1	800A Copper — commercial	11 yrs	CPVC	11 yrs	Carrier RTU (4 x 20-ton)	11 yrs
LOC-2	1,000A Copper — commercial	15 yrs	CPVC	15 yrs	York RTU (8 x 25-ton) — replaced 2018	7 yrs
LOC-3	400A Copper — updated 2012	13 yrs	CPVC (26 yrs — copper confirmed Jan 2026)	26 yrs	Trane RTU (3 x 15-ton) — replaced 2018	7 yrs

Loc	Electrical System	Age	Plumbing	Age	HVAC System	Age
LOC-4	1,200A Copper — commercial	19 yrs	CPVC	19 yrs	Lennox RTU (6 x 30-ton) — replaced 2016	9 yrs

LOC-3 Note: Plumbing is 26 years old; CPVC/copper material confirmed by licensed plumbing inspector January 2026. Full coverage applicable. Inspection report enclosed — Exhibit H.

4.4 Fire Protection & Life Safety

Loc	Sprinkler System	Fire Alarm	Security System	Last Fire Inspection	Status
LOC-1	NFPA 13 Wet 100% — ESFR K-25	UL Central Station (ADT)	Central + 24-camera IP video	8 months ago	Compliant
LOC-2	NFPA 13 Wet 100% — ESFR K-25	UL Central Station (ADT)	Central + Video + 24/7 Guard	5 months ago	Compliant
LOC-3	NFPA 13 Wet 100% — OH Grp 2	UL Central Station (ADT)	Central monitored burglar alarm	14 months ago	Inspection March 28, 2026 — prior to bind (Exhibit I)
LOC-4	NFPA 13 Wet 100% — ESFR K-25	UL Central (SimplexGrinnell)	Central + Video + 24/7 Guard + perimeter	10 months ago	Compliant

4.5 Geographic & CAT Hazard Profile

Loc	City	FEMA Zone	Wildfire	Wind Zone	EQ PML	Hail	ISO PPC	Key CAT Notes
LOC-1	Houston, TX	Zone AE	8 — Low	Zone 3 Gulf	<5%	7 — Mod.	PC 3	Harris County 100-yr floodplain; hail corridor; NFIP supplement in force
LOC-2	Miami, FL	Zone AE	5 — Low	Zone 3 HVHZ	<5%	2 — Low	PC 2	Miami-Dade HVHZ; NFIP supplement; FBC 7th Ed. (2023) compliant — see 4.6
LOC-3	Chicago, IL	Zone X	0 — Low	Zone 1-2	<5%	5 — Mod.	PC 4	Minimal CAT exposure; moderate Great Lakes hail track
LOC-4	Compton, CA	Zone X	82 — V.High	Zone 1-2	20% USGS	1 — Low	PC 3	CAL FIRE VHFHSZ; EQ PML 20% USGS LA County — highest CAT profile in portfolio

4.6 LOC-2 Florida Building Code 7th Edition (2023) Compliance Detail

LOC-2 (8500 NW 74th Ave, Doral, FL 33166) was originally constructed in 2010 under the Florida Building Code 5th Edition (2007). The property has been progressively upgraded through each subsequent FBC edition. As of submission date, the property is fully compliant with the Florida Building Code, 7th Edition

(2023), which became effective December 31, 2023. A comprehensive FBC compliance package is enclosed as Exhibit P.

FBC 7th Edition (2023) Requirement	Compliance Status	Ref.
HVHZ Design Wind Speed — 185 mph 3-sec gust (ASCE 7-22 / FBC Sec. 1609)	Compliant — tilt-up concrete structure meets and exceeds design wind loads; structural engineer recertification completed 2024	Exhibit P
Impact-Resistant Glazing — FBC Sec. 1609.1.4 / ASTM E1886 / E1996	Compliant — all fenestration replaced with Miami-Dade NOA-approved impact-resistant glazing in 2021 (fully documented)	Exhibit P
Roof Covering — HVHZ / TAS 107 / Miami-Dade NOA	Compliant — 2022 roof replacement (TPO 60-mil) carries Miami-Dade NOA No. 22-0411.03; TAS 107 test results on file	Exhibit P
Roof-to-Wall Connections — FBC R802.11 / TAS 101	Compliant — hurricane straps and clips inspected and re-certified by licensed contractor 2024	Exhibit P
Continuous Load Path — FBC Structural Section	Compliant — licensed structural engineer continuous load path certification 2024	Exhibit P
Garage / Overhead Door Wind Rating — FBC Sec. 1609.1.4	Compliant — all 34 dock-high doors and 2 drive-in ramps carry Miami-Dade NOA wind-load ratings; replaced 2021	Exhibit P
Energy Code — FBC Energy 7th Ed. / ASHRAE 90.1-2019	Compliant — LED lighting retrofit completed 2023; York HVAC (2018) meets ASHRAE 90.1-2019 per FBC Energy requirements	Exhibit P
Accessibility — FBC Accessibility 7th Ed. / ADA	Compliant — FBC/ADA accessibility audit completed February 2026; no deficiencies identified	Exhibit P
Building Permit Compliance	All retrofit work permitted through City of Doral Building Department; Certificate of Completion on file	Exhibit P

FBC Note: The 7th Edition (2023) supersedes FBC 6th Edition (2020). Key changes impacting industrial properties in Miami-Dade include: updated ASCE 7-22 wind load provisions, revised HVHZ glazing and door standards, and expanded energy compliance requirements. LOC-2 meets all applicable provisions. No outstanding code violations or pending code enforcement actions.

SECTION 5 — COVERAGE SPECIFICATIONS & TERMS REQUESTED

5.1 Primary Coverage Terms

Coverage Element	Requested Terms
Coverage Form	Special Form (ISO CP 10 30 or equivalent) — All-Risk open perils
Valuation	Replacement Cost Value (RCV) — Agreed Value Endorsement (no co-insurance)
Building	$70,900,000 per SOV — all locations
Business Personal Property	$2,260,000 per SOV — all locations
Business Income & Extra Expense	$9,080,000 / Actual Loss Sustained — 18 mo (LOC-1,2,4); 12 mo (LOC-3)
Ordinance or Law	25% of building value per location — mandatory (building codes 11–27 yrs)
Equipment Breakdown	Included — $10,000 per occurrence deductible
Newly Acquired Property	60 days automatic / $3,000,000 blanket limit
Inflation Guard	4% automatic annual increase
Waiver of Subrogation	In favor of tenants per lease; in favor of lenders per mortgage

5.2 Deductible Structure

Peril / Location	Requested Deductible	Basis
All Perils — All Locations	$100,000 per occurrence	Per occurrence
Named Windstorm — LOC-1, LOC-2 (Gulf Coast / Miami-Dade HVHZ)	3% of TIV per location, minimum $150,000	Per occurrence per location
Named Windstorm — LOC-3, LOC-4	$100,000 per occurrence	Per occurrence
Flood — LOC-1, LOC-2 (FEMA Zone AE)	NFIP statutory deductible; commercial excess flood over NFIP limit	Separate NFIP policies in force
Earthquake — LOC-4 (California)	5% of TIV per occurrence, minimum $250,000	Per occurrence
Wildfire — LOC-4 (California)	$250,000 per occurrence	Per occurrence
Equipment Breakdown — All Locations	$10,000 per occurrence	Per occurrence

5.3 Special Endorsements & Location-Specific Conditions

Endorsement / Condition	Location(s)	Trigger / Basis
Agreed Value — waive co-insurance	All	ITV 100%; Cotality Marshall & Swift RCT Express appraisal Nov 2025 (Exhibit G)

Endorsement / Condition	Location(s)	Trigger / Basis
Ordinance & Law — Coverage A, B, C	All	Building codes 11–27 yrs old; mandatory at LOC-3 (27-yr code gap)
NFIP Supplemental Flood Policy	LOC-1, LOC-2	FEMA Zone AE — separate NFIP policies in force
FBC 7th Edition (2023) Compliance	LOC-2 (Miami, FL)	FBC 7th Ed. eff. Dec 31, 2023; all provisions met; compliance package enclosed — Exhibit P
Earthquake Sublimit — $15M per occ.	LOC-4 (CA)	EQ PML 20% USGS LA County
Wildfire Defensible Space Endorsement	LOC-4 (CA)	CAL FIRE VHFHSZ score 82; FR Class 6 construction; ISO 31000 ERM credited
Phase I Environmental Follow-up	LOC-3	Phase I recommendations resolved — Exhibit J
Deferred Maintenance Remediation Plan	LOC-3	DM score 3 — dock seals and parking lot; 90-day plan — Exhibit M
Fire Inspection Prior to Bind	LOC-3	Inspection scheduled March 28, 2026 — Exhibit I
Additional Insured / Mortgagee	All	Lender and mortgagee details on file with broker

SECTION 6 — LOSS HISTORY OVERVIEW

Full certified 5-year loss runs are provided as a separate document (Exhibit A). Carrier: Travelers Property Casualty Company of America. Summary below.

Metric	Value
5-Year Loss Count	2 losses
5-Year Total Incurred	$70,200
5-Year Cumulative Premiums	$4,986,000
5-Year Loss Ratio	1.4%
Loss 1	$48,000 — Water / pipe failure at LOC-1 Houston (September 2023) — Closed
Loss 2	$22,200 — Wind / wall cladding at LOC-3 Chicago (January 2025) — Closed
Open Claims	None
Prior Carrier Departure	Voluntary remarketing — Travelers +12% indication driven by reinsurance market, not loss experience
Years in Business	12 — continuous ownership and management since 2013

See Exhibit A (certified Loss Run — separate document) for per-location, per-year detail including full claim narratives and adjuster references.

SECTION 7 — REGULATORY COMPLIANCE & RISK MANAGEMENT

Parameter	Location	Condition	Action / Status
Building Code (F1)	LOC-1 — 2014 (11 yrs)	IBC 2012 / TX adopted	Ordinance & Law endorsement recommended — included in coverage request
Building Code (F1)	LOC-2 — 2010 (15 yrs)	FBC 7th Edition (2023) — HVHZ	FBC 7th Ed. compliance fully documented; O&L mandatory; compliance package — Exhibit P
Building Code (F1)	LOC-3 — 1998 (27 yrs)	IBC 1997 / IL adopted	Ordinance & Law MANDATORY — O&L 25% building value requested and endorsed
Building Code (F1)	LOC-4 — 2006 (19 yrs)	CBC 2001 / seismic retrofit CBC 2022	Ordinance & Law mandatory — included in coverage request
ADA Compliance (F2)	All Locations	Fully Compliant	No action required
Environmental (F3)	LOC-1, LOC-2, LOC-4	Phase I — Clean	Standard terms; pollution exclusion applies
Environmental (F3)	LOC-3	Phase I — Recommendations	All items resolved; documentation enclosed — Exhibit J
Environmental (F3)	LOC-4	Phase II — Clean (2021)	Prior auto dismantler site; Phase II clean — Exhibit K
ERM Program (F4)	LOC-1, LOC-2, LOC-3	Informal (written policies)	Standard terms — no action required
ERM Program (F4)	LOC-4	Formal ISO 31000	Premium credit applied; ERM manual enclosed — Exhibit L
Deferred Maintenance (F5)	LOC-1, LOC-2, LOC-4	Score 0–2 (Minimal)	No action required — full coverage
Deferred Maintenance (F5)	LOC-3	Score 3 (Moderate)	90-day remediation plan — Exhibit M; coverage with conditions
Claims Litigation (F6)	All Locations	None	No action required

SECTION 8 — EXPIRING POLICY INFORMATION

Detail	Information
Expiring Carrier	Travelers Property Casualty Company of America
Policy Number	QT-660-8841-22-46 (2025–26)
Policy Period	April 1, 2025 — March 31, 2026
Expiring Premium	$498,600 (all taxes and fees inclusive)
Expiring TIV	$79,040,000 (pre November 2025 appraisal update)
Expiring Deductible	$100,000 all perils; 3% Named Windstorm (Gulf Coast locations)
Expiring Rate per $100 TIV	$0.631
Carrier Financial Rating	A++ / XV (A.M. Best)
Renewal Indication	+12% portfolio — driven by reinsurance market conditions per carrier letter dated February 2026
Non-Renewal?	No — voluntary remarketing; expiring policy in force through March 31, 2026
Mid-Term Endorsements	SOV update November 2025 — TIV increased $3,200,000 (4.1%) per Cotality Marshall & Swift RCT Express appraisal

SECTION 9 — EXHIBITS INDEX

Exhibit	Description	Status
A	Certified 5-Year Loss Run — Travelers Property Casualty (2021–2026)	Enclosed — separate document
B	Statement of Values (SOV) — Full Location Detail	Enclosed — separate document
C	Sprinkler Inspection Reports — All 4 Locations (Q4 2025 / Q1 2026)	Enclosed
D	Roof Inspection Reports — LOC-1, LOC-3, LOC-4 (January 2026)	Enclosed
E	Cotality Marshall & Swift RCT Express Appraisal Report — Portfolio (November 2025)	Available on Request
F	Current Declarations Page — Travelers Policy QT-660-8841-22-46	Enclosed
G	Insurance-to-Value (ITV) Certification — All Locations	Enclosed
H	LOC-3 Plumbing Inspection Report — CPVC Material Confirmation (January 2026)	Enclosed
I	LOC-3 Fire Inspection Scheduling Confirmation — March 28, 2026	Enclosed
J	LOC-3 Phase I Environmental Follow-up Resolution Documentation	Enclosed
K	LOC-4 Phase II Environmental Assessment — Clean (2021)	Enclosed
L	LOC-4 ISO 31000 ERM Program Summary (Apex ERM Policy Manual)	Enclosed
M	LOC-3 Deferred Maintenance Remediation Plan — 90-day timeline	Enclosed
N	ACORD 140 — Commercial Property Application (signed)	Enclosed
O	ACORD 125 — Commercial Insurance Application (signed)	Enclosed
P	LOC-2 Florida Building Code 7th Edition (2023) Compliance Package — structural engineer certifications, Miami-Dade NOA records (roof, glazing, doors), impact glazing test reports, roof-to-wall connection certification, continuous load path documentation, Doral building permits and Certificates of Completion	Enclosed

— END OF SUBMISSION —

Questions: David R. Okonkwo, CIC | (312) 555-0177 | d.okonkwo@pinnaclecib.com
Pinnacle Commercial Insurance Brokers LLC | 200 W Monroe St, Suite 2100 | Chicago, IL 60606

This document is confidential and intended solely for the named underwriting party. Unauthorized distribution is prohibited.