DSA-Assignment-1

Deadline: 20th March 2024

- 1. Solve all the question and submit a handwritten document
- 2. Plagiarism will be penalised
- 3. Submit a pdf of the form <roll_no>_dsa1.pdf

1 Even Odd Functions - 4 marks

- 1. A signal x[n] is defined to be odd if x[-n] = -x[n] for all n. The signal x[n] is defined to be even if x[-n] = x[n] for all n.
- (a) (2 mark) Any signal g[n] can be written as the sum of even and odd parts $g_e[n] + g_o[n]$. Find these parts in terms of g[n].
- (b) (2 mark) If x[n] is an even signal and y[n] is an odd signal, then show that x[n]y[n] is an odd signal.

2 Fourier Series - 10 marks

- 1. (1 mark) What are Dirichlet Conditions? State them:
- 2. (1 mark) Give Formulas for Trigonometric Fourier Series and Exponential Fourier Series:
- 3. Find the Trigonometric Fourier Series of the following functions:
 - (a) (3 mark) Square wave function with period 2π : $f(x+2\pi)=f(x)$

$$f(x) = \begin{cases} 1 & \text{if } 0 \le x < \pi \\ -1 & \text{if } \pi \le x < 2\pi \end{cases}$$

- (b) (3 mark) y = |t|, where $-\pi \le t < \pi$ and $y(t) = y(t + 2\pi)$.
- (c) (2 mark) Give your observations about a_n and b_n in the above two questions

3 Fourier Transform - (CTFT,DTFT) - 20 marks

- 1. (1 mark) What are the formulas for DTFT and CTFT, and how do they differ in signal processing?
- 2. (2 marks) Consider a discrete-time signal x[n] of length N. The DTFT of the signal is given by $X(e^{j\omega})$. Show that DTFT is periodic with period 2π .


- 3. (4 marks) What are symmetry properties of Fourier Transform? Prove that Fourier transform of a real and even signal is real and even.
- 4. Prove below properties of CTFT (9 marks)
 - (a) (1 mark) Linearity
 - (b) (1 mark) Frequency Shifting
 - (c) (1 mark) Time Reversal
 - (d) (2 mark) Find Fourier Transform of the given signal (Hint: use duality property)


$$x(t) = \frac{\sin^2 kt}{t^2}$$

(e) (2 mark) Use property of differentiation in time domain and frequency domain to find

$$\mathcal{CTFT}\left\{\frac{d^2}{dt^2}x(t-1)\right\}$$

- (f) (1 mark) Convolution Property
- (g) (1 mark) Parseval's Relation
- 5. Compute the DTFT for the following signals: $(2 \times 2 = 4 \text{ marks})$





4 Fourier Transform - (DFT) - 32 marks

- 1. (2 marks) Compute 8-point DFT for the signal $x(n) = \frac{1}{4}u(4-n)$, where u(.) represents the unit step function.
- 2. (4 marks) Let x[n] values be non-zero for $0 \le n \le N-1$, else zero. Let $y[n] = x[n] + x\left[n + \frac{N}{2}\right]$, $0 \le n \le N-1$ else zero and Y(k) is the $\frac{N}{2}$ -point DFT of y[n]. Then, what is the relation between Y(k) and X(k)?
- 3. (2 marks) Given $X[k]=k^2$, $0 \le k \le 7$ be 8-point DFT of a sequence x[n], find the value of $\sum_{n=0}^3 x[2n+1]$
- 4. $(4 \times 3 = 12 \text{ marks})$ Determine the Inverse Fourier transform of the following:
 - (a) **(4 marks)**

$$X(e^{jw}) = \cos^3 w + \cos^2 w$$

(b) (4 marks)

$$X(e^{jw}) = \frac{e^{-4jw} + e^{-3jw} - e^{-jw} - 1}{e^{-jw} + 1}$$

(c) (4 marks)

$$X(e^{jw}) = \frac{3e^{-jw} - 1}{3 - e^{-jw}}$$

- 5. Let $x[n] = \{1, 2, 3, 6\}$ then
 - (a) (2 marks) Compute 6-point DFT of x[n] and is represented as X(k). Comment on the relation between:
 - X(1) and X(5)
 - X(2) and X(4)
 - (b) (4 marks) Compute 6-point DFT of x[n-10] and is represented as Y(k); What is relation between Y(k) and X(k);
 - (c) (2 marks) Obtain y[n] by computing IDFT of Y(k); What is the relation between y[n] and x[n]?
 - (d) (4 marks) Find DFT of $x[n]cos(\frac{2\pi}{N}k_0n)$ in terms of X(k); here k_o is an integer constant.

5 Convolution - 12 marks

- 1. Find the Convolution of the following functions:-
- (a) (6 marks)

$$f[n] = 2\delta[n+10] + 2\delta[n-10], \quad g[n] = 3\delta[n+5] + 2\delta[n-5]$$

(b) (6 marks)

$$f[n] = (-1)^n, \quad g[n] = \delta[n] + \delta[n-1]$$

6 Sampling - 24 marks

- 1. (6 marks) What is aliasing? What can be done to reduce aliasing? Let $x(t) = \frac{1}{2\pi} cos(4000\pi t) cos(1000\pi t)$ be a continuous-time signal. Find the Nyquist rate and Nyquist interval for this signal.
- 2. (6 marks) A waveform, $x(t) = 10cos(1000t + \pi/3) + 20cos(2000t + \pi/6)$ is to be uniformly sampled for digital transmission. What is the maximum allowable time interval between sample values that will ensure perfect signal reproduction? If we want to reproduce 1 hour of this waveform, how many sample values need to be stored?
- 3. Consider three signals $x_1(t)$ and $x_2(t)$ and $x_3(t)$ with Fourier transforms satisfying:

$$\begin{split} X_1(\Omega) &= 0, |\Omega| \geq 120 \\ X_2(\Omega) &= 0, |\Omega| \leq 60, |\Omega| \geq 100 \end{split}$$

Determine the minimum frequency f_s , at which we must sample the following signals to prevent aliasing.

- (a) (3 marks) $x(t) = x_1(t) + x_2(t)$
- (b) **(6 marks)** $x(t) = x_1(t)x_2(t)$
- (c) (3 marks) $x(t) = \cos(3.6\pi t + 9.23)$

7 Quantization - 48 marks

1. Consider the analog waveform x(t) and answer the following questions.

$$x(t) = \begin{cases} -2\sin(\pi x/4) & 0 \le x < 4\\ x - 4 & 4 \le x < 5\\ 1 & 5 < x < 7\\ 8 - x & 7 \le x \le 10 \end{cases}$$

It is sampled at 1000 Hz and quantized with a 2-bit quantizer with input range -2V to 2V.

- (a) (1 marks) Indicate the sample points.
- (b) (5 marks) State the quantization intervals and the corresponding digital words.
- (c) (5 marks) Sketch the digital word assigned to each sample point.
- (d) (5 marks) Indicate the stream of bits generated after the quantization is complete.
- (e) (2 marks) What is the resulting bit rate?
- (f) (2 marks) What is the quantization error?

Answer all of the above questions for a 3-bit quantizer as well (20 marks)

2. (8 marks) Mention advantages/disadvantages of increasing quantization bits.