

21) When implementing linear regression of some dependent variable y on the set of independent variables $\mathbf{x} = (x_1, \dots, x_r)$, where r is the number of predictors, which of the following statements will be true?

- a) $\beta_0, \beta_1, \dots, \beta_r$ are the regression coefficients.
- b) Linear regression is about determining the best predicted weights by using the method of ordinary least squares.
- c) E is the random interval
- d) Both a and b

ANSWER-- d) Both a and b

22) What indicates that you have a perfect fit in linear regression?

- a) The value $R^2 < 1$, which corresponds to $SSR = 0$
- b) The value $R^2 = 0$, which corresponds to $SSR = 1$
- c) The value $R^2 > 0$, which corresponds to $SSR = 1$
- d) The value $R^2 = 1$, which corresponds to $SSR = 0$

ANSWER—D) The value $R^2 = 1$, which corresponds to $SSR = 0$

23) In simple linear regression, the value of what shows the point where the estimated regression line crosses the y axis?

- a) Y b) B_0 c) B_1 d) F

ANSWER-- b) B_0

25) There are five basic steps when you're implementing linear regression: • a. Check the results of model fitting to know whether the model is satisfactory. • b. Provide data to work with, and eventually do appropriate transformations. • c. Apply the model for predictions. • d. Import the packages and classes that you need. • e. Create a regression model and fit it with existing data. However, those steps are currently listed in the wrong order. What's the correct order?

- a) e, c, a, b, d b) e, d, b, a, c c) d, e, c, b, a d) d, b, e, a, c

ANSWER-- b) e, d, b, a, c

26) Which of the following are optional parameters to Linear Regression in scikit-learn?

- a) Fit b) fit intercept c) normalize d) copy X e) n jobs f) reshape

ANSWER-- b) fit intercept c) normalize d) copy X e) n jobs

27) While working with scikit-learn, in which type of regression do you need to transform the array of inputs to include nonlinear terms such as x^2 ?

- a) Multiple linear regression b) Simple linear regression c) Polynomial regression

ANSWER-- c) Polynomial regression

28) You should choose statsmodels over scikit-learn when:

- a) You want graphical representations of your data.
- b) You're working with nonlinear terms.
- c) You need more detailed results.
- d) You need to include optional parameters

ANSWER-- c) You need more detailed results

29) _____ is a fundamental package for scientific computing with Python. It offers comprehensive mathematical functions, random number generators, linear algebra routines, Fourier transforms, and more. It provides a high-level syntax that makes it accessible and productive.

- a) Pandas
- b) Numpy
- c) Statsmodel
- d) scipy

ANSWER-- b) Numpy

30) _____ is a Python data visualization library based on Matplotlib. It provides a high-level interface for drawing attractive and informative statistical graphics that allow you to explore and understand your data. It integrates closely with pandas data structures.

- a) Bokeh
- b) Seaborn
- c) Matplotlib
- d) Dash

ANSWER-- b) Seaborn

41) Among the following identify the one in which dimensionality reduction reduces.

- a) Performance
- b) statistics
- c) Entropy
- d) Collinearity

ANSWER-- d) Collinearity

42) Which of the following machine learning algorithm is based upon the idea of bagging?

- a) Decision Tree
- b) Random Forest
- c) Classification
- d) SVM

ANSWER—b) Random Forest

43) Choose a disadvantage of decision trees among the following.

- a) Decision tree robust to outliers
- b) Factor analysis
- c) Decision Tree are prone to overfit
- d) all of the above

ANSWER-- c) Decision Tree are prone to overfit

44) What is the term known as on which the machine learning algorithms build a model based on sample data?

- a) Data Training b) Sample Data c) Training data d) None of the above

ANSWER-- c) Training data

45) Which of the following machine learning techniques helps in detecting the outliers in data?

- a) Clustering b) Classification c) Anomaly detection d) All of the above

ANSWER-- c) Anomaly detection

46) Identify the incorrect numerical functions in the various function representation of machine learning.

- a) Support Vector b) Regression c) Case based d) Classification

ANSWER-- a) Support Vector & b) Regression

47) Analysis of ML algorithm needs

- a) Statistical learning theory b) Computational learning theory c) None of the above
d) Both a and b

ANSWER-- d) Both a and b

48) Identify the difficulties with the k-nearest neighbor algorithm.

- a) Curse of dimensionality b) Calculate the distance of test case for all training cases
c) Both a and b d) None

ANSWER-- c) Both a and b

49) The total types of the layer in radial basis function neural networks is _____

- a) 1 b) 2 c) 3 d) 4

ANSWER-- b) 2

50) Which of the following is not a supervised learning

- a) PCA b) Naïve bayes c) Linear regression d) KMeans

ANSWER-- d) KMeans