




[illegible][illegible][illegible][illegible][illegible][illegible][illegible][illegible]

PAGE	PAGE CONTENT
01	TITLE & REV. HISTORY
02	PAGE INDEX
03	BU90007GWZ-E2EVK-101

<div><div> ROHM Semiconductor USA</div></div>				
Title PAGE INDEX				
Size B	Document Number xxxxx	Engineer: VDC	Drawn By: PTH VDC	Rev 00
Date:	Thursday, February 13, 2014	Sheet	2 of 3	



BU90007GWZ EVM Jumper Positions		
Reference Designator	Position	Description
J1	2 - 1	Jumper to enable U1. Active Mode
	2 - 3	Jumper to disable U1. standby Mode
J2	2 - 1	Jumper to select Forced PWM Mode
	2 - 3	Jumper to select Automatic PFM/PWM Mode

**Note:**

2.3V =< VIN < 2.7V: IoutMAX = 0.6A  
2.7V =< VIN < 3.0V: IoutMAX = 0.8A  
3.0V =< VIN < 5.5V: IoutMAX = 1.0A



ROHM Semiconductor USA

Title <b>BU90007GWZ-E2EVK-101</b>				
Size B	Document Number xxxxx	Engineer: VDC	Drawn By: PTH VDC	Rev 00
Date:	Thursday, February 13, 2014		Sheet	3 of 3