


Site : Shielding Room  
 Condition : EN55022 B QP NEUTRAL  
 EUT : ML-8511  
 Test Model:  
 MODE :

| Frequency<br>MHz | LISN<br>Factor<br>dB | Cable<br>Loss<br>dB | Meter<br>Reading<br>dBuV | Measured<br>level<br>dBuV | Limit<br>dBuV | Over<br>Limit<br>dBuV | remark  |
|------------------|----------------------|---------------------|--------------------------|---------------------------|---------------|-----------------------|---------|
| 0.48375          | 9.80                 | 0.01                | 30.37                    | 40.18                     | 56.27         | -16.09                | QP      |
| 0.48375          | 9.80                 | 0.01                | 25.49                    | 35.30                     | 46.27         | -10.97                | Average |

The EMC test results obtained during lab rental or witness test are for reference only. They are not official SGS EMC test reports. All Official EMC test reports have to be reviewed and signed by our qualified reviewers based on the ISO17025 requirement. Therefore, SGS will not accept any liabilities if the customer or manufacturer decides in starting production without waiting for the official SGS EMC test reports.

所有EMC租场测试或目击测试数据仅供参考,不作为SGS正式的EMC测试报告。根据ISO17025 导则的要求,所有正式的EMC测试报告必须经合格的审核员审核并签署。因此,如果客户或厂家在没有基于收到SGS正式的EMC测试报告,而开展生产造成的后果,SGS不会承担任何责任




Site : Shielding Room  
 Condition : EN55022 B QP LINE  
 EUT : ML-8511  
 Test Model:  
 MODE :

| Frequency<br>MHz | LISN<br>Factor<br>dB | Cable<br>Loss<br>dB | Meter<br>Reading<br>dBuV | Measured<br>level<br>dBuV | Limit<br>dBuV | Over<br>Limit<br>dBuV | remark  |
|------------------|----------------------|---------------------|--------------------------|---------------------------|---------------|-----------------------|---------|
| 0.48632          | 9.80                 | 0.01                | 27.24                    | 37.05                     | 46.23         | -9.18                 | Average |
| 0.48632          | 9.80                 | 0.01                | 31.92                    | 41.73                     | 56.23         | -14.50                | QP      |

The EMC test results obtained during lab rental or witness test are for reference only. They are not official SGS EMC test reports. All Official EMC test reports have to be reviewed and signed by our qualified reviewers based on the ISO17025 requirement. Therefore, SGS will not accept any liabilities if the customer or manufacturer decides in starting production without waiting for the official SGS EMC test reports.

所有EMC租场测试或目击测试数据仅供参考,不作为SGS正式的EMC测试报告。根据ISO17025 导则的要求,所有正式的EMC测试报告必须经合格的审核员审核并签署。因此,如果客户或厂家在没有基于收到SGS正式的EMC测试报告,而开展生产造成的后果,SGS不会承担任何责任




Site : Shielding Room  
 Condition : EN55022 B QP LINE  
 EUT : KMX -61  
 Test Model:  
 MODE :

| Frequency | LISN   | Cable | Meter   | Measured | Limit | Over   | remark  |
|-----------|--------|-------|---------|----------|-------|--------|---------|
| MHz       | Factor | Loss  | Reading | level    | dBuV  | Limit  |         |
|           | dB     | dB    | dBuV    | dBuV     | dBuV  | dBuV   |         |
| 0.48375   | 9.80   | 0.01  | 31.01   | 40.82    | 56.27 | -15.46 | QP      |
| 0.48375   | 9.80   | 0.01  | 26.47   | 36.28    | 46.27 | -9.99  | Average |

The EMC test results obtained during lab rental or witness test are for reference only. They are not official SGS EMC test reports. All Official EMC test reports have to be reviewed and signed by our qualified reviewers based on the ISO17025 requirement. Therefore, SGS will not accept any liabilities if the customer or manufacturer decides in starting production without waiting for the official SGS EMC test reports.

所有EMC租场测试或目击测试数据仅供参考,不作为SGS正式的EMC测试报告。根据ISO17025 导则的要求,所有正式的EMC测试报告必须经合格的审核员审核并签署。因此,如果客户或厂家在没有基于收到SGS正式的EMC测试报告,而开展生产造成的后果,SGS不会承担任何责任




Site : Shielding Room  
 Condition : EN55022 B QP NEUTRAL  
 EUT : KMX -61  
 Test Model:  
 MODE :

| Frequency<br>MHz | LISN<br>Factor<br>dB | Cable<br>Loss<br>dB | Meter<br>Reading<br>dBuV | Measured<br>level<br>dBuV | Limit<br>dBuV | Over<br>Limit<br>dBuV | remark  |
|------------------|----------------------|---------------------|--------------------------|---------------------------|---------------|-----------------------|---------|
| 0.47865          | 9.80                 | 0.01                | 32.74                    | 42.55                     | 56.36         | -13.81                | QP      |
| 0.47865          | 9.80                 | 0.01                | 27.32                    | 37.13                     | 46.36         | -9.23                 | Average |

The EMC test results obtained during lab rental or witness test are for reference only. They are not official SGS EMC test reports. All Official EMC test reports have to be reviewed and signed by our qualified reviewers based on the ISO17025 requirement. Therefore, SGS will not accept any liabilities if the customer or manufacturer decides in starting production without waiting for the official SGS EMC test reports.

所有EMC租场测试或目击测试数据仅供参考,不作为SGS正式的EMC测试报告。根据ISO17025 导则的要求,所有正式的EMC测试报告必须经合格的审核员审核并签署。因此,如果客户或厂家在没有基于收到SGS正式的EMC测试报告,而开展生产造成的后果,SGS不会承担任何责任




Site : Shielding Room  
 Condition : EN55022 B QP NEUTRAL  
 EUT : BDE -600  
 Test Model:  
 MODE :

| Frequency<br>MHz | LISN<br>Factor<br>dB | Cable<br>Loss<br>dB | Meter<br>Reading<br>dBUV | Measured<br>level<br>dBUV | Limit<br>dBUV | Over<br>Limit<br>dBUV | remark  |
|------------------|----------------------|---------------------|--------------------------|---------------------------|---------------|-----------------------|---------|
| 0.48890          | 9.80                 | 0.01                | 27.15                    | 36.96                     | 46.19         | -9.22                 | Average |
| 0.48890          | 9.80                 | 0.01                | 29.36                    | 39.17                     | 56.19         | -17.01                | QP      |

The EMC test results obtained during lab rental or witness test are for reference only. They are not official SGS EMC test reports. All Official EMC test reports have to be reviewed and signed by our qualified reviewers based on the ISO17025 requirement. Therefore, SGS will not accept any liabilities if the customer or manufacturer decides in starting production without waiting for the official SGS EMC test reports.

所有EMC租场测试或目击测试数据仅供参考,不作为SGS正式的EMC测试报告。根据ISO17025 导则的要求,所有正式的EMC测试报告必须经合格的审核员审核并签署。因此,如果客户或厂家在没有基于收到SGS正式的EMC测试报告,而开展生产造成的后果,SGS不会承担任何责任




Site : Shielding Room  
 Condition : EN55022 B QP LINE  
 EUT : BDE -600  
 Test Model:  
 MODE :

| Frequency | LISN   | Cable | Meter   | Measured | Over  |        |         |
|-----------|--------|-------|---------|----------|-------|--------|---------|
| MHz       | Factor | Loss  | Reading | level    | Limit | Limit  | remark  |
|           | dB     | dB    | dBuV    | dBuV     | dBuV  | dBuV   |         |
| 0.48375   | 9.80   | 0.01  | 30.86   | 40.67    | 56.27 | -15.61 | QP      |
| 0.48375   | 9.80   | 0.01  | 25.96   | 35.77    | 46.27 | -10.50 | Average |

The EMC test results obtained during lab rental or witness test are for reference only. They are not official SGS EMC test reports. All Official EMC test reports have to be reviewed and signed by our qualified reviewers based on the ISO17025 requirement. Therefore, SGS will not accept any liabilities if the customer or manufacturer decides in starting production without waiting for the official SGS EMC test reports.

所有EMC租场测试或目击测试数据仅供参考,不作为SGS正式的EMC测试报告。根据ISO17025 导则的要求,所有正式的EMC测试报告必须经合格的审核员审核并签署。因此,如果客户或厂家在没有基于收到SGS正式的EMC测试报告,而开展生产造成的后果,SGS不会承担任何责任




Site : Shielding Room  
 Condition : EN55022 B QP LINE  
 EUT : BH -1620  
 Test Model:  
 MODE :

| Frequency<br>MHz | LISN<br>Factor<br>dB | Cable<br>Loss<br>dB | Meter<br>Reading<br>dBuV | Measured<br>level<br>dBuV | Limit<br>dBuV | Over<br>Limit<br>dBuV | remark  |
|------------------|----------------------|---------------------|--------------------------|---------------------------|---------------|-----------------------|---------|
| 0.48119          | 9.80                 | 0.01                | 31.25                    | 41.06                     | 56.32         | -15.26                | QP      |
| 0.48119          | 9.80                 | 0.01                | 27.36                    | 37.17                     | 46.32         | -9.15                 | Average |

The EMC test results obtained during lab rental or witness test are for reference only. They are not official SGS EMC test reports. All Official EMC test reports have to be reviewed and signed by our qualified reviewers based on the ISO17025 requirement. Therefore, SGS will not accept any liabilities if the customer or manufacturer decides in starting production without waiting for the official SGS EMC test reports.

所有EMC租场测试或目击测试数据仅供参考,不作为SGS正式的EMC测试报告。根据ISO17025 导则的要求,所有正式的EMC测试报告必须经合格的审核员审核并签署。因此,如果客户或厂家在没有基于收到SGS正式的EMC测试报告,而开展生产造成的后果,SGS不会承担任何责任




Site : Shielding Room  
 Condition : EN55022 B QP NEUTRAL  
 EUT : BH -1620  
 Test Model:  
 MODE :

| Frequency | LISN   | Cable | Meter   | Measured | Over  |        |         |
|-----------|--------|-------|---------|----------|-------|--------|---------|
| MHz       | Factor | Loss  | Reading | level    | Limit | Limit  | remark  |
|           | dB     | dB    | dBuV    | dBuV     | dBuV  | dBuV   |         |
| 0.48375   | 9.80   | 0.01  | 30.86   | 40.67    | 56.27 | -15.60 | QP      |
| 0.48375   | 9.80   | 0.01  | 26.49   | 36.30    | 46.27 | -9.97  | Average |

The EMC test results obtained during lab rental or witness test are for reference only. They are not official SGS EMC test reports. All Official EMC test reports have to be reviewed and signed by our qualified reviewers based on the ISO17025 requirement. Therefore, SGS will not accept any liabilities if the customer or manufacturer decides in starting production without waiting for the official SGS EMC test reports.

所有EMC租场测试或目击测试数据仅供参考,不作为SGS正式的EMC测试报告。根据ISO17025 导则的要求,所有正式的EMC测试报告必须经合格的审核员审核并签署。因此,如果客户或厂家在没有基于 收到SGS正式的EMC测试报告,而开展生产造成的后果,SGS不会承担任何责任






Site : Shielding Room  
 Condition : EN55022 B QP NEUTRAL  
 EUT : BH -1721  
 Test Model:  
 MODE :

| Frequency | LISN   | Cable | Meter   | Measured | Over  |        |         |
|-----------|--------|-------|---------|----------|-------|--------|---------|
| MHz       | Factor | Loss  | Reading | level    | Limit | Limit  | remark  |
|           | dB     | dB    | dBuV    | dBuV     | dBuV  | dBuV   |         |
| 0.48119   | 9.80   | 0.01  | 27.26   | 37.07    | 46.32 | -9.25  | Average |
| 0.48119   | 9.80   | 0.01  | 31.09   | 40.90    | 56.32 | -15.42 | QP      |

The EMC test results obtained during lab rental or witness test are for reference only. They are not official SGS EMC test reports. All Official EMC test reports have to be reviewed and signed by our qualified reviewers based on the ISO17025 requirement. Therefore, SGS will not accept any liabilities if the customer or manufacturer decides in starting production without waiting for the official SGS EMC test reports.

所有EMC租场测试或目击测试数据仅供参考,不作为SGS正式的EMC测试报告。根据ISO17025 导则的要求,所有正式的EMC测试报告必须经合格的审核员审核并签署。因此,如果客户或厂家在没有基于收到SGS正式的EMC测试报告,而开展生产造成的后果,SGS不会承担任何责任




Site : Shielding Room  
 Condition : EN55022 B QP LINE  
 EUT : BH -1721  
 Test Model:  
 MODE :

| Frequency<br>MHz | LISN<br>Factor<br>dB | Cable<br>Loss<br>dB | Meter<br>Reading<br>dBUV | Measured<br>level<br>dBUV | Limit<br>dBUV | Over<br>Limit<br>dBUV | remark  |
|------------------|----------------------|---------------------|--------------------------|---------------------------|---------------|-----------------------|---------|
| 0.48632          | 9.80                 | 0.01                | 31.46                    | 41.27                     | 56.23         | -14.96                | QP      |
| 0.48632          | 9.80                 | 0.01                | 26.98                    | 36.79                     | 46.23         | -9.44                 | Average |

The EMC test results obtained during lab rental or witness test are for reference only. They are not official SGS EMC test reports. All Official EMC test reports have to be reviewed and signed by our qualified reviewers based on the ISO17025 requirement. Therefore, SGS will not accept any liabilities if the customer or manufacturer decides in starting production without waiting for the official SGS EMC test reports.

所有EMC租场测试或目击测试数据仅供参考,不作为SGS正式的EMC测试报告。根据ISO17025 导则的要求,所有正式的EMC测试报告必须经合格的审核员审核并签署。因此,如果客户或厂家在没有基于收到SGS正式的EMC测试报告,而开展生产造成的后果,SGS不会承担任何责任




Site : Shielding Room  
 Condition : EN55022 B QP LINE  
 EUT : BU -52011  
 Test Model:  
 MODE :

| Frequency<br>MHz | LISN<br>Factor<br>dB | Cable<br>Loss<br>dB | Meter<br>Reading<br>dBuV | Measured<br>level<br>dBuV | Limit<br>dBuV | Over<br>Limit<br>dBuV | remark  |
|------------------|----------------------|---------------------|--------------------------|---------------------------|---------------|-----------------------|---------|
| 0.48119          | 9.80                 | 0.01                | 26.69                    | 36.50                     | 46.32         | -9.82                 | Average |
| 0.48119          | 9.80                 | 0.01                | 30.76                    | 40.57                     | 56.32         | -15.75                | QP      |

The EMC test results obtained during lab rental or witness test are for reference only. They are not official SGS EMC test reports. All Official EMC test reports have to be reviewed and signed by our qualified reviewers based on the ISO17025 requirement. Therefore, SGS will not accept any liabilities if the customer or manufacturer decides in starting production without waiting for the official SGS EMC test reports.

所有EMC租场测试或目击测试数据仅供参考,不作为SGS正式的EMC测试报告。根据ISO17025 导则的要求,所有正式的EMC测试报告必须经合格的审核员审核并签署。因此,如果客户或厂家在没有基于收到SGS正式的EMC测试报告,而开展生产造成的后果,SGS不会承担任何责任



Site : Shielding Room  
 Condition : EN55022 B QP NEUTRAL  
 EUT : BU -52011  
 Test Model:  
 MODE :

| Frequency<br>MHz | LISN<br>Factor<br>dB | Cable<br>Loss<br>dB | Meter<br>Reading<br>dBuV | Measured<br>level<br>dBuV | Limit<br>dBuV | Over<br>Limit<br>dBuV | remark  |
|------------------|----------------------|---------------------|--------------------------|---------------------------|---------------|-----------------------|---------|
| 0.49150          | 9.80                 | 0.01                | 31.33                    | 41.14                     | 56.14         | -15.00                | QP      |
| 0.49150          | 9.80                 | 0.01                | 26.65                    | 36.46                     | 46.14         | -9.68                 | Average |

The EMC test results obtained during lab rental or witness test are for reference only. They are not official SGS EMC test reports. All Official EMC test reports have to be reviewed and signed by our qualified reviewers based on the ISO17025 requirement. Therefore, SGS will not accept any liabilities if the customer or manufacturer decides in starting production without waiting for the official SGS EMC test reports.

所有EMC租场测试或目击测试数据仅供参考,不作为SGS正式的EMC测试报告。根据ISO17025 导则的要求,所有正式的EMC测试报告必须经合格的审核员审核并签署。因此,如果客户或厂家在没有基于 收到SGS正式的EMC测试报告,而开展生产造成的后果,SGS不会承担任何责任