USER MANUAL


KASEI
Advanced Technology

KASEI CHAIN SAW
KZ-5918 CS-PRO-2S-WC 20”



TECHNICAL SPECIFICATIONS

Model	KZ-5918 CS-PRO-2S-WC
Power	2.5KW/ 9000 RPM
Displacement	54.5 CC
Tank Capacity	540ML
Oil Tank Capacity	280ML
Guide Plate Length	20 Inch
Chain Size	0.325 Inch
Weight	6.2 KG


10
33
37
34
11
3
2
36
35
12
13
7
4
29
6
24
16
15
14
31
27
1
17
8
26
38
18
9
30
19
20
5
21
22
23
25
32
28
40
39
41
42
43
64
44
65
51
50
45
49
60
61
46
62
47
63
48
59
49
58
50
52
54
51
55
57
53
56

SL NO	PART NO	DESCRIPTION	SL NO	PART NO	DESCRIPTION
1	AM-5918-CS-01	Brake Assy	17	AM-5918-CS-17	Auxiliary Lever
2	AM-5918-CS-02	Head Board Pin	18	AM-5918-CS-18	Pin
3	AM-5918-CS-03	Corrugated pin	19	AM-5918-CS-19	Brake Lever
4	AM-5918-CS-04	Baffle pin Set	20	AM-5918-CS-20	Brake Spring
5	AM-5918-CS-05	Pin	21	AM-5918-CS-21	Brake Reed
6	AM-5918-CS-06	Distansible Bolt	22	AM-5918-CS-22	Tapping screw
7	AM-5918-CS-07	Adjust Pin	23	AM-5918-CS-23	Spring Cover plate
8	AM-5918-CS-08	Tensioning Cover plate	24	AM-5918-CS-24	Stop block
9	AM-5918-CS-09	Tapping Screw	25	AM-5918-CS-25	Leading chain block
10	AM-5918-CS-10	Head Board	26	AM-5918-CS-26	Triangle right plate
11	AM-5918-CS-11	Brake Spring	27	AM-5918-CS-27	Nut
12	AM-5918-CS-12	Washer	28	AM-5918-CS-28	Little brake spring
13	AM-5918-CS-13	Split washer	29	AM-5918-CS-29	Rubber washer
14	AM-5918-CS-14	Limit Board A	30	AM-5918-CS-30	Split washer
15	AM-5918-CS-15	Spacer pin	31	AM-5918-CS-31	Split washer
16	AM-5918-CS-16	Main Lever	32	AM-5918-CS-32	Oil baffle plate

SL NO	PART NO	DESCRIPTION	SL NO	PART NO	DESCRIPTION
33	AM-5918-CS-33	Filter cover lock	50	AM-5918-CS-50	Screw
34	AM-5918-CS-34	Filter cover lock gasket	51	AM-5918-CS-51	Dust Cap
35	AM-5918-CS-35	Small cover of air filter	52	AM-5918-CS-52	Fuel tank Lid seal ring
36	AM-5918-CS-36	Big cover of air filter	53	AM-5918-CS-53	Fuel Tank Lid seal
37	AM-5918-CS-37	Screw	54	AM-5918-CS-54	Button Shaft
38	AM-5918-CS-38	Air gudance board	55	AM-5918-CS-55	Button spring
39	AM-5918-CS-39	Starter Assy	56	AM-5918-CS-56	Button
40	AM-5918-CS-40	Jacket	57	AM-5918-CS-57	Tapping screw
41	AM-5918-CS-41	Screw	58	AM-5918-CS-58	Trigger arm
42	AM-5918-CS-42	Handle Assy	59	AM-5918-CS-59	Handle gland
43	AM-5918-CS-43	Tapping screw	60	AM-5918-CS-60	Throttle operating Lever
44	AM-5918-CS-44	Fuel Pipe	61	AM-5918-CS-61	Trigger
45	AM-5918-CS-45	Clump weight	62	AM-5918-CS-62	Trigger Spring
46	AM-5918-CS-46	Fuel cleaner cover	63	AM-5918-CS-63	Pin
47	AM-5918-CS-47	Double damping	64	AM-5918-CS-64	Admitting Valve
48	AM-5918-CS-48	Fuel tank	65	AM-5918-CS-65	Fuel Balancer seat
49	AM-5918-CS-49	Damping Set			