



EKA GT MAX

LCD 3D Printer


353*198*400mm



An Authorised Partner of Make3d.in



MAKE3D.IN



Eka[®]

GT MAX

Precision. Power. Perfection in Every Layer

353x198x400 mm

Go Big - Stay Precise



Key Features of EKA GT MAX

✦ **16" 8K Ultra-HD Resolution**

Eka GT Max 8K features a massive 16-inch UV-curable LCD screen with an outstanding 7680×4320 resolution, delivering crisp details and exceptional surface quality, even on the most intricate parts.

✦ **Ultra-Fine 46µm Pixel Precision**

With a pixel size of just 46 microns, Eka GT Max 8K surpasses most printers in its class. Enjoy surreal detailing and unmatched dimensional accuracy in every print.

✦ **Beginner-Friendly & Pro-Ready**

Whether you're a seasoned professional or just starting your 3D printing journey, Eka GT Max 8K is designed for quick setup and intuitive use.

✦ **Hassle-Free Support**

Backed by responsive and professional after-sales service. Our expert team is ready to assist you promptly—whenever you need help.

✦ **Resin Tank Heating**

Built-in temperature control system for resin tank ensures optimal resin viscosity and consistent print quality, even in cooler environments.

✦ **Automatic Resin Feeding**

Smart auto resin feeding system maintains uninterrupted printing and reduces manual intervention during large or continuous prints.

✦ **Massive Build Volume**

Industry-leading **353×198×400** mm build area, perfect for large-scale models or batch production in one go.

✦ **High-Speed Printing**

Achieves up to 50 mm/hr print speed without compromising detail—ideal for time-sensitive prototyping and production.



Technical Specifications EKA GT MAX

Category	Specification
Technology Build	UV Surface Exposure LCD
Volume Printer	353 × 198 × 400 mm
Dimensions Net	600 × 480 × 880 mm
Weight Gross	52 kg
Weight Max Printing	65 kg
Speed LCD Screen	Up to 50 mm/h
LCD Resolution	16-inch Monochrome Screen
Pixel Size Layer	8K (7680 × 4320)
Thickness Light	46 µm
Source Release Film	0.01 – 0.3 mm
Resin Feeding	405 nm UV LED
Temperature	High-Speed TSP Film
Control Platform	Automatic
Calibration Slicing	Resin Tank Heating
Software Operation	Factory Pre-Calibrated
Supported	Chitubox
Materials	7-inch Touchscreen
Supported File	UV-Curable Resin
Types Connectivity	.stl, .obj, .slc
Power Consumption	Wi-Fi, USB
	300 W



Where to use EKA GT MAX !



Art Models/Masters



Engineering Spares/Prototype



Dental Models



Prototypes of Plastic Products



Drone Spares

Resin Materials Compatible in GT MAX

- Standard Pro
- Standard High Speed
- Tough Pro
- Tough Flexible
- Tough Rigid
- TPU Rubber
- ABS Pro
- High Clear

